


LVD80DA-80CM

BATHROOM VANITY SET


SKU: LVD80DA-80CMWT
LVD80DA-80CMNB

Colors/Finishes: White,Navy Blue
Nominal Dimension:80W*22D*34 1/8H inches



Contents

80"Vanity.....	PAGE2
80"Vanity Top.....	PAGE3
Vanity Installation.....	PAGE4



VANITY FEATURES:

- 1.Material: Solid wood frame, high-quality venner plywood.
- 2.Doors: 4 soft-close doors,Soft-close hinges system.
- 3.Drawers: 6 soft-close drawers,concealed soft-close sliders.
- 4.Hardware: Metal Alloy
- 5.Installation Type: Freestanding
- 6.Built-in Adjusters: Adjustable height levelers
- 7.Vanity Top: Cultured Marble with 2 under mount sinks
- 8.Assemble required: No
- 9.Vanity top Included: Yes
- 10.Mirror Included: Optional
- 11.Medicine Cabinet Included: Optional

VANITY TOP FEATURES:

- 1.Material: Cultured Marble
- 2.Top Color: white
- 3.Sink: 2*20"under mount rectangle sink
- 4.Faucet Holes: Top pre-drilled for 8"widespread faucet holes
- 5.Sink Certified: CUPC certified
- 6.Backsplash: 4"backsplash included
- 7.Faucet Included: No
- 8.Nominal Dimension(W*D*H): 80W*22D*0.71H inches

LVD80DA-80CM


BATHROOM VANITY SET

LVD80DA-80CMWT
LVD80DA-80CMNB

COMPONENTS:

Vanity	LVD80DA-80CMWT	LVD80DA-80CMNB
Vanity Top	CM80WTHH	CM80WTHH


PRODUCT DIAGRAMS:




LVD80DA-80CM

VANITY TOP

With rectangular undermount sink




Undermount Sink



Vanity Installation

SUGGESTED TOOLS AND MATERIALS:



Sealant



Measuring tape



Safety glasses



Rag




Level

INSTALLATION INSTRUCTLONS


We recommend consulting a professional if you are unfamiliar with installing bathroom fixtures and plumbing .We accept no liability for any damage to the floor,plumbing, vanity cabinet,sink,countertop,or personal injury during installation.

1




Remove vanity from box and examine vanity for any defects or damage.Carefully place vanity against wall.

2




Always use a two man crew,a single person crew is much more likely to break or chip the stone top.

3



Apply bead of quality sealant evenly along the bottom of backsplash and the top of the vanity.

4



Finally,place the bottom side of back splash with sealant onto the counter top and check alignment of back splash.