



16"/20" GLACIER LED

Ceiling Fan with Light

User Manual

GET MORE SUPPORT

If you experience any issues while operating our products, please directly reach out to our Customer Support via your order number. Or you can send your inquiry to our Official Customer Support at:

 support@depuley.com

 (001)201-365-0018

WS-FPZ195

WS-FPZ196

WS-FPZ222

please scan the QR code to watch the installation video.





01 30-day money-back guarantee

If for any reason, within 30 days of receiving your order, you may return your undamaged product to us for a full refund.

02 5-year quality guarantee

If the product results in quality-related defects within 5-years from the date of purchase, please contact us support@depuley.com immediately. We solemnly promise to take full responsibility for the quality of our products, and will provide you with the most satisfactory solutions. And no need to return the original product.

03 Quick Response within 12 Hours

If you encounter any issues or defects before or after product installation, be sure to get in touch with customer support: support@depuley.com immediately. Our team will make things right and respond to your request within 12 hours. Please do not initiate a self-service return, which will result with delay of your time and the loss of shipping cost reimbursements.

04 Free user support

Not sure how to get your Depuley product working properly?
Contact our world-class, friendly support team: support@depuley.com for immediate assistance.



Installation Precautions



WARNING

It is prohibited to run the motor without a load. Powering on the motor for testing when the fan blades are not installed or the assembly is incomplete may lead to motor overheating, bearing damage, or circuit failures (the motor of the ceiling fan light is equipped with a built-in sensor that will automatically stop the operation when it is running without a load).

It is recommended to complete all the assembly work according to the installation guide before powering on to avoid damaging the motor.



We are here to support you every step of the way.

Active **20%** off
discount
in next purchase

“Order ID”




support@depuley.com

Contact US



01



Log into your Amazon.com account,click
“Returns&Others” on the top-right corner.

02

ORDER # 111-1111111-1111111

[View order details](#)

Find your order in the list and click “View order details”

03

Delivered Nov 27, 2022
Your package was left near the front door or porch.
Track package



Click the“Store Name”following the Sold by,below the
product title.

04

Have a question for BvenuBigLite Ceiling Fan?

[Ask a question](#)

Click the button “Ask a question”,on the top-right
corner,to contact the seller.



WARNING

To avoid fire, shock, and serious personal injury, please read the following instructions carefully. Important Safety instructions.

- Before installing the fan, disconnect the power by removing fuses or turning off circuit breakers.
- Make sure the installation site you choose allows a minimum clearance of 7 feet from the blades to the floor and at least 30 inches from the tip of the blades to any obstruction (see the picture at the last page).
- If you are mounting the fan on a ceiling outlet box, use a metal sturdy base. Secure the box directly to the building structure. The outlet box and its support must be able to support the moving weight of the fan at least 45 pounds. Do not use a plastic outlet box. Attach the mounting brackets by winding the hardware provided with the can to the ceiling outlet box.
- If you are mounting the fan to a joist, make sure it is strong enough to support the moving weight of the fan (at least 45 pounds).
- After installing the fan, make sure all the connections are secured. This will prevent the fan from falling.
- Do not insert anything into the fan blades while the fan is operating.
- Turn the fan off and wait for it to stop before reversing fan direction.
- To reduce risk of electrical shock and personal injury, do not install the fan on a sloped ceiling.
- To reduce the risk of electrical shock and personal injury, do not use this fan with any solid-state.
- To reduce risk of personal injury, use only the two steel screws and lock washers provided with the fan for mounting the outlet box.

RISK OF ELECTRIC SHOCK

- Before you start installing this ceiling fan, disconnect the power supply by turning off the circuit breaker.
- All electrical connections must be in accordance with local standard National Electrical Code (NEC) and ANSI/NFPA 70.
- Consult a qualified electrician if you are unfamiliar with proper electrical wiring connections.
- Do not alter, re-locate, or remove wiring when nothing goes wrong with the product.
- Double-check all connections and screws to be sure they are tight and correct.
- Verify whether the supply voltage is correct by comparing it with the product information.

RISK OF INJURY

- Keep all the parts of this product away from children. The package contains many small or heavy parts that may bring children the risk of injury.
- Make sure to install all parts firmly enough in case they fall while running. Carefully check all screws, bolts, and washers on the fan assembly to ensure they are secured.
- Wear safety gloves and safety glasses always when installing or removing the light or the fan, or performing maintenance. Some parts of the components are sharp and may hurt your hands; please make sure you are wearing safety gloves when touching and installing the components.
- Wear rubber-soled shoes and work on a sturdy ladder.

MAINTENANCE TIPS:

- Periodically cleaning your ceiling fan is the only required maintenance. When a soft brush or lint-free cloth to avoid scratching the paint, please turn off the electrical power before you clean your fan.
- Do not use water when cleaning your ceiling fan. It could damage the motor or the blades or even cause an electrical shock.
- The motor has permanently lubricated ball bearings. No need to oil.

MAKE SURE THE POWER IS OFF IN THE ELECTRICAL PANEL BOX BEFORE YOU DO ANY CLEANING OR REPAIRS.



WARNING

To avoid serious injury or death, turn off the power at the circuit breaker before installing the fan.



TURN OFF

IMPORTANT

To avoid abnormal operation, do not connect the product to the dimmer switch or fan speed switch.



Applicable to only one type of ceiling




Downrod Mount



Sloped Ceiling Mount



Installation distance reference



TOOLS NEEDED



Phillips Screwdriver



Wire Stripper



Step Ladder



Safety Gloves



If you have trouble reading the instructions,
please scan the QR code to watch the installation video.



01



02



03

Need a Video instruction Guide?
Please scan the QR code

**If the QR code is invalid, please contact us
for the video.**





Remote Control



01.Hanger Bracket



02.Ceiling fan light



01

x1



02

x1



03

x1



04

x3



05

x2



06

x4



07

x2



08

x4



09

x1



10

x2



10

x3

Notice:

The quantity listed above is the number required for installation. If there is a missing part in your package, please reach out to us.

Section 1

Hanger Board



Difficulty Level: ★☆☆☆☆

Let's move towards success with a relaxed start !

Needed Accessories



x1



x4






Installation Steps

Hanger Board Ceiling fan light


Wood Ceiling



Junction Box



Concrete Ceiling



Don't Install On Sloped
Ceiling Mount



Section 2

Ceiling fan light



Difficulty Level: ★ ★ ★ ☆ ☆

There will be some wiring involved, but don't worry, I'm sure you can do it !

Needed Accessories



x1



x3



x1



x3







Installation Steps

Hanger Board Ceiling fan light

01



02








Installation Steps


○ Hanger Board ● Ceiling fan light

03



04





Remote Control


Points For Attention



- **Install 1.5*2 volt battery**(included)
(To prevent damage to transmitter, remove the battery if not used for a long time)
- **Do not place the remote control in an excessively hot or humid environment**
- **Remote control leaming code method:**
Your remote control and ceiling fan light have been successfully paired initially. If you find that the remote isn't working properly during use, you can re-pair them by following these steps:

Step 1: Turn off the wall control switch.

Step 2: Turn on the wall control switch , within 5 seconds of the fan light lighting, press and hold the " **PAIR CODE** " for 5 seconds until you see the fan light flash twice. This indicates that the pairing process has been successfully completed.



Scan the QR code to download the remote control app.

App Control

Points For Attention



- **Connecting with mobile phone APP**

Scan the QR code to download the "Zhi kong Pro" APP.

- Make sure that your Bluetooth are enable when using the Smart Home Light.

- **Bluetooth connection**

Power off the receiver for 5 seconds Turn on the power and immediately press the key of " pair " for The light flashes twice then learn successfully.



Your fan may occasionally jerk forward or backward upon starting up, This is normal and does not affect the fan operation, Try these troubleshooting steps before contacting customer service.

Problem	Solution
Fan not spinning	Make sure the fan is getting power. Check your circuit breaker or fuse panel and wall switch for functionality. Check to make sure the fan wires are correctly connected to the house wires. Remote control must be paired with the fan within 1 minute after connecting the fan to the electrical. Use a multimeter and test the adapter wiring harness to see if there is any electrical output. All the pin wiring on the circuit board must be inserted tight and in the correct position. Make sure the fan blades spin freely. If you're using a wall control, check the power to the breaker from your control and try working your ceiling fan manually. (Normal switch only for the fan power on/off)
Fan light not working	Make sure LED wires are connected to the circuit board. Make sure the whole fan is powered.
The fan is noisy and wobbling	Check if the blade screws are NOT rubbing against any part of motor housing. Check the pin wires are NOT connected against any moving parts. Check the down fan cup is NOT hitting the motor. Confirm the canopy is NOT touching the ceiling while the fan is in operation. Check the down rod is NOT slanted. Tighten any loose screws on the light kit, fan blades, motor coupling, down rod, brackets and mounting hardware. Confirm the hanger ball is firmly seated in the mounting bracket. The ceiling beam must meet the minimum tensile test strength of 30KG for installation. Verify the wire connections are not rattling against each other. Verify the fan blades are not cracked, If the fan blades are cracked, replace the damaged blades with a new blade set from the same brand as your ceiling fan to ensure compatibility Confirm the light kit is NOT slanting and hitting the motor.
The fan or light automatically turns on/off	Confirm the circuit breaker is not malfunctioning. Verify the wire connections are not frayed. Check the app is not set to a timer or schedule. Cut the fan power for 10 minutes then power on again. All the pin wiring on the circuit board must be inserted tight and correct position.



EU: G store

EU	REP	Company: E-CrossStu GmbH Address: Mainzer Landstr. 69,60329 Frankfurt am Main Email: E-CrossStu@web.de Nr.202406215376
Above address is ONLY for EU representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: foshanshigulakejinchukouyouxiangongsi Address:Danzaozhen jianshalu dongerqu1hao Liaodongyougubeiyuan13zuo103shisiceng402 Foshanshi Nanhaiqu Guangdongsheng 52800 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		

EU: N store

EU	REP	Company: E-CrossStu GmbH Address: Mainzer Landstr. 69,60329 Frankfurt am Main Email: E-CrossStu@web.de Nr.202406581022
Above address is ONLY for EU representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: Foshanshi wansiguangdian kejiyouxian'gongsi Address: Jun'anzen Jun'anshequ Juminweiyuanhui Baiannanlu 279 hao zhi san Foshanshi Shundequ Guangdongsheng 528300 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		

EU: P store

EU	REP	Company: E-CrossStu GmbH Address: Mainzer Landstr. 69,60329 Frankfurt am Main Email: E-CrossStu@web.de Nr.202406311414
Above address is ONLY for EU representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: Foshan BeiMa ZhaoMing KeJi Youxian Gongs Address:Danzao Town, Jinshadongliankaifaqu 2 hao chenhairuichangfang 2 lou Foshan City Nanhai District Guangdong Province 528225 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		



EU: V store

EU	REP	Company: E-CrossStu GmbH Address: Mainzer Landstr. 69,60329 Frankfurt am Main Email: E-CrossStu@web.de Nr.202406422650
Above address is ONLY for EU representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: guangzhoushi wansi guangdian keji youxiangongsi Address: huadidadaozhong 295hao erlou guangzhoushi liwanqu guangdongsheng 510000 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		

EU: A store

EU	REP	Company: E-CrossStu GmbH Address: Mainzer Landstr. 69,60329 Frankfurt am Main Email: E-CrossStu@web.de Nr.202507560865
Above address is ONLY for EU representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: guangzhoushiliwanquaodingdianqidian Address: Huadidadaozhong No.449 Zibian10-2A(erceng) Liwanqu Guangzhoushi 510385 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		

UK: A store

UK	REP	Company name: YH Consulting Limited Address: C/O YH Consulting Limited Office 147 Centurion House, London Road Staines-upon-Thames, Surrey, TW18 4AX Email: H2YHUK@gmail.com No.202507385279
Above address is ONLY for UK representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: guangzhoushiliwanquaodingdianqidian Address: No. 449 Huadi Avenue Middle, Liwan District, self compiled 10-2A (second floor) Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		



UK: P store

UK	REP	Company name: YH Consulting Limited Address: C/O YH Consulting Limited Office 147 Centurion House, London Road Staines-upon-Thames, Surrey, TW184AX Email: H2YHUK@gmail.com No.202406580247
Above address is ONLY for UK representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: Foshan BeiMa ZhaoMing KeJi Youxian Gongsi Address:Danzao Town, Jinshadongliankaifu 2 hao chenhairuichangfang 2 lou Foshan City Nanhai District Guangdong Province 528225 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		

UK: G store

UK	REP	Company name: YH Consulting Limited Address: C/O YH Consulting Limited Office 147 Centurion House, London Road Staines-upon-Thames, Surrey, TW18 4AX Email: H2YHUK@gmail.com No.202406818374
Above address is ONLY for UK representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: foshanshigulakejinchukouyouxiangongsi Address:Danzaozhen jianshalu dongerqu1hao Liaodongyougubeiyuan13zuo103shisiceng402 Foshanshi Nanhaiqu Guangdongsheng 52800 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		

UK: V store

UK	REP	Company name: YH Consulting Limited Address: C/O YH Consulting Limited Office 147 Centurion House, London Road Staines-upon-Thames, Surrey, TW18 4AX Email: H2YHUK@gmail.com No.202406424460
Above address is ONLY for UK representative purpose. NOT INVOLVINGIN ANY SALE OR PRODUCT RETURN. Only manufacturer, importer or seller shall be solely held responsible for product quality or after sale issues.		
Importer: guangzhoushi wansi guangdian keji youxiangongsi Address: huadidadaozhong 295hao erlou guangzhoushi liwanqu guangdongsheng 510000 CN Manufacturer: Foshan Vance Photoelectric Technology Co.Ltd. 2nd Floor, No 279, Baiannan Road, Junan Town, Shunde District, Foshan, Guangdong, China Contact: Shixi Ding Email: support03@dingliled.com		



GET MORE SUPPORT

We believe that after-sales service is an integral part of the customer experience, and we are dedicated to making it as seamless and hassle-free as possible.

If you experience any issues while operating our products, please directly reach out to our Customer Support via Amazon Orders. Or you can send your inquiry to our Official Customer Support at:



support@depuley.com



(001)201-365-0018