

Product data sheet

Specifications



Schneider OffGrid Portable Power Station 730, 700W, 120V, 738Wh Lithium-ion, LCD, 3 NEMA, Sinewave, 3 USB-A, 2 USB-C, Wireless Charger

PPS730

Overview

Lead time Usually in Stock

Main

Product or Component Type	Portable power station
Battery Type	Li-Ion (Lithium Ion)
Battery Capacity	738 Ah
Number of input connectors	(1) 12...30 V DC, 10 A, (200 W) (1) 90...140 V AC, 2.3 A, (80 W)
Number of output connectors	(3) NEMA 5-15, 120 V ,AC, 5.83 A(700 W) 60 Hz, Sine wave (2) USB type A, 5 V ,DC, 2.4 A(12 W) (1) USB type A quick charge, 5...12 V ,DC, 3 A(18 W) (1) USB type C, 5...20 V ,DC, 5 A(100 W) (1) USB type C quick charge, 5...12 V ,DC, 3 A(18 W) (1) car cigarette lighter port, 12 V ,DC, 10 A(120 W) (2) DC5521, 12 V ,DC, 5 A (1) wireless charging

Complementary

Color	Black and Green
Height	9.84 in (25 cm) 9.8 in (248.9 mm)
Width	7.9 in (20 cm) 7.8 in (198.1 mm)
Depth	8.03 in (20.4 cm) 8.0 in (203.2 mm)
Net Weight	14.1 lb(US) (6.4 kg) 14.1 lb(US) (6.4 kg)
Product Specific Application	For Caravan/Camping Power Supply Mobile wireless charging
Product Certifications	TUV C-US certified FCC Class B BC
Provided Equipment	AC cable 1 car charging cable User Manual
Battery capacity	738 Ah with 500+ cycles with 80% capacity

Environment

Ambient Air Temperature for Storage -4...158 °F (-20...70 °C)
-20...70 °C (-4...158 °F)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Charging temperature	32...104 °F (0...40 °C) -0...40 °C (32...104 °F)
Discharging temperature	14...104 °F (-10...40 °C) -10...40 °C (14...104 °F)

Ordering and shipping details

GTIN	731304736769
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	12.87 in (32.7 cm)
Package 1 Width	11.5 in (29.3 cm)
Package 1 Length	12.68 in (32.2 cm)
Package 1 Weight	18.08 lb(US) (8.2 kg)

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[How we assess product sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓

Mercury Free

✓

Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation

[REACH Declaration](#)

Eu Rohs Directive

Compliant with Exemptions

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)

Image of product / Alternate images

Alternative





Image of product in real life situation

