TWISTER PROFLEX MINI WIRE CONNECTORS

DIGITAL TOOL KIT THE ELECTRICIAN'S CHAMPION DEAL OF THE ELECTRICIAN'S

NEW PRODUCT ADDITION TO CURRENT LINE

The Twister® ProFLEX™ Mini combines the most comfortable wire connector from IDEAL Electrical with the added protection of a flexible skirt. Its spacesaving design fits the tightest electrical spaces while accommodating the widest wire range of any orange/blue connector from 2 #22 AWG to 4 #12 solid AWG wire.

Features:

- Swept wing design with SureGrip™ overmold offers greater comfort, leverage, and torque for faster connections
- · Expanding square-wire spring and polypropylene shell deliver a secure connection every time
- · Flexible skirt provides improved protection and adapts to tightly fit electrical boxes with limited space
- · Tough, UL 94V-2 flame-retardant shell

Twister® Pro Family of Wire Connectors



Twister® PRO Model 344®

Twister® ProFLEX™ Model 347 Red/Yellow











RATED

4 #12

SOLID


COMPLETE LINE

TWISTER® PRO WIRE CONNECTOR FAMILY

The Twister Pro® and ProFLEX™ family combines the most comfortable wire connector from IDEAL Electrical with the widest wire range of any multi-colored connectors in the industry. These connectors are designed with a live-action spring and high-leverage wings that provide excellent grip and torque. The ProFLEX™ and ProFLEX™ Mini are also engineered with a flexible skirt for added protection, providing everyday performance professional electricians can trust.

Features:

- Widest Wire Range of any multi-colored wire connectors in the industry
- Model 343 & 347 flexible skirt provides improved protection and adapts to tightly fit electrical boxes with limited space
- Swept wing design with SureGrip[™] overmold offers greater comfort, leverage, and torque for faster connections
- Expanding square-wire spring and polypropylene shell deliver a secure connection every time
- · Tough, UL 94V-2 flame-retardant shell

















TWISTER® PROFLEX™ MINI ORDERING INFORMATION

Pricing Information, download <u>here</u>.



Ordering Information

Model		Color	Wire Combination Range	Wire Combination Range (mm)	Quantity	Part No.
343	A	Orange/ Blue	600V* 22 to 12 AWG Min. 2 #22 - Max. 4 #12 Sol. WIDEST RANGE in the industry of any other orange/blue connector	600V* ,34mm² to 4,0mm² Min. 234mm² Max. 4 4.0mm²	Box of 100	30-343
					Jar of 500	30-643J
					Barrel of 35,000	30-843

^{*1,000}V maximum in fixtures and signs.

Model	Color	Wire Combination Range	Wire Combination Range (mm)	Quantity	Part No.
344°	Red/Tan	600V* 22 to 8 AWG Min. 2 #18 - Max.4 #10 WIDEST RANGE in the industry	600V* ,34mm² to 10,0mm 2 Min. 2-,75mm² Max. 4,0-6,0mm²	Box of 50	30-144
				Jar of 250	30-244J
				Jar of 500	30-644J
				Barrel of 20,000	30-944
347	Red/Yellow	1000V 22 to 8 AWG Min. 2 #18 - Max. 4 #10 WIDEST RANGE in the industry	1000V ,34mm² to 10,0mm² Min. 2 75mm² Max. 4,0 - 6,0mm²	Box of 50	30-1047
				Bag of 250	30-347
- Francisco				Jar of 500	30-1347J
				Barrel of 15,000	30-747

^{*1,000}V maximum in fixtures and signs.



TWISTER PROFLEX MINI


MARKETING COLLATERAL



SELL SHEET



<u>link</u>



INSTRUCTION SHEET

link



POSTER




<u>link</u>



TWISTER® PROFLEX™ MINI


MARKETING COLLATERAL



SELL SHEET



link



SAMPLE PACK



link

Visit <u>idealind.com</u> to order a sample pack.



TRAINING DECK

link





TWISTER® PROFLEX™ MINI SOCIAL MEDIA CONTENT

Social Copy Guidelines:

Highlight product benefits, apply benefits to specific aspects of the job where applicable

- · Include IDEAL brand name or @mention in social copy
- · Incorporate Mini but Mighty messaging where appropriate
- Include a clear CTA (Call to Action)
 Examples: "Buy now at ____" or "Find a store near you here ____"
- · DO keep social copy concise, clear and informative
- · DO NOT include social copy that is confusing or unprofessional











TWISTER® PROFLEX™ MINI

ASSETS



TWISTER PRO FAMILY VIDEO

link






TWISTER PROFLEX MINI VIDEO

link



TWISTER PROFLEX VIDEO
















TWISTER® PROFLEX™ MINI

ASSETS





Spec Sheet link





MODEL 344

Spec Sheet link





MODEL 347

Spec Sheet <u>link</u>



