
□ level Bolt

Will Level Bolt work with my lock?

Level Bolt is designed for most American standard deadbolts and requires a properly operating door and latch. Visit our interactive compatibility guide or read through the steps below to make sure you have what you need to successfully install your lock. To learn more, visit our <u>Support page</u>.

level.co/compatibility




Lock Type


Let's determine what kind of existing hardware you have. Review the lock types below to find the kind of lock that looks most like yours.




Standard Deadbolt

A lock where the deadbolt is separate from the latch or knob and has an exterior profile greater than 2/4" (19mm)










- Most Standard and Low Profile residential deadbolts can be replaced with Level Bolt.
- Tubular locks vary in design and are not standardized. Level Bolt works with Tubular locks that do not share an exterior faceplate.
- Interlocking and Mortise Locks are not compatible with Level Bolt. Consider adding Level Bolt to a different door.



Door Alignment

Over time, doors can become misaligned due to normal wear and tear or changes in weather. All deadbolts need a properly aligned door to operate smoothly.

Let's check your door alignment:



With the door closed in its normal position, does the latch engage properly and hold the door in the closed position? Does the bolt lock and unlock without any friction?


Tip: If you need to push or pull on the door so the deadbolt can turn smoothly, your door is misaligned and needs adjusting.

3

Door Specifications

Level Bolt is engineered to fit inside ANSI standard exterior doors.

Make sure your door meets this standard by taking 3 simple measurements:



REQUIRED MEASUREMENTS:

- Door thickness is 1 3/4" thick
- Bore hole size is 2 1/8" in diameter
- Backset length is either 2 3/4" or 2 3/4"




Door Specifications

(continued)

Level Bolt is engineered to meet ANSI standard strike plate dimensions.

The strike plate is located on the door frame and provides additional security for your home.

Make sure your strike plate cut-out meets standard dimensions:



REQUIRED MEASUREMENTS:

- \bullet ANSI standard height of 2 $3\!\!/\!_4$ " and width of 1 $1\!\!/\!_8$ " (Tall)
 - OR -
- ANSI standard width of 2 1/4" and width of 1 1/8" (Short)



Lock Specifications

Level Bolt is designed to work with most American standard residential deadbolts. The following list of deadbolts is just a highlight of some of the verified makes and models that are compatible with Level Bolt. To find a complete list of compatible deadbolts, visit the URL below.

level.co/support/compatible-deadbolts

Compatible Deadbolts

If you're looking for a new deadbolt to install with your Level Lock, check this list of locks that have been verified to work well.

Search Compatible Deadbolts

* Recommended

**	Make	Series	Model A	Finish	Style	Grade -
*	Baldwin	Prestige Series	380 ARB 11P	Venetian Bronze	Arched	2
*	Baldwin	Prestige Series	380 ARB 15	Satin Nickel	Arched	2
*	Kwikset	660 Series	660 11P	Venetian Bronze	Round	3
*	Kwikset	780 Series	780 11P	Venetian Bronze	Round	3
*	Schlage	860	B60 505	Bright Brass	Round	t
*	Schlage	860	860 COL 622	Matte Black	Collins	1:
*	Yale	Edge Series	RZEBLK	Black	Round	3
*	Yale	Edge Series	82E US108P	Oli Rubbed Bronze	Round	3

Compatibility Review

Summarized below are the areas to consider to make your lock installation process as seamless as possible.



1 Lock Type

First, determine what kind of existing hardware you have. Review the lock types to find the kind of lock that looks most like yours.




2 Door Alignment

Over time, doors can become misaligned due to normal wear and tear or changes in weather. All deadbolts need a properly aligned door to operate smoothly.



3 Door and Strike Plate Specifications

Level Bolt is engineered to work with ANSI standard exterior doors and strike plates.



4 Lock Specifications

Level Bolt is designed to work with most American standard residential deadbolts. Make sure yours is compatible.

7