VEVOR®

TOUGH TOOLS, HALF PRICE

# SUV TENT

## INSTRUCTIONS

We continue to be committed to provide you tools with competitive price.


"Save Half", "Half Price" or any other similar expressions used by us only represents an estimate of savings you might benefit from buying certain tools with us compared to the major top brands and doses not necessarily mean to cover all categories of tools offered by us. You are kindly reminded to verify carefully when you are placing an order with us if you are actually saving half in comparison with the top major brands.

VEVOR®

# SUV TENT

## User Manual

Model: 170742



## NEED HELP? CONTACT US!

Have product questions? Need technical support? Please feel free to contact us: CustomerService@vevor.com

This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there is any technology or software updates on our product.

# CAMPSITE SELECTION

- Select a smooth, level campsite clear of rocks, branches, and other hard or sharp objects.
- Avoid areas with overhead power lines and tree limbs.
- Park the vehicle in the chosen campsite.
- Turn the engine off and engage the parking brake.

# HOW TO STORE

1. Clean and dry the tent.
2. Fold all of the components into the tent.
3. Roll the tent, using the pole bag as a guide.
4. Secure with the tent tie straps and insert into the carrying bag.
5. Store in a cool, dry place.

# CAUTION

- Do not use candles, matches, or open flames of any kind in or near the tent.
- Do not cook inside the tent.
- Build campfires downwind and several meters away from the tent. Be sure to fully extinguish fires before leaving a campsite or before retiring for the night.
- Exercise extreme caution when using fuel-powered lanterns or heaters inside or around the tent. Use battery-operated lanterns whenever possible.
- Do not refuel lamps, heaters, or stoves inside the tent.
- Extinguish or turn off all lanterns before going to sleep
- Do not smoke inside the tent
- Do not store flammable liquids inside the tent
- NEVER run the vehicle engine when the tent is attached
- Do not install the tent when the temperature is below 0ºC/32ºF or when your vehicle is wet, it may cause damage
- Allow adequate ventilation inside the tent at all times
- Do not attempt to drive the vehicle with the tent attached
- To prevent carbon monoxide from entering the vehicle and tent area, do not run the engine, do not cook inside the tent, and do not use a gas heater in the tent. Carbon monoxide is dangerous to your health.
- Engine must be off and exhaust must be fully cooled before tent installation and use.


# ⚠ WARNING

Keep all flame and heat sources away from the tent fabric. The fabric will burn if left in contact with any flame source. The application of any foreign substance to the tent fabric may render the flame-resistant properties ineffective.


# SPECIFICATIONS

| | |
|---|---|
| Model | 170742 |
| Model Name | VEVOR SUV Tent |
| Recommended Uses | Camping & Hiking |
| Occupancy | 6 Person |
| Item Dimensions | 250*250*200Cm |
| Material | Polyester |
| Suggested Users | Unisex-adult |
| Size | 8FT*8FT |
| Package Size | 73*30*21CM±0.5Cm |
| Package Weight | 8.1Kg |


# HOW TO SET UP




1.Open the package and take out the accessories




2.As shown in the picture, assemble the two poles（A*2,B*1)






3.Roll out the inner tent and have the poles got through the sleeves as per the picture





4.Have the poles got though entirely

5.As shown in the picture, to set up the tent, insert the aluminum rings at the four corners into the ends of pole A respectively and insert both ends of pole B into the two sleeves on the top of the inner tent, then hook the hooks of the tent to the poles





6.Move the tent to the rear of the car, adjust the tent to ensure it could cover the whole trunk



7. Step into the tent and open the trunk, bound the tent to the car suitably by hooking the steel hooks to the car wheels and adjusting the buckles




8. Cover the flysheet on the inner tent and fasten it by hooking to the aluminum rings at four corners




9. Double fasten the tent by stakes and guy lines

# HOW TO SET UP


1.Collect all the stakes and the guy lines,
loosen the steel hooks,
release the buckles and
the hooks of the flysheet




2.Take off the flysheet




3.Close the trunk and remove the tent




4.Remove the hooks on the poles,release the ends of pole A from the aluminum rings and take the two ends of pole B out of the sleeve




5.Remove the three poles from the sleeves




6.Fold up the poles and the tent, roll up the tent with accessories inside, tie it with ropes and bag it



VEVOR®

TOUGH TOOLS, HALF PRICE

Support and E-Warranty Certificate
https:// www.vevor.com/support
Made in China