

AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
 Surfaces: **Chrome** Article Number: **12715001**



Description


product features

- 1 function
- volume control for 1 outlet
- maximum flow rate at 3 bar: 22.7 l/min
- thermostat cartridge, ceramic cartridge
- safety lock at 40° C
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- connection type: basic set
- dirt filter included
- cUPC/IAPMO/3016/ cUPC mark
- MASS/Massachusetts

Product image



Scale drawing




AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
 Surfaces: **Chrome** Article Number: **12715001**



Exploded Drawing

Year of production: >03/13



AXOR Starck Organic
Thermostat for concealed installation with shut-off valve
 Surfaces: **Chrome** Article Number: **12715001**



Spare part list

Year of production: >03/13

Pos.	Description	Article Number	PC	PU
1	handle for thermostat	98313001	0	1
2	adapter for handle	96435000	0	1
3	handle	98316000	0	1
4	hollow set screw M5x16	97666000	0	1
5	adapter for handle	95256000	0	1
6	sleeve	96446000	0	1
7	sleeve	96439000	0	1
8	escutcheon	98317001	0	1
9	O-ring 29x3	98371000	0	1
10	O-Ring 48x3	95508000	0	1
11	holder for escutcheon	98793000	0	1
12	set of fixing screws	96454000	0	1
13	shut off unit right closing	94009000	0	1
14	thermostat cartridge	94282000	0	1
15	sealing set	95037000	0	1
16	set of screws	96525000	0	1
17	set of non return valves DW 15	94074000	0	1
18	noise reduction	94073000	0	1
19	O-ring 16x2	98133000	0	1
20	extension 25 mm	13595000	0	1
21	extension 22 mm	97407000	0	1
a	base body	01850181	0	1