

# FRIGIDAIRE

## Side-by-Side Refrigerators

LFSS2612T D/F/P/E

25.5 Cu. Ft. Standard-Depth

**ONLY AT  
LOWE'S!**  
¡SOLAMENTE EN LOWE'S!



### Signature Features

#### Adjustable Interior Storage

Over 100 ways to organize and customize your refrigerator. Details vary by model.

#### PureSource 3®

PureSource 3® Water Filtration gives you cleaner, better-tasting water at your fingertips.

#### LED Lighting

Our bright LED lighting makes it easy to see what's inside.

#### Deli Drawer

Keeps sandwich meats and cheeses organized in a convenient location.

### Product Dimensions

|                                        |         |
|----------------------------------------|---------|
| Height<br>(Including Hinges & Rollers) | 69-7/8" |
| Width (Doors)                          | 36"     |
| Depth (Including Door)                 | 32"     |

### More Easy-To-Use Features

#### Store-More™ Capacity

Our large capacity refrigerator gives you room to store more.

#### Store-More™ Gallon Door Bins

Door storage gives you room for larger items — like a gallon of milk.

#### Clear Dairy Door

#### Store-More™ Shelves

More space to store your food with edge-to-edge shelves.

#### Full-Width Freezer Shelf

Gives you more usable space to organize and store more.

#### Ready-Select® Controls

Easily select options with the touch of a button.

#### Energy Saver Plus Technology

Our refrigerator will automatically go into an energy-saving mode if not opened for 24 hours.

### Available in:



Black  
Stainless  
(D)



Stainless  
(F)

**EasyCare™**  
Stainless Steel




Pearl  
(P)



Ebony  
(E)

| Features                                   |                                                                     |
|--------------------------------------------|---------------------------------------------------------------------|
| Door Design                                | UltraSoft™                                                          |
| Door Handle Design                         | Black Stainless (D),<br>Stainless Steel (F),<br>C-Coordinated (P/E) |
| Cabinet Finish                             | Textured                                                            |
| Door Stops/Door Closers                    | Yes/Yes                                                             |
| Door Hinge Covers                          | Color-Coordinated                                                   |
| Rollers - Front/Rear                       | Adjustable/Yes                                                      |
| Energy Saver Plus Technology               | Yes                                                                 |
| Water Filter Location                      | Top Right Rear                                                      |
| Dispenser                                  |                                                                     |
| Controls                                   | Ready-Select®                                                       |
| Dispenser Design                           | Short, 2-Paddle                                                     |
| Number of Dispenser Buttons                | 4                                                                   |
| Crushed Ice/Cube Ice/Water                 | Yes/Yes/Yes                                                         |
| Ice Option/Freeze Option                   |                                                                     |
| Display On/Off Option                      |                                                                     |
| Lock/Light                                 | No/Yes                                                              |
| Temp/Door Ajar/Power Failure Alerts        |                                                                     |
| Water Filter Change Indicator Light        |                                                                     |
| Air Filter Change Indicator Light          |                                                                     |
| Refrigerator Features                      |                                                                     |
| Interior Lighting                          | Bright                                                              |
| Water Filter Type                          | PureSource 3®                                                       |
| Fixed Shelves                              | 3 Flat Glass                                                        |
| Deli Drawer                                | Yes                                                                 |
| Wine/Can Rack                              |                                                                     |
| Upper Crisper/Lower Crisper                | 1 Clear/1 Clear                                                     |
| Dairy Compartment                          | 1 Clear                                                             |
| Fixed Door Bins                            | 2 Two-Liter Clear                                                   |
| Adjustable Door Bins                       | 2 One-Gallon Clear                                                  |
| Non-Slip Bin Liner/Bottle Retainers        |                                                                     |
| Freezer Features                           |                                                                     |
| Door Bins/Tilt-Out Wire Door Bins          | 4 White/No                                                          |
| Fixed Shelves                              | 1 Flip-Out/2 Wire                                                   |
| Full Freezer Baskets                       | 1 Plastic                                                           |
| Half Freezer Baskets                       | No                                                                  |
| Ice Cream Shelf/Pizza Shelf                |                                                                     |
| Lighting                                   | Bright                                                              |
| Specifications                             |                                                                     |
| Total Capacity (Cu. Ft.)                   | 25.5                                                                |
| Refrigerator Capacity (Cu. Ft.)            | 16.5                                                                |
| Freezer Capacity (Cu. Ft.)                 | 9                                                                   |
| Power Supply Connection Location           | Right Bottom Rear                                                   |
| Water Inlet Connection Location            | Left Bottom Rear                                                    |
| Voltage Rating                             | 120V/60Hz                                                           |
| Connected Load (kW Rating)<br>@ 120 Volts¹ | 1.02                                                                |
| Amps @ 120 Volts                           | 8.5                                                                 |
| Minimum Circuit Required (Amps)            | 15                                                                  |
| Shipping Weight (Approx.)                  | 300 Lbs.                                                            |

<sup>1</sup>For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.



**NOTE:** For planning purposes only. Always consult local and national electric and plumbing codes. Refer to Product Installation Guide for detailed installation instructions on the web at [lowes.com/frigidaire](http://lowes.com/frigidaire).



| Product Dimensions                  |               |
|-------------------------------------|---------------|
| A - Height (Incl. Hinges & Rollers) | 69-7/8"       |
| B - Cabinet Width/Door Width        | 35-7/8" / 36" |
| C - Depth (Incl. Door)              | 32"           |
| Depth with Door Open 90°            | 49-1/2"       |

Accessories information available on the web at [lowes.com/frigidaire](http://lowes.com/frigidaire)


## FRIGIDAIRE

USA • 10200 David Taylor Drive • Charlotte, NC 28262 • 1-800-FRIGIDAIRE • [lowes.com/frigidaire](http://lowes.com/frigidaire)  
 CANADA • 5855 Terry Fox Way • Mississauga, ON L5V 3E4 • 1-800-265-8352 • [frigidaire.ca](http://frigidaire.ca)

LFSS2612T 05/17

© 2017 Electrolux Home Products, Inc.

Specifications  
subject to change.



### Side-by-Side Refrigerator Specifications

- Product Shipping Weight (approx.) – 300 Lbs.
- Voltage Rating – 120V/60 Hz
- Connected Load (kW Rating) @ 120 Volts = 1.02 kW  
(For use on adequately wired 120V, dedicated circuit having 2-wire service with a separate ground wire. Appliance must be grounded for safe operation.)
- Amps @ 120 Volts = 8.5 Amps
- Always consult local and national electric & plumbing codes.
- Floor should be level surface of hard material, capable of supporting fully loaded refrigerator.
- When installing refrigerator adjacent to wall, cabinet or other appliance that extends beyond front edge of unit, 20" minimum clearance recommended to allow for optimum 120° to 180° door swing, providing complete drawer/crisper access and removal. (*Absolute 4-1/2" minimum clearance will ONLY allow for 90° door swing which will provide drawer/crisper access with restricted removal.*)
- To ensure optimum performance, avoid installing in direct sunlight or close proximity to range, dishwasher or other heat source.
- For proper ventilation, front grille MUST remain unobstructed.
- Recess electrical outlet when possible.
- Water recess on rear wall recommended to prevent water line damage.
- Water Pressure – Cold water line must provide between 30 and 100 pounds per square inch (psi).
- Copper tubing with 1/4" O.D. recommended for water supply line with length equal to distance from rear of unit to household water supply line plus 7 additional feet. Optional Water Supply Installation Kits available.
- Adjustable front rollers to assist with door alignment.

### "Built-In Look" Specifications

- Minimum opening of 70-1/4" H x 36" W x 28-7/8" D required to allow for ease of installation, proper air circulation, and plumbing/electrical connections.
- Remove all wall/floor molding prior to installation.

**Note:** For planning purposes only. Refer to Product Installation Guide on the web at [frigidaire.com](http://frigidaire.com) for detailed instructions.