











- * Wide Spread 6"-10" Center-set, 3 Hole Installation
- * Includes Brass Pop-up Drain
- * 4" High and 4-15/16" Long One Piece Solid Cast Brass Spout, Zinc Handle
- * Solid Brass Waterway Construction with 1/2"-14 NPSM Connection
- * "Quick Connect" Type Connection Hose
- * 1/4 Turn Premium Grade Ceramic Cartridges (Type J)
- * Flow Rate: 1.2GPM @ 60PSI
- * 100% Pressure System Tested
- Lifetime Limited Warranty; 5 year warranty from date of purchase for Commercial users.

| Project / Job Name | |
|----------------------|--|
| Architect / Engineer | |
| Contractor | |
| Model | |
| Quantity | |

Model No.: 201-6595 (CH) 201-6596 (BN spotiess PVD) 201-6597 (ORB) 201-6597 (ORB) 201-6597 (ORB)

Compass Manufacturing International LLC

Product Compliance:

- ASME A112.18.1 / CSA B125.1

- NSF 61 - Section 9

- NSF 372 (Low Lead Content)

ANSI A117.1 (ADA)EPA - Water Sense














- * Wide Spread 6"-10" Center-set, 3 Hole Installation
- * Includes Brass Pop-up Drain
- * 4" High and 4-15/16" Long One Piece Solid Cast Brass Spout, Zinc Handle
- * Solid Brass Waterway Construction with 1/2" -14 NPSM Connection
- * "Quick Connect" Type Connection Hose
- * 1/4 Turn Premium Grade Ceramic Cartridges (Type J)
- * Flow Rate: 1.2GPM @ 60PSI
- * 100% Pressure System Tested
- * Lifetime Limited Warranty; 5 year warranty from date of purchase for Commercial users.

| Project / Job Name | |
|----------------------|--|
| Architect / Engineer | |
| Contractor | |
| Model | |
| Quantity | |

Model No.: 201-6595 (CH) 201-6596 (BN Spotless PVD) 3-7/16" (87mm) 5-11/16" (145mm) 3-7/16" (87mm) 1/2-14NPSM Cartridge (Type J)



Product Compliance:

- ASME A112.18.1 / CSA B125.1
 NSF 61 Section 9
 NSF 372 (Low Lead Content)
- ANSI A117.1 (ADA)EPA Water Sense

201-6597 (ORB)

Compass Manufacturing International LLC














- * Wide Spread 6"-10" Center-set, 3 Hole Installation
- * Includes Brass Pop-up Drain
- * 4" High and 4-15/16" Long One Piece Solid Cast Brass Spout, Zinc Handle
- * Solid Brass Waterway Construction with 1/2" -14 NPSM Connection
- * "Quick Connect" Type Connection Hose
- * 1/4 Turn Premium Grade Ceramic Cartridges (Type J)
- * Flow Rate: 1.2GPM @ 60PSI
- * 100% Pressure System Tested
- * Lifetime Limited Warranty; 5 year warranty from date of purchase for Commercial users.

| Project / Job Name | |
|----------------------|--|
| Architect / Engineer | |
| Contractor | |
| Model | |
| Quantity | |



ANSI A117.1 (ADA)EPA - Water Sense














Model No.:

201-6595 (Polished Chrome)

201-6596 (Brushed Nickel Spetless PVD')

201-6597 (Oil-Rubbed Bronze)

| No. | Part Name | Material |
|-----|-------------------------|-------------------------|
| 1 | Button | Rubber |
| 2 | Set Screw | Stainless Steel |
| 3 | Handle | Zinc |
| 4 | Handle Adapter | Plastic |
| 5 | Handle Flange | Brass |
| 6 | O-Ring | Rubber |
| 7 | Cartridge(Hot Water) | Brass |
| 8 | Cartridge Seat | Plastic |
| 9 | O-Ring | Rubber |
| 10 | Brass Valve Body | Brass |
| 11 | O-Ring | Rubber |
| 12 | O-Ring | Rubber |
| 13 | Clamp | Rubber+Stainless Steel |
| 14 | Lock Nut | Zinc |
| 15 | Screw | Stainless Steel |
| 16 | Spout | Brass |
| 17 | Aerator Washer | Rubber |
| 18 | Aerator Core | Plastic |
| 19 | Aerator Collar | Brass |
| 20 | Spout Flange | Zinc |
| 21 | O-Ring | Rubber |
| 22 | O-Ring | Rubber |
| 23 | Inlet | Brass |
| 24 | O-Ring | Rubber |
| 25 | Clamp | Rubber+Stainless Steel |
| 26 | Locknut | Brass |
| 27 | Quick Connect Hose | Plastic |
| 28 | Plastic Lock Ring | Plastic |
| 29 | Clip | Stainless Steel |
| 30 | Cartridge(Cold Water) | Brass |
| 31 | Allen Key | Stainless Steel |
| 32 | Drain Stopper | Plastic+Brass |
| 33 | Flange | Brass |
| 34 | Top Rubber Washer | Rubber |
| 35 | Bottom Rubber Washer | Rubber |
| 36 | Washer | Plastic |
| 37 | Lock Nut | Zinc |
| 38 | Drain Body | Brass |
| 39 | Tailpiece | Stainless Steel |
| 40 | Horizontal Rod | Plastic+Stainless Steel |
| 41 | Rod Ball Plastic Gasket | Plastic |
| 42 | Rod Guide Nut | Brass |
| 43 | Fittings | Brass |
| 44 | Extend Rod | Stainless Steel |
| 45 | Lift Rod | Brass |

Hour of Operation: Mon - Fri 8:30 a.m - 5:00 p.m. EST

Compass Manufacturing International LLC

Cartridge (Type J)

2-1/4" (57mm)