



# Rill® | K-R27955-4G

Rite-Temp® bath and shower kit, 1.75 gpm

## Features

- Advanced spray engine provides three spray experiences: full coverage, powerful massage, intense rinse, plus pause feature
- Full coverage spray produces an encompassing spray ideal for everyday use
- Powerful massage spray is a focused stream that targets sore muscles, or use as a utility spray to rinse kids, pets, and your shower
- Intense rinse delivers a forceful spray ideal for thoroughly rinsing soap from hair
- Pause feature temporarily pauses water flow to conserve water while you lather, shave, or shampoo
- Magnetic docking securely holds handshower in place
- MasterClean™ sprayface features an easy-to-clean surface that withstands mineral buildup and maximizes spray performance
- 1.75 gpm (6.6 lpm) maximum flow rate at 80 psi (5.5 bar)
- Single lever handle allows for both on/off activation and temperature setting
- Rite-Temp® pressure-balancing technology maintains water temperature within +/- 3°F
- 7" (178 mm) diverter bath spout with slip-fit connection
- Box includes: Handshower, shower arm and flange, faceplate with lever handle, diverter bath spout with 1/2" slip-fit connection, 72" (1829 mm) hose, and Rite-Temp® pressure-balancing valve
- Coordinates with other products in the Rill collection
- This product can help a building earn Water Efficiency points in LEED® Green Building Rating System



## Sustainability



## Available Colors/Finishes

*Color tiles intended for reference only.*

- SN Vibrant Polished Nickel
- BL Matte Black



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications. For the most current specification sheet, go to [www.kohler.com](http://www.kohler.com) USA or [www.kohler.ca](http://www.kohler.ca) Canada. 3-27-2026 17:6 - US-CA

THE BOLD LOOK  
OF **KOHLER**

---

## Codes/Standards



ASME A112.18.1/CSA B125.1  
DOE - Energy Policy Act 1992  
EPA WaterSense®  
California Energy Commission (CEC)

---

## Technical Information

*All product dimensions are nominal.*

### Handle

Handle Style/ Type:                      Lever

### Spout

Spout Reach:                                6-3/16" (158 mm)

### Flow Rate

Handshower Rated Maximum            1.75 gpm (6.6 l/min)  
Flow:

---

## Valves

Included Valve:                              Pressure Balance

---

## Material

- Premium material construction for durability and reliability
  - Select KOHLER finishes feature ScratchShield® technology which withstands even the toughest daily use
  - Spot Repel® finish resists fingerprints, smudges, and water spots (Brushed Nickel and Matte Black finishes only)
- 

## Recommended Products/Accessories

K-23723 Faucet cleaner

---


## Warranty

*See website for detailed warranty information.*

KOHLER® Faucet Lifetime Limited Warranty

---





Installation

- Wall-mount

Installation Notes

Install this product according to the installation instructions.

