Safety Data Sheet

1548LOW



1 Material and Supplier Identification

Product Name:	Pro Air & Surface Deodorizer
Description:	Deodorizer
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is not intended to be used without prior dilution if specified on product label.
Supplier's Information:	Maintex, Inc. 13300 E. Nelson Ave City of Industry, CA 91746 800-446-1888 (Customer Service)
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)
2 Hazards Identification	
Classification of Mixture:	Eye Irritation: Category 2B Skin Irritation: Category 2
Signal Word:	WARNING
Hazard Statements:	Causes skin irritation. Causes eye irritation
Precautionary Statements	
General:	KEEP OUT OF REACH OF CHILDREN. Read label before use.
Prevention:	Wash hands thoroughly after handling. Wear protective gloves
Response:	IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with water. If skin irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If problem persists, call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention immediately.
3 Composition/Information	on Ingredients

Hazardous Ingredients CAS Number Concentration Range % Alcohols, Ethoxylated 68002-97-1 1-5 Isopropanol 67-63-0 1-5

4 First Aid Measures	8
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

6 Accidental Release Measures

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

٦

Control Parameters:			
Hazardous Ingredients	ACGIH TLV	OSHA PEL	NIOSH IDLH
Alcohols, Ethoxylated	N/A	N/A	N/A
Isopropanol	TWA 200 ppm	TWA 400 ppm	TWA 400 ppm

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal Protection	
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.
Skin Protection:	Use apron if splashing or spray-back is likely.
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.
9 Physical and Chemical P	roperties

Physical State:	Liquid	Specific Gravity:	0.99	Vapour Pressure (mm Hg):	< 17 mm Hg
Color:	Light Blue	Evaporation Rate:	< 1	Vapour Density:	> 1
Odor:	Citrus	Solubility in Water:	Complete	Freezing Point (°F):	< 32
pH:	6-7	VOC (g/L):	<70	Boiling Point (°F):	> 212
				Flash Point (°F):	> 200
		< means less than	>	means greater than	

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10 Stability and Reactivity

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

2/3/2021	1548LOW	Pro Air & Surface Deodorizer	Page 3 of 5

11 Toxological Information

Symptoms: Eye Contact: Adverse symptoms may include the following: irritation, watering, redness Skin Contact: Adverse symptoms may include the following: irritation, redness Inhalation: Adverse symptoms may include the following: respiratory tract irritation, coulingestion: Acute Toxicity: Eye Contact: Causes eye irritation Skin Contact: Causes eyere burns. Inhalation: Inhalation: Causes severe burns. Inhalation: Inhalation: Causes burns to mouth, throat and stomach Dose Toxicity Data: Execut Shor Contact Dose Alcohols, Ethoxylated LD50-Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards Dose Alcohols, Ethoxylated No data available. Aquatic Toxicity: Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated No Data Available Species Dose Alcohols, Ethoxylated <td< th=""><th></th></td<>	
Inhalation: Ingestion: Adverse symptoms may include the following: respiratory tract irritation, cou Adverse symptoms may include the following: stomach pains Acute Toxicity: Eye Contact: Causes eye irritation Skin Contact: Causes severe burns. Inhalation: Causes to mouth, throat and stomach Toxicity Data: Hazardous Ingredients Alcohols, Ethoxylated Lo 50-Oral Rat Lo 50-Oral Rat Lo 50-Oral Rat Solver Lo 50-Oral Rat Solver Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards It Ecological Information Ecotoxicity: Hazardous Ingredients Alcohols, Ethoxylated No data available. Aquatic Toxicity: Hazardous Ingredients Alcohols, Ethoxylated No data available. Acute Toxicity: Hazardous Ingredients Alcohols, Ethoxylated No bata Available Isopropanol Chronic Effects: No known significant effects or critical hazards Dose Alcohols, Ethoxylated No Data Available Isopropanol Chronic Effects: No known significant effects or critical hazards Toxicity: Hazardous Ingredients Alcohols, Ethoxylated No Data Available Isopropanol Cotter Adverse Effects: No known significant effects or critical hazards. Toxicity: Toxicity: Hazardous Ingredients Alcohols, Ethoxylated No Data Available Sopropanol No known significant effects or critical hazards. Toxicity: Toxicity: Hazardous Ingredients Alcohols, Ethoxylated No Data Available Sopropanol No known significant effects or critical hazards. Toxicity: Toxicity: Hazardous Ingredients Hazardous Ingredi	
Ingestion: Adverse symptoms may include the following: stomach pains Acute Toxicity: Eye Contact: Causes eye irritation Skin Contact: Causes severe burns. Inhalation: Causes respiratory system irritation Ingestion: Causes severe burns. Inhalation: Causes respiratory system irritation Ingestion: Causes burns to mouth, throat and stomach Dose Toxicity Data: Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated LD50-Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards 12 12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated No Data Available Species Dose Isopropanol LC50 Fathead minnow 9640 mg/l Ecotoxicity: No known significant effects or critical hazards. 102 mg/l Isopropanol LC50 Gree	
Acute Toxicity: Eye Contact: Causes severe burns. Inhalation: Causes severe burns. Inhalation: Inhalation: Causes severe burns. Inhalation: Inhalation: Causes severe burns. Inhalation: Toxicity Data: Eases burns to mouth, throat and stomach Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated LD50-Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 16000 ppr LC 50- Inhalation Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards 12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: No data available. No Data Available. No Data Available Isopropanol LCS0 Fathead minnow 9640 mg/l Isopropanol LCS0 Fathead minnow 9640 mg/l Isopropanol LCS0 Fathead minnow 9640 mg/l EcS0 Green Algae >2000 mg/l EcS0 Green Algae >2000 mg/l Isopropanol LCS0 <th>ughing</th>	ughing
Eye Contact: Skin Contact: Inhalation: Ingestion:Causes severe burns. Causes burns to mouth, throat and stomachToxicity Data: Hazardous Ingredients Alcohols, Ethoxylated Lo 50- Oral LD 50- Oral LD 50- Dermal ConseResult Rat SpeciesDoseAlcohols, Ethoxylated LE Ecological Information Ecotoxicity:No known significant effects or critical hazardsNoAquatic Toxicity: Hazardous Ingredients Alcohols, Ethoxylated No Data Available.Species NoDoseAlcohols, Ethoxylated No Data Available.No Data Available.NoAcohols, Ethoxylated No Data Available.LC50Fathead minnow9640 mg/l 102 mg/l EC50SporopanolLC50Fathead minnow9640 mg/l 102 mg/l EC50SpeciesDoseOther Adverse Effects:No known significant effects or critical hazards.>2000 mg/l 2000 mg/lDisposal Methods:Diluted product can be flushed to sanitary sever. Discard empty container	
Skin Contact: Inhalation: Ingestion:Causes severe burns. Causes respiratory system irritation Causes burns to mouth, throat and stomachToxicity Data:ResultSpeciesDoseHazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLD50-OralRat1000-2000IsopropanolLD 50- OralRat16000 pprLD 50- DermalRat16000 pprLD 50- DermalRabbit12,800 mgChronic Effects:No known significant effects or critical hazardsVertexAquatic Toxicity:Hazardous IngredientsResultSpeciesAquatic Toxicity:No data available.DoseAlcohols, EthoxylatedNo bata Available.DoseAlcohols, EthoxylatedNo Data Available.DoseIsopropanolLC50Fathead minnow9640 mg/lEcotoxicity:No known significant effects or critical hazardsDoseAlcohols, EthoxylatedNo Data Available.SpeciesDoseIsopropanolLC50Fathead minnow9640 mg/lEcotoDaphnia Magna5102 mg/lEcotoGreen Algae>2000 mg/lEcotoGreen Algae>2000 mg/lEcotoNo known significant effects or critical hazards.SpeciesIsopropanolLC50Green Algae>2000 mg/lEcotoDaphnia Magna5102 mg/lEcotoGreen Algae>2000 mg/lEcotoSpeciesSpeciesDisposal Methods:Diluted produc	
Inhalation: Ingestion:Causes respiratory system irritation Causes burns to mouth, throat and stomachToxicity Data:ResultSpeciesDoseHazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedLD50-OralRat1000-2000IsopropanolLD 50- OralRat5045 mg/kgLC 50- InhalationRat16000 pprLD 50- DermalRabbit12,800 mgChronic Effects:No known significant effects or critical hazardsTecological InformationEcotoxicity:No data available.Aquatic Toxicity:ResultSpeciesDoseHazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedNo Data Available.SpeciesDoseIsopropanolLC50Fathead minnow9640 mg/lEcotoxicity:ResultSpeciesDoseAlcohols, EthoxylatedNo Data AvailableSto2 mg/lIsopropanolLC50Fathead minnow9640 mg/lEcotoGreen Algae>2000 mg/lEcotoGreen Algae>2000 mg/lChronic Effects:No known significant effects or critical hazards.Sto2 mg/lIsopropanolLC50Green Algae>2000 mg/lEcotoGreen Algae>2000 mg/lEcotoGreen Algae>2000 mg/lEcotoDibuted product can be flushed to sanitary sewer. Discard empty container	
Ingestion: Causes burns to mouth, throat and stomach Toxicity Data: Result Species Dose Alcohols, Ethoxylated LD50-Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 5045 mg/kg LC 50- Inhalation Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg/ Chronic Effects: No known significant effects or critical hazards I Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: Result Species Dose Alcohols, Ethoxylated No data available. Dose Dose Alcohols, Ethoxylated No Data Available Isopropanol LC50 Fathead minnow 9640 mg/l Isopropanol LC50 Green Algae >2000 mg/l Isopropanol LC50 Green Algae >20000 mg/l Isopropanol LC50 Green Algae >2000 mg/l	
Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated LD50-Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 5045 mg/kg LC 50- Inhalation Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards 12,800 mg Ecotoxicity: No known significant effects or critical hazards Dose Aquatic Toxicity: No data available. 12 Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated No Data Available. 100-2000 Isopropanol LC50 Fathead minnow 9640 mg/l Isopropanol LC50 Green Algae -2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. -2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. -2000 mg/l Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container -2000 mg/l	
Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated LD50-Oral Rat 1000-2000 Isopropanol LD 50- Oral Rat 5045 mg/kg LC 50- Inhalation Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards 12,800 mg Ecotoxicity: No known significant effects or critical hazards Dose Aquatic Toxicity: No data available. 12 Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated No Data Available. 100-2000 Isopropanol LC50 Fathead minnow 9640 mg/l Isopropanol LC50 Green Algae -2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. 2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. 2000 mg/l Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container 2000 mg/l	
Isopropanol LD 50- Oral Rat 5045 mg/kg LC 50- Inhalation Rat 16000 ppm LD 50- Dermal Rabbit 12,800 mg/ Chronic Effects: No known significant effects or critical hazards 12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: <u>Hazardous Ingredients</u> Alcohols, Ethoxylated No Data Available Isopropanol LC50 Fathead minnow 9640 mg/I EC50 Daphnia Magna 5102 mg/I EC50 Green Algae >2000 mg/ Chter Adverse Effects: No known significant effects or critical hazards. 13 Disposal Considerations Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container	
LC 50- Inhalation Rat 16000 ppr LD 50- Dermal Rabbit 12,800 mg Chronic Effects: No known significant effects or critical hazards 12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: <u>Hazardous Ingredients</u> <u>Result Species</u> <u>Dose</u> Alcohols, Ethoxylated No Data Available Isopropanol LC50 Fathead minnow 9640 mg/l EC50 Daphnia Magna 5102 mg/l EC50 Green Algae >2000 mg/ Other Adverse Effects: No known significant effects or critical hazards. 13 Disposal Considerations Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container	0 mg/kg
LC 50- InhalationRat16000 pprLD 50- DermalRabbit12,800 mgChronic Effects:No known significant effects or critical hazards 12 Ecological Information Ecotoxicity:No data available.Aquatic Toxicity:No data available.Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedNo Data AvailableIsopropanolLC50Fathead minnow9640 mg/lEC50Daphnia Magna5102 mg/lEC50Green Algae>2000 mg/lOther Adverse Effects:No known significant effects or critical hazards.13 Disposal ConsiderationsDisposal Methods:Diluted product can be flushed to sanitary sewer. Discard empty container	kg
LD 50- DermalRabbit12,800 mg.Chronic Effects:No known significant effects or critical hazards12 Ecological InformationEcotoxicity:No data available.Aquatic Toxicity:No data available.Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedNo Data AvailableIsopropanolLC50Fathead minnow9640 mg/lEC50Daphnia Magna5102 mg/lEC50Green Algae>2000 mg/lOther Adverse Effects:No known significant effects or critical hazards.13 Disposal ConsiderationsDisposal Methods:Diluted product can be flushed to sanitary sewer. Discard empty container	m
Chronic Effects: No known significant effects or critical hazards 12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: No data available. Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated No Data Available Species Dose Isopropanol LC50 Fathead minnow 9640 mg/l EC50 Daphnia Magna 5102 mg/l Ctore Adverse Effects: No known significant effects or critical hazards. State additional data available Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container	
V 12 Ecological Information Ecotoxicity: No data available. Aquatic Toxicity: No data available. Hazardous Ingredients Result Species Dose Alcohols, Ethoxylated No Data Available Disposal Methods: Dose Other Adverse Effects: No known significant effects or critical hazards. Poiluted product can be flushed to sanitary sewer. Discard empty container	5,119
Ecotoxicity:No data available.Aquatic Toxicity:ResultSpeciesDoseHazardous IngredientsNo Data AvailableNo Data AvailableAlcohols, EthoxylatedNo Data Available9640 mg/lIsopropanolLC50Fathead minnow9640 mg/lEC50Daphnia Magna5102 mg/lEC50Green Algae>2000 mg/lOther Adverse Effects:No known significant effects	
Aquatic Toxicity: Hazardous Ingredients Alcohols, EthoxylatedResultSpeciesDoseAlcohols, EthoxylatedNo Data AvailableNo Data AvailableNo Data AvailableIsopropanolLC50Fathead minnow9640 mg/l 5102 mg/l EC50SpeciesSpeciesOther Adverse Effects:No known sijficant effects or titical hazards.>2000 mg/l SpeciesIsoprosal Methods:Diluted product can be flushed to sanitary sewer. Discard empty container	
Hazardous IngredientsResultSpeciesDoseAlcohols, EthoxylatedNo Data AvailableNo Data AvailableIsopropanolLC50Fathead minnow9640 mg/lEC50Daphnia Magna5102 mg/lEC50Green Algae>2000 mg/lOther Adverse Effects:No known significant effects or critical hazards.SpeciesDisposal Methods:Diluted product can be flushed to sanitary sewer. Discard empty container	
Alcohols, Ethoxylated No Data Available Isopropanol LC50 Fathead minnow 9640 mg/l EC50 Daphnia Magna 5102 mg/l EC50 Green Algae >2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. >2000 mg/l 13 Disposal Considerations Diluted product can be flushed to sanitary sewer. Discard empty container	
Isopropanol LC50 Fathead minnow 9640 mg/l EC50 Daphnia Magna 5102 mg/l EC50 Green Algae >2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. >2000 mg/l 13 Disposal Considerations Diluted product can be flushed to sanitary sewer. Discard empty container	
EC50 Daphnia Magna 5102 mg/l EC50 Green Algae >2000 mg/l Other Adverse Effects: No known significant effects or critical hazards. >2000 mg/l 13 Disposal Considerations Diluted product can be flushed to sanitary sewer. Discard empty container	
EC50 Green Algae >2000 mg/ Other Adverse Effects: No known significant effects or critical hazards. >2000 mg/ 13 Disposal Considerations Diluted product can be flushed to sanitary sewer. Discard empty container	l 96 hrs
Other Adverse Effects: No known significant effects or critical hazards. 13 Disposal Considerations Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container	l 24 hrs
13 Disposal Considerations Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container	g/l 72 hrs
Disposal Methods: Diluted product can be flushed to sanitary sewer. Discard empty container	
	⊮ in trash.
14 Transportation Information	
Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package	

Ground Transport DOT Classification: Not Regulated UN Number: Transport Hazard Class: Packaging Group: N/A Hazardous Division: Hazardous Contents: **15 Regulatory Information** SARA Title III: No 2/3/2021 1548LOW Pro Air & Surface Deodorizer Page 4 of 5

California Proposition 65: Other Regulations:	No		
16 Other Information			
HMIS/NFPA Hazard Rating:	Health: 1	Flammability: 1	Reactivity: 0
The information contained berein is based on the data available to us. It is believed to be correct NO warranty, expressed or			

The information contained herein is based on the data available to us. It is believed to be correct. NO warranty, expressed or implied, is made regarding the accuracy of this data or the results to be obtained from the use thereof. For further information consult Maintex, Inc. .