

VANITY TABLE

918M-W, 918M-B, 918M-W-L, 918M-B-L, 918M-W-LS, 918M-B-LS INSTALLATION MANUAL






Before assembly please scan the code to get the installation video.



How to install the rail and mirror? please scan the code to get the video.



How to adjust the mirror light? please scan the code to get the video.



918M real show video.

This is the unified installation manual for the 918M (middle size) dressing table, suitable for three versions: simple, basic, and luxury.

Simple version: There is no mirror light, built-in socket or hair dryer stand function, so there is no mirror light power plug (N), built-in socket (K) or hairdryer bracket (L) in the accessories.

Basic version: with mirror light function, no built-in socket or hair dryer stand function. Therefore, there is no built-in socket (K) or hair dryer bracket (L) in the accessories.

Luxury version: With mirror light, built-in socket, and hair dryer stand function, including all illustrated accessories.


Also note that:

- 1. There are marked points where the track needs to be fixed. Please use 12mm screws to secure the track at the marked point.
- 2. Screw C is a drawer positioning pin that prevents the drawer from falling off when opened. After installation, please confirm that all positioning screws C have been installed.








3. For luxury version, part 26 has rectangular hole for installing build-in socket, part 27 has wiring hole, and part 31 has mirror light; For basic version part 26 does not have rectangular hole for installing socket, part 27 does not have wiring hole, but part 31 has mirror light; For simple version, part 26 does not have rectangular hole for installing build-in socket, part 27 does not have wiring hole, and part 31 does not have mirror light.




Before installation, please use an erasable marker to write the corresponding numbers on each board according to the numbers in the figure below, and then arrange all boards according to the method shown in the figure.





















HARDWARE







B 3 IN 1 SCREW X 60



C DRAWER POSITIONING SCREW X10



D 12MM SCREW XI6



DRAWER x 6







J GUIDE RAIL X2



K SOCKET XI

For Luxury version





For Luxury version




N Power plug XI

For luxury version and basic version.


1. Screw installation method

When the screw is installed, please keep it in line with the board, and do not tighten it too tightly




2. Check the Nut direction


This direction of the marked nutis consistent with the direction in which the scre is inserted




3. Installation on thr board with fixing screws





3. Rotate slowlyuntil it stops








Step 01 pick up 1 x 2, 2 x 1, 3 x 1, 4 x 1


















Step 07 pick up 1 x 8, 5 x 4, 6 x 4, 7 x 4









Step 10





Step 11







Step 13 12 Step 14








Step 17





















Step 23













If your vanity table include a LED mirror light, please test the light in this step. Touch the switch botton on the mirror to turn on the mirror light, click the switch botton to change the color of the light, and long press the switch botton to adjust the brightness. If the switch botton is not sensitive, you can check whether the touch switch is tightly attached to the mirror back as shown in the diagram. If it is not tightly attached, please use your fingers to press the touch switch to the designated position and check if the connecting wire is OK.



Please connect the light power cord as shown in the diagram, click the touch switch to turn on the mirror light. Please note that due to strict safety standards and heat dissipation requirements, the maximum brightness of the mirror light must be controlled below the safety standards. Therefore, the mirror light is not very bright and is not used for lighting purposes. It is only used to adjust the color of the environment. If you think that the light is not bright enough, it is due to safety standards limitations, not product quality defects.























Simple version without touch switch and power cord

Step 34 K, L for luxury version



Please note that when placing the drawer in, the drawer positioning pin will block the drawer. Therefore, please follow the diagram to first insert the inner edge of the drawer using a concave method, and then push the drawer flat.





Simple version without touch switch and power cord













Only for vanity table with hair dryer bracket and built-in socket






Only for vanity table with hair dryer bracket and built-in socket





Step 38



Step 39

