

BIOADVANCED®
SCIENCE-BASED SOLUTIONS

Organics
BRAND
TOMATO
VEGETABLE & FRUIT
INSECT CONTROL
READY-TO-USE

**KILLS LISTED
INSECTS FAST**



Active Ingredients: By Wt.
Potassium Salts of Fatty Acids . . . 0.940%
Spinosad (a mixture of
spinosyn A and spinosyn D) . . . 0.006%
Other ingredients 99.055%
TOTAL 100.000%



FOR
organic
gardening

NET CONTENTS
24 FL OZ (709ml)

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional
precautionary statements

501438091a 190807V1



Organics
BRAND
TOMATO
VEGETABLE & FRUIT
INSECT CONTROL
READY-TO-USE

Kills listed insects fast

KILLS

APHIDS



CATERPILLARS



MEALYBUGS



SPIDER MITES



POWDERY MILDEW
(curative control)



AND OTHER LISTED
INSECT PESTS

WHERE TO USE

VEGETABLES



FRUIT & NUT TREES



CITRUS



BERRIES



HERBS



OUTDOOR CONTAINER-
GROWN PLANTS



QUICK FACTS

- Kills listed insects through contact



READ THE LABEL FIRST!
Indicaciones en español después
de las de inglés



SHAKE CONTAINER BEFORE USE



FOR QUESTIONS OR COMMENTS?

Call toll-free (877) 229-3724
or visit us online at
www.bioadvanced.com



[†]Money back guarantee.



501423718a 190807V1

PEEL
HERE

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For outdoor residential use in home gardens, lawns, and ornamentals and greenhouses (non-commercial). Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes.

Please read entire label before using. Use only as directed.

Shake container before use. Apply when listed pests are present. Thoroughly spray all plant parts to wetting, including undersides of leaves. Repeat applications may be made as indicated in the Use Restrictions section.

Apply when the first signs of powdery mildew appear and repeat at 7-10 day intervals. Do not exceed restrictions listed in the Use Restrictions section. This product must come into contact with powdery mildew to be effective. Complete coverage is essential for maximum control.

Do not use on sweet peas, nasturtiums, or delicate ferns. Use with care on new seedlings, transplants, and blooms. Do not spray during full sun. If concerned about sensitivity of plants, apply to individual plants or small areas of plants and wait 2 days to determine if plant damage occurs prior to treatment of larger areas.

PESTS

INSECTS: This product will control pests such as: adelgids (woolly aphids), ants (excluding fire ants, harvester ants, Pharaoh's ants and carpenter ants), aphids, armyworms, beetles (including Colorado potato beetle), borers, caterpillars, chinch bugs, codling moth, earwigs, fruit flies (including spotted wing Drosophila), gypsy moth, lace bugs, leafhoppers, leafminers, leafrollers, loopers, mealybugs, mites, mole crickets, plant bugs, psyllids, sawfly larvae (e.g. pear and rose slugs), scale insects, spider mites, tent caterpillars, thrips, webworms, weevils (including black vine weevil), and whiteflies.

POWDERY MILDEW: This product provides curative control of powdery mildew.

USE SITES

VEGETABLES including: artichokes (globe), asparagus, beans, beets, broccoli, Brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, corn, cucumbers, eggplants, garlic, lettuce, onions, peas, peppers, potatoes, radishes, rutabagas, spinach, squash, Swiss chard, tomatoes and turnips; **FRUITS including:** apples, avocados, apricots, cherries, grapes, melons, peaches, plums, citrus, pears; **BERRIES including:** strawberries, blackberries, blueberries, boysenberries, loganberries, raspberries; **HERBS including:** angelica, balm, basil, borage, burnet, chamomile, catnip, chervil (dried), chive, clary, coriander, costmary,

cilantro, curry, dillweed, horehound, hyssop, lavender, lemongrass, lovage, marigold, marjoram, mint, nasturtium, parsley, pennyroyal, rosemary, rue, sage, savory, sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood;
PEANUTS, PISTACHIOS, TREE NUTS, including almond, cashew, chestnut, filbert, macadamia nut, pecan, walnut; **Outdoor Ornamentals; Greenhouses (Non-Commercial); Outdoor Container Grown Plants.**

USE RESTRICTIONS

PHI - Do not apply within this many days of harvest.

Timing – Do not make applications less than this many days apart.

Max # of Appln. – Do not make more than the specific number of applications for the given time period.

BERRIES

PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Caneberries (blackberry, loganberry, raspberry)	5 days	6/year*
	Strawberry	5 days	5/year
3 days	Bushberries (blueberry, currant, elderberry, gooseberry, huckleberry)	6 days	3/crop or 6/year
21 days	Cranberry	7 days	6/year

FRUITS

PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Citrus (grapefruit, lemons, limes, oranges, tangerines)	6 days	3/year*
	Tropical tree fruits (avocado, guava, mango, papaya, passion fruit)	7 days	2/year
	Stone fruits (nectarines, peaches)	7 days	N/A
7 days	Grape	5 days	5/year
	Stone fruits (cherries, plums, prunes)	7 days	N/A
	Fig	7 days	4/year
	Dates	7 days	N/A
	Pome fruits (apples, crabapples, pears, mayhaw, quince)	10 days	4/year
	Pomegranate	N/A	N/A
	Pineapple (only for use in Hawaii)	7 days	6/year

* year = calendar year

PHI	CROP	TIMING	MAX # OF APPLN.
14 days	Apricots	7 days	N/A
8 weeks	Banana and plantain (California, Florida, Hawaii and Texas only)	7 days	4/crop or 6/year

VEGETABLES

PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Bulb vegetables (onion, garlic, green onion, leek, shallot)	4 days	5/year*
	Brassica (cole) crops (bok choy, broccoli, Brussels sprouts, cabbage, cauliflower, collards, kale)	4 days	6/year
	Corn (sweet corn, popcorn, seed corn)	N/A	6/year
	Cucumber	N/A	6/crop
	Fruiting vegetables (eggplant, pepper, tomato) and okra	4 days	6/year
	Leafy vegetables (except Brassica; arugula, celery, lettuce, dock, endive, fennel, parsley, rhubarb, spinach, Swiss chard); watercress	4 days	6 year
2 days	Artichoke	7 days	4/crop
3 days	Legume vegetables (beans, peas, blackeyed peas)	5 days	6/crop
	Cucurbits (melons, cantaloupe, pumpkin, squash, watermelon)	5 days	6/crop
	Leaves of root, tuber and legume vegetables	4 days	6/year
	Root vegetables – Carrot, ginseng, parsnip	5 days	4/year
	Root vegetables – Radish, rutabaga, turnip	5 days	3/year
	Tuberous and Corm Vegetables (beets, sugarbeets)	7 days	4/crop
7 days	Potatoes, ginger, sweet potatoes, yams	7 days	4/crop
60 days	Asparagus**	4 days	3/crop

** For post harvest protection of ferns only. Do not apply within 60 days of spear harvest. Do not feed treated ferns to meat or dairy animals. * year = calendar year

TREE NUTS, PEANUTS AND PISTACHIOS

PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Tree nuts (almond, cashew, chestnut, filbert, macadamia nut, pecan, walnut); Pistachios	7 days	N/A
3 days	Peanut (not for use in California)	7 days	3/year*

HERBS

PHI	CROP	TIMING	MAX # OF APPLN.
1 day	Herbs (angelica, balm, basil, borage, burnet, chamomile, catnip, chervil (dried), chive, clary, coriander, costmary, cilantro, curry, dillweed, horehound, hyssop, lavender, lemongrass, lovage, marigold, marjoram, nasturtium, parsley, pennyroyal, rosemary, rue, sage, savory, sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood)	5 days	3/crop or 5/year*
7 days	Mint	4 days	3/crop or 4/year

OUTDOOR CONTAINER-GROWN PLANTS AND ORNAMENTALS (HERBACEOUS AND WOODY)

Uniformly spray foliage to point of runoff. Uniform coverage of upper and lower leaf surfaces is essential for effective insect control. Do not make applications less than 7 days apart.

GREENHOUSES (NON-COMMERCIAL)

Make localized area treatments of ornamental plants where pest problems are anticipated to occur rather than general area-wide broadcast treatments. Do not apply this product more than 10 times per year inside a greenhouse. If this product is being used for thrips, leafminer, spider mite and/or diamondback moth control, do not apply more than 6 times per year inside a greenhouse.

* year = calendar year



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

CONTAINER DISPOSAL

- **If Empty:** Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available.
- **If Partly Filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY: Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. To the fullest extent permitted by law, this warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Seller makes no other warranties, either expressed or implied.



FIRST AID

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For emergency information concerning this product, call the poison control center at 1-800-222-1212.

For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

INDICACIONES DE USO

Constituye una violación a la ley federal usar este producto de manera diferente a lo establecido en esta etiqueta. Para uso residencial en exteriores en jardines, céspedes, invernaderos (no comerciales) y plantas decorativas. No usar en césped que se usa para la venta u otro uso comercial, o para producción comercial de semillas o con fines de investigación.

Leer la etiqueta completa antes de usar. Usar tal como se indica.

Agitar bien antes de usar. Aplicar cuando note la presencia de las plagas de la lista. Rociar completamente las plantas hasta humedecer, incluso debajo de las hojas. Se pueden repetir las aplicaciones tal como se indica en la sección de Restricciones de uso.

Aplicar cuando aparecen las primeras señales del tizón polvoriento y repetir en intervalos de 7-10 días No exceder las restricciones mencionadas en la sección de Restricciones de uso. Este producto debe estar en contacto con el tizón polvoriento para ser efectivo. Es necesaria una cobertura completa para un máximo control.

No usar en arvejas dulces, capuchinas o helechos delicados. Usar con cuidado en plantines, trasplantes y brotes. No rociar a sol pleno. Si le preocupa la sensibilidad de las plantas, aplique a plantas individuales o en áreas pequeñas de las plantas y espere 2 días para determinar si ocurre daño en la planta antes de aplicar el tratamiento en áreas más grandes.

PLAGAS

Insectos: Este producto controlará plagas tales como: adélgidos (áfidos laníferos), hormigas (excepto las hormigas de fuego, las hormigas cosechadoras, las hormigas faraonas y las hormigas carpinteras), áfidos, gusanos militares, barrenadores, orugas, chinches, polilla del manzano, gusano cortador, tijeretas, moscas de las frutas (incluyendo la *Drosophila* de alas manchadas), oruga gitana, polilla de encaje, saltamontes, minadores de hojas, enrolladores de hojas, oruga agrimensora, cochinillas, ácaros, grillo topo, bichos de las plantas, psílidos, larvas serra (incluyendo bicho de la pera y de la rosa), cochinillas de la viña, gusanos telarañeros, orugas de las tiendas, trips, ácaros araña, gorgojos (incluyendo el gorgojo negro de la vid) y moscas blancas.

Tizón polvoriento: Este producto ofrece control curativo del tizón polvoriento.

DÓNDE USAR

Verduras, incluyendo: alcachofas (globo), espárragos, frijoles, brócoli, repollitos de Bruselas, repollo, cantaloupe, zanahorias, coliflor, maíz, pepino, berenjena, ajo, lechuga, cebollas, arvejas, pimientos, papas, rábanos, rutabagas, espinaca, zapallo, acelga suiza, tomates y nabos; **Frutas, incluyendo:** manzanas, aguacate, albaricoque, fresas, uvas, melones, duraznos, ciruelas, cítricos, peras; **Bayas, incluyendo:** fresas, moras, arándanos, zarzamoras, moras de Logan, frambuesa; **Hierbas, incluyendo:** angélica, bálsamo, albahaca, borraja, burnet, manzanilla, menta gatuna, nabo (seco), cebollino, coriandro, costmary, cilantro, curry, dillweed, marrubio, hisopo, lavanda, hierbas limón, levístico, caléndula, mejorana, capuchina, perejil, hierba buena, romero, rue, salvia, savory, laurel dulce,

tanacetos, tarragón, tomillo, menta fresca, woodruff y ajeno común; **Nogales, maní y pistacho, incluyendo:** almendra, castaña de cajú, castaña, avellana, nuez de pecán, nuez de macadamia, nuez; **Plantas decorativas de exterior; invernaderos (no comercial); plantas que crecen en contenedores al exterior.**

RESTRICCIONES DE USO

PHI - No aplicar en los días de cosecha.

Tiempo – No hacer aplicaciones con pocos días entre sí.

Número máx. de aplicaciones – No hacer más aplicaciones que el número especificado de aplicaciones para un periodo dado de tiempo.

BAYAS

PHI	Cultivo	Tiempo	Número máx. de aplicaciones
1 día	Cerezas (moras, frambuesas de Logan, frambuesa)	5 días	6/año*
	Fresa	5 días	5/año
3 días	Fresas (arándano, grosella, saúco, uva espiná, arándano de hoja oval)	6 días	3/Cultivo o 6/año
21 días	Arándano rojo	7 días	6/año

FRUTAS

PHI	Cultivo	Tiempo	Número máx. de aplicaciones
1 día	Cítricos (pomelo, limones, limas, naranjas, mandarinas)	6 días	3/año*
	Árboles de frutos tropicales (avocado, guava, mango, papaya, maracuyá)	7 días	2/año
	Drupas (nectarinas y duraznos)	7 días	N/A
7 días	Uva	5 days	5/año
	Drupas (cerezas, ciruelas, guindones)	7 días	N/A
	Higo	7 días	4/año
	Dátiles	7 días	N/A
	Frutas pomáceas (manzana, manzana silvestre, mayhaw, peras, membrillo)	10 días	4/año
	Granada	N/A	N/A
	Piñas (para usar solo en Hawái)	7 días	6/año
14 días	Albaricoque	7 días	N/A
8 semanas	Bananas y plátanos (California, Florida, Hawái y Texas solamente)	7 días	4/Cultivo o 6/año

* año = año calendario

VEGETALES

PHI	Cultivo	Tiempo	Número máx. de aplicaciones
1 día	Vegetales de bulbo (cebolla, ajo, cebolla verde, puerro, chalote)	4 días	5/año*
	Coles (bok choy, brócoli, repollitos de Bruselas, repollo, coliflor, coles verdes, kale)	4 días	6/año
	Maíz (maíz dulce, maíz palomero, maíz de semilla)	N/A	6/año
	Pepino	N/A	6/cultivo
	Vegetales con frutos (berenjena, pimiento, tomate) y okra	4 días	6/año
	Verduras de hojas (excepto coles; arúgula, apio, lechuga, romaza, endivia, hinojo, perejil, ruibarbo, espinaca, acelga suiza); berro	4 días	6/año
2 días	Alcaucil	7 días	4/cultivo
3 días	Legumbres (frijoles, arvejas, frijoles caupi)	5 días	6/cultivo
	Calabazas (melones, cantaloupe, calabacín, zapallo, sandía)	5 días	6/cultivo
	Hojas de raíz, tubérculos y legumbres	4 días	6/año
	Vegetales de raíz - zanahoria, pastinaca, ginseng	5 días	4/año
	Vegetales de raíz - Rábano, rutubaga, nabo	5 días	3/año
	Vegetales de cormo y tuberosos (remolacha, remolacha de azúcar)	7 días	4/cultivo
7 días	Papas, jengibre, batatas, ñame	7 días	4/cultivo
60 días	Espárragos**	4 días	3/cultivo

NOGALES, MANÍ Y PISTACHO

PHI	Cultivo	Tiempo	Número máx. de aplicaciones
1 día	Nogales (almendras, castaña de cajú, castaña, avellana, nuez de pecán, nuez de macadamia, nuez); Pistachos	7 días	N/A
3 días	Maní (no puede usarse en California)	7 días	3/año*

** Para protección postcultivo de helechos solamente. No aplicar dentro de los 60 días de la cosecha de los brotes. No dar los helechos tratados a animales que producen leche o carne.

* año = año calendario

HIERBAS

PHI	Cultivo	Tiempo	Número máx. de aplicaciones
1 día	Herbs (angelica, balm, basil, borage, burnet, chamomile, catnip, chervil (dried), chive, clary, coriander, costmary, cilantro, curry, dillweed, horehound, hyssop, lavender, lemongrass, lovage, marigold, marjoram, nasturtium, parsley, pennyroyal, rosemary, rue, sage, savory, sweet bay, tansy, tarragon, thyme, wintergreen, woodruff and wormwood)	5 días	3/Cultivo o 5/año*
7 días	Mint	4 días	3/Cultivo o 4/año

* año = año calendario

PLANTAS QUE CRECEN EN CONTENEDORES AL EXTERIOR Y DECORATIVAS (HERBÁCEAS Y LEÑOSAS)

Rociar el follaje de manera uniforme hasta que escurra. La cobertura uniforme de las superficies superiores e inferiores es esencial para un control efectivo de los insectos. No hacer aplicaciones con menos de 7 días entre sí.

INVERNADEROS (NO COMERCIALES)

Hacer tratamientos en áreas localizadas de plantas decorativas donde se anticipen problemas con plagas en lugar de tratamientos generales a toda el área. No aplicar este producto más de 10 veces por año dentro de un invernadero. Si este producto se usa para controlar trips, minadores, ácaros araña o la polilla dorso de diamante, no aplicar más de 6 veces por año dentro del invernadero.



ALMACENAMIENTO Y ELIMINACIÓN

No contamine alimentos, agua o alimentaciones por almacenamiento o eliminación.

ALMACENAMIENTO DEL PESTICIDA

Almacenar este producto en su recipiente original y mantenerlo en un área de almacenamiento seguro fuera del alcance de niños y animales domésticos.

ELIMINACIÓN DEL CONTENEDOR:

- **Si está vacío:** No rellenable. No rellenar o volver a usar este contenedor. Colocar en la basura u ofrecer para su reciclado si fuese posible.
- **Si está parcialmente lleno:** Llamar a la agencia de eliminación de desechos sólidos para conocer las indicaciones de eliminación. Nunca colocar el producto sin usar en un drenaje de salida o de entrada.

GARANTÍA: El vendedor garantiza que este producto corresponde con la descripción química que aparece en la etiqueta y que se adapta a los fines establecidos en esta etiqueta solamente cuando se usa de acuerdo con las

indicaciones bajo condiciones de uso normal. Hasta donde corresponda de acuerdo a la ley, esta garantía no aplica si este producto no se usa de acuerdo a las indicaciones o bajo condiciones de uso normal, o bajo condiciones no razonablemente predecibles para el vendedor. El vendedor no da ninguna otra garantía, ya sea expresa o implícita.



PRIMEROS AUXILIOS EN CASO DE CONTACTO CON LOS OJOS

- Mantener los ojos abiertos y enjuagar lentamente y cuidadosamente con agua durante 15 o 20 minutos.
- Quitar los lentes de contacto, si los tuviera, después de los primeros 5 minutos, luego continuar lavando.
- Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

SI ENTRA EN CONTACTO CON PIEL O ROPA

- Quitar inmediatamente la ropa contaminada.
- Lavar la piel inmediatamente con mucha agua durante 15-20 minutos.
- Llamar al centro de control de envenenamiento o al médico para asesoramiento sobre el tratamiento.

Tenga el contenedor o etiqueta del producto con usted cuando llame al centro de control de envenenamiento o al médico, o cuando vaya para recibir tratamiento.

Si necesita información de emergencia sobre este producto, llame al centro de control de envenenamiento al 1-800-222-1212.

Para acceder a información adicional sobre este producto pesticida, puede llamar a la línea directa al 1-877-229-3763 en caso de necesitar información para tratamiento médico de emergencia.

DECLARACIONES DE PRECAUCIÓN

Riesgos para seres humanos y animales domésticos

PRECAUCIÓN

Causa irritación moderada en los ojos. Evitar contacto con los ojos, piel o ropa. Lavar cuidadosamente con agua y jabón luego de manipularlo y antes de comer, beber, masticar goma de mascar, usar tabaco o ir al baño.

RIESGOS AMBIENTALES

Este producto es tóxico a abejas que se expongan al tratamiento durante las 3 horas posteriores al mismo. No aplicar este pesticida a las plantas en crecimiento, en los momentos de liberación de polen o cuando producen néctar si las abejas pueden hacer sus colmenas en las plantas durante este periodo de tiempo. Este producto es tóxico para los invertebrados acuáticos. Para proteger al medio ambiente, no permita que el pesticida ingrese o corra por los drenajes de tormenta, drenaje de aguas pluviales, canaletas o aguas superficiales. Aplicar este producto en clima cálido cuando no haya pronóstico de lluvia en las próximas 24 horas para asegurar que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento.

50142278a 1908791 Distributed by: SBM Life Science Corp., 1001 Winstead Drive, Suite 500, Cary, NC 27513
EPA Reg. No. 67702-46-92554 EPA Est. No. indicated by 3rd and 4th digits of the batch number on this package. (65) = 92554-TX-1 (57) = 07105-6A-003 (47) = 92251-0R-005

BIOADVANCED® SCIENCE-BASED SOLUTIONS ORGANICS BRAND TOMATO, VEGETABLE & FRUIT INSECT CONTROL
READY-TO-USE



FIRST AID IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

For emergency information concerning this product, call the poison control center at 1-800-222-1212.

For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to bees exposed to treatment for 3 hours following treatment. Do not apply this pesticide to blooming, pollen-shedding or nectar-producing parts of plants if bees may forage on the plants during this time period. This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather or when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

BioAdvanced® is a registered trademark of SBM Life Science Corp.



Sold under License of W. Neudorff GmbH KG

PRESS TO RESEAL