

## Filters Applied:

---

**Performance Bulbs:** Show only best dimming bulbs

**Bulbs Availability:** Show only currently available bulbs verified by Lutron

**Base Type:** All Base Types

**Bulb Style:** All Bulb Styles

**Wattage Equivalent:** All Wattage Equivalents

**Brand:** All Brands

This list is based on information provided on August 21, 2020. Lutron is continuously testing bulbs and updating compatibility information. For the latest compatibility information, please visit the Lutron LED Compatibility tool by clicking [here](#)

## 94 LEDs for Maestro (MACL-153M)

---



EcoSmart-BR40  
Model # 1003024002  
75W Equivalent/ 12.50W  
(2700K)



EcoSmart-BR30  
Model # 1003024802  
75W Equivalent/ 13.50W  
(5000K)



EcoSmart-BR40  
Model # 1003024902  
75W Equivalent/ 12.50W  
(2700K)



EcoSmart-BR40  
Model # 1003025102  
90W Equivalent/ 16.00W  
(2700K)



EcoSmart-R20  
Model # 1003025702  
50W Equivalent/ 8.00W  
(2700K)



EcoSmart-BR20  
Model # 1003025802  
50W Equivalent/ 8.00W  
(5000K)



EcoSmart-BR30  
Model # 1003025902  
75W Equivalent/ 12.50W  
(3000K)



EcoSmart-BR40  
Model # 1003026002  
75W Equivalent/ 12.50W  
(3000K)



Seagull-Downlight  
Model # 14520S15  
65W Equivalent/ 13.00W  
(3000K)



GE-A15  
Model # 41530  
40W Equivalent/ 4.00W  
(2700K)



GE-G16.5  
Model # 41556  
40W Equivalent/ 4.50W  
(2700K)



GE-G16.5  
Model # 41561  
40W Equivalent/ 4.50W  
(5000K)



GE-G16.5  
Model # 41562  
40W Equivalent/ 4.50W  
(2700K)



GE-A15  
Model # 41633  
60W Equivalent/ 5.50W  
(2700K)



GE-A15  
Model # 41704  
60W Equivalent/ 5.50W  
(5000K)



GE-A15  
Model # 41721  
60W Equivalent/ 5.50W  
(2700K)



GE-CA12  
Model # 41733  
60W Equivalent/ 5.50W  
(2700K)



GE-G16.5  
Model # 41766  
60W Equivalent/ 5.50W  
(2700K)



GE-G16.5  
Model # 41790  
60W Equivalent/ 5.50W  
(2700K)



GE-A15  
Model # 41897  
60W Equivalent/ 5.50W  
(2700K)



GE-A15  
Model # 42225  
40W Equivalent/ 4.00W  
(2700K)



GE-A15  
Model # 42226  
60W Equivalent/ 5.50W  
(2700K)



GE-A15  
Model # 42227  
40W Equivalent/ 4.00W  
(2700K)



GE-CA11  
Model # 42231  
40W Equivalent/ 4.00W  
(2700K)



GE-CA11  
Model # 42232  
40W Equivalent/ 4.00W  
(2700K)



GE-CA12  
Model # 42237  
60W Equivalent/ 5.50W  
(2700K)



GE-CA11  
Model # 42243  
40W Equivalent/ 4.00W  
(2700K)



GE-CA12  
Model # 42247  
60W Equivalent/ 5.50W  
(2700K)



GE-B12  
Model # 42250  
60W Equivalent/ 5.50W  
(2700K)



GE-B12  
Model # 42251  
60W Equivalent/ 5.50W  
(5000K)



GE-B11  
Model # 42252  
40W Equivalent/ 4.00W  
(5000K)



GE-G16.5  
Model # 42279  
40W Equivalent/ 4.50W  
(2700K)



GE-B11  
Model # 42282  
40W Equivalent/ 4.00W  
(2700K)



GE-B11  
Model # 42286  
40W Equivalent/ 4.00W  
(5000K)



GE-B11  
Model # 42287  
40W Equivalent/ 4.00W  
(2700K)



GE-G16.5  
Model # 42290  
40W Equivalent/ 4.50W  
(2700K)



GE-B11  
Model # 42309  
40W Equivalent/ 4.00W  
(2700K)



GE-CA11  
Model # 42362  
40W Equivalent/ 4.00W  
(2700K)



GE-B12  
Model # 42363  
60W Equivalent/ 5.50W  
(2700K)



GE-CA12  
Model # 42366  
60W Equivalent/ 5.50W  
(2700K)



GE-B10  
Model # 43936  
60W Equivalent/ 5.00W  
(2700K)



GE-B10  
Model # 43943  
40W Equivalent/ 4.00W  
(2700K)



GE-A19  
Model # 44917  
60W Equivalent/ 8.00W  
(2700K)



GE-A19  
Model # 44920  
60W Equivalent/ 8.00W  
(2700K)



GE-A19  
Model # 44921  
60W Equivalent/ 8.00W  
(5000K)



GE-A19  
Model # 44923  
60W Equivalent/ 8.00W  
(5000K)



GE-A19  
Model # 44929  
60W Equivalent/ 8.00W  
(2700K)



GE-A19  
Model # 44937  
60W Equivalent/ 8.00W  
(5000K)



GE-A19  
Model # 44943  
60W Equivalent/ 8.00W  
(2850K)



GE-A19  
Model # 44952  
60W Equivalent/ 8.00W  
(2850K)



GE-PAR38  
Model # 45140  
90W Equivalent/ 15.00W  
(3000K)



GE-CA10  
Model # 46251  
60W Equivalent/ 5.00W  
(2700K)



GE-CA10  
Model # 46253  
40W Equivalent/ 4.00W  
(2700K)



GE-CA10  
Model # 46254  
40W Equivalent/ 4.00W  
(2700K)



GE-G16.5  
Model # 46256  
40W Equivalent/ 4.00W  
(2700K)



Philips-B11  
Model # 477802  
25W Equivalent/ 5.00W  
(2700K)



Philips-A21  
Model # 479519  
75W Equivalent/ 12.00W  
(2700K)



Philips-A21  
Model # 479543  
100W Equivalent/ 16.00W  
(5000K)



Philips-A21  
Model # 479543  
100W Equivalent/ 16.00W  
(5000K)



Commercial Electric-Downlight  
Model # 53801101  
75W Equivalent/ 9.00W  
(2700-5000K)



Philips-G25  
Model # 540716  
40W Equivalent/ 3.80W  
(2700K)



Philips-B11  
Model # 540757  
40W Equivalent/ 4.50W  
(2700K)



Philips-CA11  
Model # 540765  
40W Equivalent/ 4.50W  
(2700K)



Philips-A19  
Model # 548396  
60W Equivalent/ 8.80W  
(2700K)



Philips-B11  
Model # 548834  
25W Equivalent/ 2.50W  
(2700K)



Philips-G25  
Model # 548875  
25W Equivalent/ 2.70W  
(2700K)



Philips-G16.5  
Model # 548883  
25W Equivalent/ 2.70W  
(2700K)



Philips-G16.5  
Model # 548891  
25W Equivalent/ 2.70W  
(2700K)



Philips-A15  
Model # 548965  
40W Equivalent/ 3.80W  
(2700K)



Philips-BR30  
Model # 549824  
65W Equivalent/ 7.20W  
(5000K)



Philips-G25  
Model # 550200  
60W Equivalent/ 5.50W  
(5000K)



Philips-G25  
Model # 550327  
40W Equivalent/ 5.50W  
(5000K)



Philips-A15  
Model # 550335  
40W Equivalent/ 5.00W  
(5000K)



Philips-A15  
Model # 550343  
60W Equivalent/ 8.00W  
(5000K)



Philips-A19  
Model # 556449  
75W Equivalent/ 12.20W  
(5000K)



Philips-A19  
Model # 556456  
100W Equivalent/ 16.00W  
(5000K)



Philips-A19  
Model # 556860  
40W Equivalent/ 5.00W  
(2700K)



Philips-A19  
Model # 556878  
60W Equivalent/ 8.00W  
(2700K)



Philips-A19  
Model # 556886  
40W Equivalent/ 5.00W  
(5000K)



Philips-A19  
Model # 556894  
60W Equivalent/ 8.80W  
(5000K)



General Electric-A21  
Model # 76038  
15.00W  
(2700K)



Philips-Downlight  
Model # 802389  
65W Equivalent/ 10.00W  
(2700K)



EcoSmart-A19  
Model # A7A19A40WESD02  
40W Equivalent/ 5.30W  
(5000K)



Commercial Electric-Downlight  
Model # NS01aA11FR1-259  
65W Equivalent/ 9.00W  
(2700-5000K)



Commercial Electric-Downlight  
Model # NS01aA11FR1-259  
65W Equivalent/ 9.00W  
(2700-5000K)



Progress Lighting-Downlight  
Model # P80612830K  
65W Equivalent/ 10.00W  
(3000K)



Halo-Downlight  
Model # RL460WH930  
60W Equivalent/ 8.00W  
(3000K)



Halo-Downlight  
Model # RL60WH6930DMR  
65W Equivalent/ 8.70W  
(3000K)



Halo-Downlight  
Model # RLD4069301EWHR  
65W Equivalent/ 8.50W  
(3000K)



Satco-A21  
Model # S8735  
125W Equivalent/ 20.00W  
(2700K)



Cree-PAR38  
Model #  
TPAR38-1503025FH25-12DE2I  
120W Equivalent/ 19.00W  
(3000K)



Cree-PAR38  
Model #  
TPAR38-1803040FH25-12DE2I  
150W Equivalent/ 19.00W  
(3000K)



Cree-PAR38  
Model #  
TPAR38-1805040FH25-12DE2I  
150W Equivalent/ 19.00W  
(5000K)



Cree-Downlight  
Model #  
TRDL6-0802700FH50-12DE26  
75W Equivalent/ 11.00W  
(2700K)

Warranty on your Lutron 100 W C.L dimmer or 150 W C.L dimmer or 250 W C.L dimmer will be void if used with bulbs that are not on this Lutron compatible bulb list.

Please note: Bulb variations in lamp design and construction affect performance. Bulb manufacturers can modify their bulbs at any time, without notice to Lutron. This prevents Lutron from ensuring ongoing compatibility. For up-to-date specifications, performance, and/or any related recall information about the bulb, please visit the bulb manufacturer's website.

This document provides information from manufacturers who are not Lutron agents or affiliates. The listing of a manufacturer or the existence of any external link to another website does not suggest that Lutron is endorsing the linked company, its products and/or its services. Purchasers should ask appropriate questions and request references before buying any products and/or entering a contract with any party. The information contained in this document is intended for illustrative and comparative purposes only, and is subject to change at any time. Lutron does not warrant that (a) the list of manufacturers is all-inclusive; (b) the information is complete, up-to-date, accurate and/or error-free; (c) the products and Lutron controls listed will always be compatible; and (d) that the information provided will be a viable or appropriate solution for your project needs. You are entirely responsible for and assume all risk for the use of the information.