

# SIMPLYCONSERVE

## BALLAST COMPATIBILITY

|    |              |
|----|--------------|
| ✓  | compatible   |
| ✗  | incompatible |
| NT | not tested   |

| NO. | BALLAST DESCRIPTIONS |                 |              |          |            |      |       | # OF LAMPS |     |     |     |     |     |
|-----|----------------------|-----------------|--------------|----------|------------|------|-------|------------|-----|-----|-----|-----|-----|
|     | BRAND                | PART #          | START METHOD | VIN (V)  | # OF LAMPS | BF   |       | N          |     |     | N-1 |     |     |
|     |                      |                 |              |          |            | TYPE | VALUE | 120        | 277 | 347 | 120 | 277 | 347 |
| 1   | Philips ADVANCE      | ICN-1P32-N      | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 2   | Philips ADVANCE      | ICN-2P32-N      | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 3   | Philips ADVANCE      | ICN-3P32-N      | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 4   | Philips ADVANCE      | ICN-4P32-N      | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 5   | Philips ADVANCE      | IOPA-1P32-N     | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 6   | Philips ADVANCE      | IOPA-2P32-N     | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 7   | Philips ADVANCE      | IOPA-3P32-N     | IS           | 120, 277 | 3          | N    | 0.86  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 8   | Philips ADVANCE      | IOPA-4P32-N     | IS           | 120, 277 | 4          | N    | 0.86  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 9   | Philips ADVANCE      | IOPA-1P32-LW-N  | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✗   | NT  | NT  | NT  | NT  |
| 10  | Philips ADVANCE      | IOPA-2P32-LW-N  | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 11  | Philips ADVANCE      | IOPA-3P32-LW-N  | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 12  | Philips ADVANCE      | IOPA-4P32-LW-N  | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 13  | Philips ADVANCE      | IOPA-1P32-HL-N  | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 14  | Philips ADVANCE      | IOPA-2P32-HL-N  | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 15  | Philips ADVANCE      | IOPA-4P32-HL-SC | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✗   | NT  | ✓   | ✗   | NT  |
| 16  | Philips ADVANCE      | IOP-2P32-N      | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✗   | NT  | ✓   | ✓   | NT  |
| 17  | Philips ADVANCE      | IOP-4P32-N      | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |

# SIMPLYCONSERVE

| NO. | BALLAST DESCRIPTIONS |                 |              |          |            |      |       | # OF LAMPS |     |     |     |     |     |
|-----|----------------------|-----------------|--------------|----------|------------|------|-------|------------|-----|-----|-----|-----|-----|
|     | BRAND                | PART #          | START METHOD | VIN (V)  | # OF LAMPS | BF   |       | N          |     |     | N-1 |     |     |
|     |                      |                 |              |          |            | TYPE | VALUE | 120        | 277 | 347 | 120 | 277 | 347 |
| 18  | Philips ADVANCE      | IOP-2P32-LW-N   | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 19  | Philips ADVANCE      | IOP-2P32-HL-N   | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 20  | Philips ADVANCE      | IOP-4P32-HL-SC  | IS           | 120, 277 | 4          | N    | 0.88  | ✗          | ✗   | NT  | ✗   | ✗   | NT  |
| 21  | Philips ADVANCE      | GOPA-2P32-SC    | IS           | 347      | 2          | N    | 0.88  | NT         | NT  | ✓   | NT  | NT  | ✓   |
| 22  | Philips ADVANCE      | GOPA-4P32-SC    | IS           | 347      | 4          | N    | 0.88  | NT         | NT  | ✓   | NT  | NT  | ✓   |
| 23  | Philips ADVANCE      | GOPA-4P32-LW-SC | IS           | 347      | 4          | N    | 0.88  | NT         | NT  | ✗   | NT  | NT  | ✓   |
| 24  | Philips ADVANCE      | REB-2P32-SC     | IS           | 120      | 2          | N    | 0.88  | ✓          | NT  | NT  | ✓   | NT  | NT  |
| 25  | Philips ADVANCE      | REB-4P32-SC     | IS           | 120      | 4          | N    | 0.88  | ✓          | NT  | NT  | ✓   | NT  | NT  |
| 26  | Universal-NTTRIAD    | B132IUNVHP-N    | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 27  | Universal-NTTRIAD    | B232IUNVHP-N    | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 28  | Universal-NTTRIAD    | B332IUNVHP-A    | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 29  | Universal-NTTRIAD    | B432IUNVHP-A    | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 30  | Universal-NTTRIAD    | B132IUNVHE-A    | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 31  | Universal-NTTRIAD    | B232IUNVHE-A    | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 32  | Universal-NTTRIAD    | B332IUNVHE-A    | IS           | 120, 277 | 3          | N    | 0.95  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 33  | Universal-NTTRIAD    | B432IUNVHE-A    | IS           | 120, 277 | 4          | N    | 0.9   | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 34  | Universal-NTTRIAD    | B232IUNVEL-A    | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 35  | Universal-NTTRIAD    | B332IUNVEL-A    | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 36  | Universal-NTTRIAD    | B432IUNVEL-A    | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 37  | Universal-NTTRIAD    | B232IUNVHEH-A   | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |

# SIMPLYCONSERVE

| NO. | BALLAST DESCRIPTIONS |                           |              |          |            |      |       | # OF LAMPS |     |     |     |     |     |
|-----|----------------------|---------------------------|--------------|----------|------------|------|-------|------------|-----|-----|-----|-----|-----|
|     | BRAND                | PART #                    | START METHOD | VIN (V)  | # OF LAMPS | BF   |       | N          |     |     | N-1 |     |     |
|     |                      |                           |              |          |            | TYPE | VALUE | 120        | 277 | 347 | 120 | 277 | 347 |
| 38  | GE                   | GE-232-MV-N-DIY           | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 39  | GE                   | GE-432-MV-N-DIY           | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 40  | GE                   | GE132MAX-NNTULTRA         | IS           | 120, 277 | 1          | N    | 0.87  | ✗          | ✗   | NT  | NT  | NT  | NT  |
| 41  | GE                   | GE232MAX-NNTULTRA         | IS           | 120, 277 | 2          | N    | 0.87  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 42  | GE                   | GE332MAX-NNTULTRA         | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 43  | GE                   | GE432MAX-NNTULTRA         | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 44  | GE                   | GE132MAX-LNTULTRA         | IS           | 120, 277 | 1          | L    | 0.77  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 45  | GE                   | GE232MAX-LNTULTRA         | IS           | 120, 277 | 2          | L    | 0.77  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 46  | GE                   | GE132MAX-HNTULTRA         | IS           | 120, 277 | 1          | H    | 1.18  | ✗          | ✗   | NT  | NT  | NT  | NT  |
| 47  | GE                   | GE232MAX-HNTULTRA         | IS           | 120, 277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 48  | GE                   | GE432MAX347-N             | IS           | 347      | 4          | N    | 0.88  | NT         | NT  | ✓   | NT  | NT  | ✗   |
| 49  | GE                   | GE232-120RES-DIY          | IS           | 120      | 2          | N    | 0.88  | ✗          | NT  | NT  | ✗   | NT  | NT  |
| 50  | SYLVANIA<br>Osram    | QTP 1X32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 51  | SYLVANIA<br>Osram    | QTP 2X32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 52  | SYLVANIA<br>Osram    | QTP 3X32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 53  | SYLVANIA<br>Osram    | QTP 4X32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 54  | SYLVANIA<br>Osram    | QTP 2X32T8NT347<br>ISN-SC | IS           | 347      | 2          | N    | 0.88  | NT         | NT  | ✓   | NT  | NT  | ✗   |
| 55  | SYLVANIA<br>Osram    | QHE 1x32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 56  | SYLVANIA<br>Osram    | QHE 2X32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 57  | SYLVANIA<br>Osram    | QHE 3x32T8NTUNV<br>ISN-SC | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |

# SIMPLY CONSERVE

| NO. | BALLAST DESCRIPTIONS |                              |              |             |            |      |       | # OF LAMPS |     |     |     |     |     |
|-----|----------------------|------------------------------|--------------|-------------|------------|------|-------|------------|-----|-----|-----|-----|-----|
|     | BRAND                | PART #                       | START METHOD | VIN (V)     | # OF LAMPS | BF   |       | N          |     |     | N-1 |     |     |
|     |                      |                              |              |             |            | TYPE | VALUE | 120        | 277 | 347 | 120 | 277 | 347 |
| 58  | SYLVANIA<br>Osram    | QHE 4x32T8NTUNV<br>ISN-SC    | IS           | 120,<br>277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 59  | SYLVANIA<br>Osram    | QHE 4x32T8NT347<br>ISN-SC    | IS           | 347         | 4          | N    | 0.88  | NT         | NT  | ✓   | NT  | NT  | ✗   |
| 60  | SYLVANIA<br>Osram    | QHE 1x32T8NTUNV<br>ISL-SC    | IS           | 120,<br>277 | 1          | L    | 0.78  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 61  | SYLVANIA<br>Osram    | QHE 2x32T8NTUNV<br>ISL-SC    | IS           | 120,<br>277 | 2          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 62  | SYLVANIA<br>Osram    | QHE 3x32T8NTUNV<br>ISL-SC    | IS           | 120,<br>277 | 3          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 63  | SYLVANIA<br>Osram    | QHE 4x32T8NTUNV<br>ISL-SC    | IS           | 120,<br>277 | 4          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 64  | SYLVANIA<br>Osram    | QHE 1x32T8NTUNV<br>ISH-SC    | IS           | 120,<br>277 | 1          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 65  | SYLVANIA<br>Osram    | QHE 2x32T8NTUNV<br>ISH-SC    | IS           | 120,<br>277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 66  | SYLVANIA<br>Osram    | QHE 4x32T8NTUNV ISH          | IS           | 120,<br>277 | 4          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 67  | SYLVANIA<br>Osram    | QHE 1X32T8NTUNV<br>ISH HT SC | IS           | 120,<br>277 | 1          | H    | 1.18  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 68  | SYLVANIA<br>Osram    | QHE 2X32T8NTUNV<br>ISH HT SC | IS           | 120,<br>277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 69  | SYLVANIA<br>Osram    | QHE 3x32T8NTUNV<br>ISN-SC-1  | IS           | 120,<br>277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 70  | SYLVANIA<br>Osram    | QHE 4x32T8NTUNV<br>ISN-SC-1  | IS           | 120,<br>277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 71  | SYLVANIA<br>Osram    | QHE 3x32T8NTUNV<br>ISL-SC-1  | IS           | 120,<br>277 | 3          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 72  | SYLVANIA<br>Osram    | QHE 4x32T8NTUNV<br>ISL-SC-1  | IS           | 120,<br>277 | 4          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 73  | Ultra Save           | UT232347                     | IS           | 120,<br>277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 74  | Ultra Save           | UT432347                     | IS           | 120,<br>277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 75  | Philips<br>ADVANCE   | REB-2P32-N                   | IS           | 120         | 2          | N    | 0.88  | ✓          | NT  | NT  | ✓   | NT  | NT  |
| 76  | Philips<br>ADVANCE   | ICN2P16TLEDN                 | IS           | 120,<br>277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 77  | Philips<br>ADVANCE   | ICN3P16TLEDN                 | IS           | 120,<br>277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 78  | Philips<br>ADVANCE   | ICN4P16TLEDN                 | IS           | 120,<br>277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |

# SIMPLYCONSERVE

| NO. | BALLAST DESCRIPTIONS |                    |              |          |            |      |       | # OF LAMPS |     |     |     |     |     |
|-----|----------------------|--------------------|--------------|----------|------------|------|-------|------------|-----|-----|-----|-----|-----|
|     | BRAND                | PART #             | START METHOD | VIN (V)  | # OF LAMPS | BF   |       | N          |     |     | N-1 |     |     |
|     |                      |                    |              |          |            | TYPE | VALUE | 120        | 277 | 347 | 120 | 277 | 347 |
| 79  | Philips ADVANCE      | ICN2P16HLTLEDSC    | IS           | 120, 277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 80  | Philips ADVANCE      | ICN4P16HLTLEDSC    | IS           | 120, 277 | 4          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 81  | Philips ADVANCE      | IZT-2P16-TLED-SC   | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 82  | Philips ADVANCE      | IZT-4P16-TLED-SC   | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 83  | GE                   | GE132MAXP-NNTULTRA | IS           | 120, 277 | 1          | N    | 0.88  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 84  | GE                   | GE232MAXP-NNTULTRA | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 85  | GE                   | GE332MAXP-NNTULTRA | IS           | 120, 277 | 3          | N    | 0.89  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 86  | GE                   | GE432MAXP-NNTULTRA | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 87  | GE                   | GE132MAXP-LNTULTRA | IS           | 120, 277 | 1          | L    | 0.78  | ✓          | ✓   | NT  | NT  | NT  | NT  |
| 88  | GE                   | GE232MAXP-LNTULTRA | IS           | 120, 277 | 2          | L    | 0.77  | ✓          | ✓   | NT  | ✗   | ✗   | NT  |
| 89  | GE                   | GE332MAXP-LNTULTRA | IS           | 120, 277 | 3          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 90  | GE                   | GE432MAXP-LNTULTRA | IS           | 120, 277 | 4          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 91  | GE                   | GE332MAXP-HNTULTRA | IS           | 120, 277 | 3          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 92  | GE                   | GE432MAXP-HNTULTRA | IS           | 120, 277 | 4          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 93  | MAXLITE              | SKEU324HENTSC      | IS           | 120, 277 | 4          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 94  | MAXLITE              | MLEU324HENTSC      | IS           | 120, 277 | 4          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 95  | KEYSTONE             | KTEB-232-UV-IS-H-P | IS           | 120, 277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 96  | KEYSTONE             | KTEB-332-UV-IS-H-P | IS           | 120, 277 | 3          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 97  | KEYSTONE             | KTEB-232-UV-IS-N-P | IS           | 120, 277 | 2          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 98  | KEYSTONE             | KTEB-332-UV-IS-N-P | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |

# SIMPLY CONSERVE

| NO. | BALLAST DESCRIPTIONS |                        |              |          |            |      |       | # OF LAMPS |     |     |     |     |     |
|-----|----------------------|------------------------|--------------|----------|------------|------|-------|------------|-----|-----|-----|-----|-----|
|     | BRAND                | PART #                 | START METHOD | VIN (V)  | # OF LAMPS | BF   |       | N          |     |     | N-1 |     |     |
|     |                      |                        |              |          |            | TYPE | VALUE | 120        | 277 | 347 | 120 | 277 | 347 |
| 99  | KEYSTONE             | KTEB-432-UV-IS-L-P     | IS           | 120, 277 | 4          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 100 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 2          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 101 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 3          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 102 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 4          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 103 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 104 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 3          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 105 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 4          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 106 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 3          | N    | 0.87  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 107 | HOWARD INDUSTRIES    | EPL2NT32ISNTMVN MCNTHE | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 108 | Halco Lighting       | EP232ISNTLNTMVNTHE     | IS           | 120, 277 | 2          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 109 | Halco Lighting       | EP332ISNTLNTMVNTHE     | IS           | 120, 277 | 3          | L    | 0.78  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 110 | Halco Lighting       | EP232ISNTHNTMVNTHE     | IS           | 120, 277 | 2          | H    | 1.18  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 111 | Halco Lighting       | EP332ISNTMVNTHE        | IS           | 120, 277 | 3          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 112 | Halco Lighting       | EP432ISNTMVNTHE        | IS           | 120, 277 | 4          | N    | 0.88  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 113 | FULHAM               | WHSG3-UNV-T8-IS        | IS           | 120, 277 | 3          | N    | 0.99  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 114 | FULHAM               | WHSG4-UNV-T8-IS        | IS           | 120, 277 | 4          | N    | 0.96  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 115 | ESPEN                | VE232MVHIPE            | IS           | 120, 277 | 2          | N    | 0.89  | ✓          | ✓   | NT  | ✓   | ✓   | NT  |
| 116 | ESPEN                | VE232MVHIPE            | IS           | 120, 277 | 2          |      |       | ✓          | ✓   | NT  | ✓   | ✓   | NT  |