



Decree® | K-R28205-2

33" top-/undermount double-bowl kitchen sink

Features

- 36" (914 mm) minimum base cabinet width
- Double-equal bowls
- Two faucet holes
- 9" (229 mm) depth provides generous workspace
- Tightly angled fabricated corners maximize bowl space
- SilentShield® sound-absorption technology offers quieter performance
- Rear drains increase workspace in the sink and storage space underneath
- Box includes: Sink, two sink racks, two strainers, installation hardware



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

 NA Stainless Steel



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
3-27-2026 17:11 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ASME A112.19.3/CSA B45.4

Technical Information

All product dimensions are nominal.

Number of Deck Holes:	1
Faucet Hole(s) Size:	1-7/16" (37 mm)
Drain Hole Diameter:	3-7/8" (98 mm)
Minimum Base Cabinet Width:	36" (914 mm)
Basin Configuration:	Equal Bowls
Left Basin Length:	14-9/16" (370 mm)
Left Basin Width:	16-9/16" (421 mm)
Left Basin Depth:	9" (229 mm)
Right Basin Length:	14-1/2" (368 mm)
Right Basin Width:	16-7/16" (417 mm)
Right Basin Depth:	9" (229 mm)

Material

- Premium 18-gauge stainless steel
- KOHLER stainless steel sinks resist corrosion and tarnishing

Recommended Products/Accessories

K-23726 Drain treatment


K-23729 Stainless steel cleaner

Warranty

See website for detailed warranty information.

KOHLER® Stainless Steel Sinks Lifetime Limited Warranty





Installation

- Top-mount or undermount

Installation Notes

Install this product according to the installation instructions.

