

*Apollo Tile*




**SILKEN**





CRE88WHT2616  
Size: 2.56x15.75"



CRE88WHTPENA  
Size: 0.5x7.9"





CRE88WHT44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88WHT2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88WHT44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88WHTPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8





CRE88MOO2616  
Size: 2.56x15.75"



CRE88MOOPENA  
Size: 0.5x7.9"



CRE88MOO44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88MOO2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88MOO44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88MOOPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8







CRE88BEI2616  
Size: 2.56x15.75"



CRE88BEIPENA  
Size: 0.5x7.9"



CRE88BEI44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88BEI2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88BEI44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88BEIPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8





CRE88MNT2616  
Size: 2.56x15.75"



CRE88MNTPENa  
Size: 0.5x7.9"



CRE88MNT44A  
Size: 3.94x3.94"



Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88MNT2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88MNT44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88MNTPENa	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8







CRE88BAS2616  
Size: 2.56x15.75"



CRE88BASPENA  
Size: 0.5x7.9"



CRE88BAS44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88BAS2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88BAS44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88BASPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8





CRE88GLR2616  
Size: 2.56x15.75"



CRE88GLRPENA  
Size: 0.5x7.9"



CRE88GLR44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88GLR2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88GLR44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88GLRPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8







CRE88OCN2616  
Size: 2.56x15.75"



CRE88OCNPENA  
Size: 0.5x7.9"





CRE88OCN44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88OCN2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88OCN44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88OCNPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8





CRE88BLK2616  
Size: 2.56x15.75"



CRE88BLKPENA  
Size: 0.5x7.9"



CRE88BLK44A  
Size: 3.94x3.94"

Product Name	Material	Surface	Size	Thickness	Packing pcs/box	Sheet or piece coverage sq.ft	Sold By	Sq.Ft/box	Weight/Sheet or sq.ft	Weight/Box
CRE88BLK2616	Ceramic	Glossy	2.56x15.75"	5/16"	38	0.283	box	10.76	0.91	34.5
CRE88BLK44A	Ceramic	Glossy	3.94x3.94"	5/16"	50	0.108	box	5.38	0.32	15.9
CRE88BLKPENA	Ceramic	Glossy	0.5x7.9"	~	66	0.027	piece	1.782	0.09	5.8









Exclusive Distributors:



Ph: +1 415 316-0898

e-mail: [info@apollo-tile.com](mailto:info@apollo-tile.com)

[www.apollo-tile.com](http://www.apollo-tile.com)

#### Silken Collection Technical Data Sheet

Water absorption	> 10 %
Breaking Strength	> 600 N
Linear thermal expansión	
Thermal Shock resistance	Resists (ISO 10545-9)
Frost Resistance	
Chemical Resistance	
Stain resistance	5
MOHS	3
PEI Rating	
Modulus of rupture	> 12 N/mm <sup>2</sup>