


ASSEMBLY INSTRUCTION

Patio Sofa Set with Canopy




If you have any questions, please feel free to contact us.


Email: lowesteam@aminalife.com

WF318357, WF318358


X1



X2



X1




Note:


1. 50% Tighten before fixing all screws, Allen wrench is recommended instead of an electric drill.
2. Place the item on a flat ground to adjust and make sure it remains stable.
3. Tighten up all screw with tools gradually.
4. If screw are not aligned with holes during assembly, please loosen all the other screws to 50% and continue the assembly process.
5. If the item is not stable, please loosen all screws, adjust it on a flat ground and tighten up all screws again.
6. Note: If one or some screws are fully tighten during assembly, chances are the others will not be aligned with holes. In addition, all the holes are designed to be relatively larger to provide more space for the adjustment of the screws.

CARTON CONTENT:




































WF318357



















WF318358



Part List:

<p>(A) x 1</p>  <p>Left Leg</p>	<p>(B) x 1</p>  <p>Right Leg</p>	<p>(C) x 1</p>  <p>Left Back</p>	<p>(D) x 1</p>  <p>Right Back</p>
<p>(E) x 1</p>  <p>Left Front</p>	<p>(F) x 1</p>  <p>Right Front</p>	<p>(G) x 2</p>  <p>Left Support</p>	<p>(H) x 2</p>  <p>Right Support</p>
<p>(I) x 2</p>  <p>Support Seat</p>	<p>(J) x 1</p>  <p>Seat Bench</p>	<p>(K) x 1</p>  <p>Front Seat Bench</p>	<p>(L) x 1</p>  <p>Back Bench</p>
<p>(M) x 1</p>  <p>Support Seat Bench</p>	<p>(N) x 1</p>  <p>Support Middle</p>	<p>(O) x 1</p>  <p>Canopy Cover</p>	<p>(O1) x 1</p>  <p>Left Support 1</p>
<p>(O2) x 1</p>  <p>Right Support 2</p>	<p>(O3) x 2</p>  <p>Support 3</p>	<p>(O4) x 2</p>  <p>Support 4</p>	<p>(O5) x 2</p>  <p>Support 5</p>
<p>(O6) x 4</p>  <p>Middle Support</p>	<p>(P) x 1</p>  <p>Cushion Seat Bench</p>	<p>(Q) x 5</p>  <p>Cushion Back Bench</p>	<p>(R) x 2</p>  <p>Support Table</p>
<p>(S) x 2</p>  <p>Top Stool</p>	<p>(T) x 4</p>  <p>Side Stool</p>	<p>(U) x 4</p>  <p>Leg Stool</p>	<p>(V) x 2</p>  <p>Cushion Stool</p>
<p>(W) x 1</p>  <p>Top Table</p>	<p>(W1) x 2</p>  <p>Side Table</p>	<p>(X1) x 1</p>  <p>Left Leg Table</p>	<p>(X2) x 1</p>  <p>Right Leg Table</p>
<p>(Y1) x 1</p>  <p>Support out Table</p>	<p>(Y2) x 1</p>  <p>Support in Table</p>	<p>(Z) x 1</p>  <p>Cushion Table</p>	



Hardware List:

<p>① x 39 pcs Extra 2 pcs</p>  <p>BOLT M6 x 15MM</p>	<p>② x 10 pcs Extra 2 pcs</p>  <p>BOLT M6 x 30MM</p>	<p>③ x 34 pcs Extra 2 pcs</p>  <p>BOLT M6 x 35MM</p>	<p>④ x 14 pcs Extra 1 pc</p>  <p>BOLT M6 x 40MM</p>
<p>⑤ x 4 pcs Extra 1 pc</p>  <p>BOLT M6 x 50MM</p>	<p>⑥ x 20 pcs Extra 2 pcs</p>  <p>BOLT M6 x 55MM</p>	<p>⑦ x 132 pcs</p>  <p>WASHER M6/1</p>	<p>⑧ x 6 pcs Extra 1 pcs</p>  <p>WASHER PLASTIC M6/3</p>
<p>⑨ x 2 pcs Extra 1 pcs</p>  <p>WASHER PLASTIC M6/5</p>	<p>⑩ x 17 pcs Extra 2 pcs</p>  <p>NUT M6</p>	<p>⑪ x 8 pcs Extra 2 pcs</p>  <p>SCREW M4 x 10MM</p>	<p>⑫ x 18 pcs</p>  <p>PLASTIC FEET</p>
<p>⑬ x 2 pcs</p>  <p>PIT TONG</p>	<p>⑭ x 3 pcs</p>  <p>ALLEN KEY M4</p>	<p>⑮ x 1 pc</p>  <p>KEY M10</p>	
<p>⑯ x 1 pcs</p>  <p>PAT</p>			

STEP 1

④ x 3

⑦ x 3





Remove the part's protective cover firstly before assembly : ①

Connect the left leg (A) & left back (C), tighten bolt (4), flat washer (7) with allen key (14).

STEP 2

④ x 2

⑦ x 2




Connect the part from STEP 1 & left front (E), tighten bolt (4), flat washer (7) with allen key (14).

STEP 3

④ x 3

⑦ x 3




Connect the right leg (B) & right back (D), tighten bolt (4), flat washer (7) with allen key (14).

STEP 4

④ x 2



⑦ x 2



Connect the part from STEP 3 & right front (F), tighten bolt (4), flat washer (7) with allen key (14).

STEP 5



- ④ x 3
- ⑥ x 2
- ⑦ x 7
- ⑩ x 2



Connect the part from STEP 2, STEP 4 & support middle (N), tighten bolt (4), bolt (6), flat washer (7), nut (10) with allen key (14), key (15).

STEP 6

- ① x 10
- ⑦ x 13
- ⑩ x 1
- ⑯ x 1






Connect the part from STEP 5 & pat (16), support seat (I), tighten bolt (1), nut (10), flat washer (7) with allen key (14).


STEP 7

① x 16

⑦ x 16



Remove the part's protective cover firstly before assembly : ⑥+⑧






x16 Bolt

Connect the part from STEP 6 & left support (G), right support (H), tighten bolt (1), flat washer (7) with allen key (14).

STEP 8

① x 2

⑦ x 2





Remove the part's protective cover firstly before assembly : ⑨

Connect the seat bench (J) & back bench (L), tighten bolt (1), flat washer (7) with allen key (14).

STEP 9

① x 2

⑦ x 2





Connect the part from STEP 8 & front seat bench (K), tighten bolt (1), flat washer (7) with allen key (14).

STEP 10

③ x 2

⑦ x 6

⑩ x 2





Connect the part from STEP 9 & support seat bench (M), tighten bolt (3), nut (10), flat washer (7) with allen key (14) & key (15).

STEP 11

① x 1

④ x 1

⑦ x 2





Connect the part from STEP 7 & with STEP 10, tighten bolt (1), bolt (4) flat washer (7) with allen key (14).

STEP 12

⑥ x 6


⑫ x 6



Connect the part from STEP 11 & plastic feet (12), tighten bolt (6) with allen key (14).



STEP 13

(11) x 8



Connect the left support (O1), right support (O2), support (O3), (O4), (O5) & support (O6), screw (11).



STEP 14



Connect the part from STEP 13 & canopy corver (O)

STEP 15



- ② x 8
- ⑦ x 24
- ⑩ x 8



Connect the part from STEP 12 & with STEP 14, tighten bolt (2), nut (10) flat washer (7) with allen key (14), key (15).



STEP 16

- ⑬ x 2




Connect the part from STEP 15 & pitong (13) push in.

STEP 17



Put on cushion seat bench (P)

STEP 18




Put on cushion back bench (Q).

STEP 19

③ x 2

⑦ x 2




Connect the side stool (T) & leg stool (U), tighten bolt (3), flat washer (7) with allen key (14).

STEP 20

③ x 2

⑦ x 2





Connect the part from STEP 19 & leg stool (U), tighten bolt (3), flat washer (7) with allen key (14).

STEP 21

③ x 8

⑦ x 8




Connect the part from STEP 20 & top stool (S), tighten bolt (3), flat washer (7) with allen key (14).

STEP 22



⑥ x 4

⑫ x 4




Connect the part from STEP 21 & plastic feet (12), tighten bolt (6) with allen key (14).

STEP 23



STEP 24




Put on cushion stool V.


STEP 25

③ x 4



⑦ x 4



x4 Bolt



Remove the part's protective cover firstly before assembly : (X1)




Connect the side table (W1) & Left leg table (X1), tighten bolt (3), flat washer (7) with allen key (14).



STEP 26

③ x 4

⑦ x 4



x4 Bolt





Connect the part from STEP 25 & right leg table (X2), tighten bolt (3), flat washer (7) with allen key (14).

STEP 27

⑥ x 4

⑫ x 4





Connect the part from STEP 26 & plastic feet (12), tighten bolt (6) with allen key (14).


STEP 28

① x 8

⑦ x 8



Remove the part's protective cover firstly before assembly : (R)



Connect the part from STEP 27 & support table (R), tighten bolt (1), flat washer (7) with allen key (14).


STEP 29

⑤ x 2



⑦ x 4

⑨ x 2

⑩ x 2



x2 Bolt




Connect the support out table (Y1) & support in table (Y2), tighten bolt (5), flat washer (7), flat washer (9), nut (10) with allen key (14), key (15).

STEP 30



② x 2

⑦ x 2

⑧ x 2



x2 Bolt



Connect the part from STEP 28 & STEP 29, tighten bolt (2), flat washer (7), flat washer (8), with allen key (14).




STEP 31

⑤ x 2


⑦ x 4

⑧ x 4

⑩ x 2





x2 Bolt




Connect the part from STEP 30 & top table (W), tighten bolt (5), flat washer (7), flat washer (8), nut (10) with allen key (14), key (15).

STEP 32





STEP 33




Put on cushion table Z.

STEP 34



STEP 35



Finish