Certificate of Compliance

Certificate: 80305581 **Master Contract:** 607493

Project: 80305581 **Date Issued:** 2026-07-03

Issued to: Zhongshan Yuegao E-Commerce Co., Ltd.
The 6th Card, No.9 of Xuri Road, Sanjiao Town,
Zhongshan, Guangdong 518111,
China
Attention: Mr. Qingrong Chen

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only

C US

Issued by: Oscar Deng
Oscar Deng

PRODUCTS

C122101 REFRIGERATION EQUIPMENT - Refrigerating Machines
C122181 REFRIGERATION EQUIPMENT - Refrigerating Machines - Certified to U.S. Standards

Household automatic ice maker, cord-connected, self-contained, free-standing or built in type

Models	Voltage (VAC)	Frequency (Hz)	Current (A)	Refrigerant Type
CLF-BVI15I	120	60	2.8	R600a
CLF-PRDVI15I	120	60	2.8	R600a
CLF-SVI15I	120	60	2.8	R600a
CLF-SPRDVI15I	120	60	2.8	R600a

© 2018 CSA Group. All rights reserved.

Certificate: 80305581 **Master Contract:** 607493

Project: 80305581 **Date Issued:** 2026-07-03

APPLICABLE REQUIREMENTS

CAN/CSA-C22.2 No. 60335-1-16 Second Edition (October 31, 2016)	-	Safety of Household and Similar Appliances, Part 1: General Requirements
UL 60335-1 Sixth Edition (October 31, 2016)	-	Safety of Household and Similar Appliances, Part 1: General Requirements
CAN/CSA-C22.2 No. 60335-2-24:22 Third Edition (July 29, 2022)	-	Household and Similar Electrical Appliances - Safety – Part 2-24: Particular Requirements for Refrigerating Appliances, Ice-Cream Appliances and Ice-Makers
UL 60335-2-24 Third Edition (July 29, 2022)	-	Household and Similar Electrical Appliances - Safety - Part 2-24: Particular Requirements for Refrigerating Appliances, Ice-Cream Appliances and Ice-Makers

© 2018 CSA Group. All rights reserved.

Certificate: 80305581 **Master Contract:** 607493

Project: 80305581 **Date Issued:** 2026-07-03

Notes:
Products certified under Class C122101, C122181 have been certified under CSA's ISO/IEC 17065 accreditation with the Standards Council of Canada (SCC).
www.scc.ca

© 2018 CSA Group. All rights reserved.

MARKINGS

The manufacturer is required to apply the following markings:

- Products shall be marked with the markings specified by the particular product standard.
- Products certified for Canada shall have all Caution and Warning markings in both English and French.

Additional bilingual markings not covered by the product standard(s) may be required by the Authorities Having Jurisdiction. It is the responsibility of the manufacturer to provide and apply these additional markings, where applicable, in accordance with the requirements of those authorities.

The products listed are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US (indicating that products have been manufactured to the requirements of both Canadian and U.S. Standards) or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Markings as given below and/or described in the report appear on each unit:

- Submittor's name or Master Contract number "607493";
- Model designation;
- Electrical rating in volts, hertz, rated current in amperes;
- Type and weight of refrigerant;
- The chemical name or refrigerant number of the principal component of the insulation blowing gas.
- Date code that will enable the product to be identified as being manufactured within a 3 month period; This information shall not repeat in less than 10 years and when coded shall appear on the serial plate
- CSA Mark: cCSAus

Terminals used for connection to the supply mains shall be indicated as follows, these indications shall not be placed on screws, removable washers or other parts which can be removed when conductors are being connected.

- Terminals intended exclusively for the neutral conductor shall be indicated by the letter N;
- Protective earthing terminals shall be indicated by the symbol 5019 of IEC 60417.

The marking of the type of FLAMMABLE REFRIGERANT and of the flammable insulation blowing gas, as well as the United Nations GHS red diamond flame symbol, shall be visible when gaining access to the motor-compressors.

The height of the United Nations GHS red diamond flame symbol shall be at least 15 mm.

The height of the letters used for the marking of the type of flammable insulation blowing gas shall be at least 40 mm.

ICE-MAKERS without automatic water level control shall be marked with the maximum permissible water level.

The instructions for ICE-MAKERS intended to be connected to the water supply shall state the substance of the following warning:

- WARNING: Connect to potable water supply only.

The instructions for FIXED APPLIANCES shall include the substance of the following warning:

© 2018 CSA Group. All rights reserved.

- WARNING: To avoid a hazard due to instability of the appliance, it must be fixed in accordance with the instructions.

A child entrapment warning statement shall be included in either the operating instructions or in a use and care manual provided with each refrigerator and shall include the following or equivalent wording:

WARNING: Risk of child entrapment. Before you throw away your old refrigerator or freezer:
- Take off door.
- Leave the shelves in place so that children may not easily climb inside.

The instructions shall include information pertaining to the installation, handling, servicing and disposal of the appliance, it shall also contain the substance of the following:

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- Do not use extension cords or ungrounded (two prong) adapters;
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similar qualified person in order to avoid hazard.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- WARNING: Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.
- WARNING: Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- WARNING: Do not damage the refrigerant circuit.
- WARNING: Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.

The instructions for REFRIGERATING APPLIANCES and ICE-MAKERS shall include the substance of the following:
- WARNING: When positioning the appliance, ensure the supply cord is not trapped or damaged.
- WARNING: Do not locate multiple portable socket-outlets or portable power supplies at the rear of the appliance.

The instructions shall include the substance of the following:

This appliance is intended to be used in household and similar applications such as
- staff kitchen areas in shops, offices and other working environments;
- farm houses and by clients in hotels, motels and other residential type environments;
- bed and breakfast type environments;
- catering and similar non-retail applications.

NOTE If the manufacturer wants to limit the use of the appliance to less than the above, this has to be clearly stated in the instructions.

© 2018 CSA Group. All rights reserved.

The instructions shall include information pertaining to the installation, handling, servicing and disposal of the appliance.

The appliance shall be visibly marked for proper operating CLEARANCES. This marking is not required for a BUILT-IN APPLIANCE or when the unit has been evaluated and tested with zero CLEARANCES.

Instructions for installing accessories shall be provided on or with each accessory. A statement shall be included in the instructions warning the installer that the refrigerator must be disconnected from the source of electrical supply before attempting the installation and that the accessory is intended for use only with a refrigerator that is marked to indicate such use.

The following markings, or the equivalent, used for the unit when a flammable refrigerant is used, shall be provided and shall be permanent:

a) DANGER – Risk Of fire or explosion. Flammable refrigerant used. Do not use mechanical devices to defrost refrigerator. Do not puncture refrigerant tubing.

b) DANGER – Risk of fire or explosion. Flammable refrigerant used. To be repaired only by trained service personnel. Use only manufacturer-authorized service parts. Any repair equipment used must be designed for flammable refrigerants. Follow all manufacturer repair instructions. Do not puncture refrigerant tubing.

c) CAUTION – Risk of fire or explosion. Dispose of refrigerator properly in accordance with the applicable federal or local regulations. Flammable refrigerant used.

d) CAUTION – Risk of fire or explosion due to puncture of refrigerant tubing; follow handling instructions carefully. Flammable refrigerant used.

Note: Wherever the word “CAUTION” is required, it may be substituted with the word “WARNING.”

Note1: The marking in item (b) shall also contain the symbol United Nations Global Harmonized System (GHS) symbol or a combination of the United Nations GHS and ISO 7010-W021 symbols, As below. The perpendicular height of the triangle containing the “Caution, risk of the fire” sign shall be at least 15 mm (9/16 in).



or





Note2: The marking described in item (a) shall be located on or near any evaporator that can be contacted by the user. Item (b) shall be located near the machine compartment. Item (c) shall be located on the exterior of the refrigerator. Item (d) shall be located near all exposed refrigerant tubing. The markings shall be in letters no less than 3,2-mm (1/8-in) high, except for the signal words, “DANGER”, “WARNING”, and “CAUTION”, which shall be no less than 5,0 mm (0,2 in) high and shall be in all capital letters.(Letter height requirements are based on the height of capital letters.)

© 2018 CSA Group. All rights reserved.

Note3: For COMPRESSION-TYPE APPLIANCES which use FLAMMABLE REFRIGERANTS, the refrigeration tubing or other devices through which the refrigerant is intended to be serviced shall be painted or colored red. This color shall be present at all places where service puncturing or otherwise creating an opening in the refrigerant circuit might be expected. In the case of a process tube on a compressor, the color mark shall extend at least 2,5 cm (1 in) from the compressor. The requirement for color marking is waived if the markings of (b)(describe above) along with the symbol ISO 7010 W021 are visible while gaining access to the process tube.

Note: Bilingual Markings for products with CSA Mark or cCSAus Mark.

WARING for French Version:

English:	French:
CAUTION To Prevent A Child From Being Entrapped, Keep Out Of Reach Of Children And Not In The Vicinity Of Freezer (Or Refrigerator).	ATTENTION Afin de prévenir qu'un enfant ne soit emprisonné, garder hors d'atteinte des enfants et loin du congélateur ou du réfrigérateur.
WARNING: Risk of child entrapment. Before you throw away your old refrigerator or freezer: - Take off the doors - Leave the shelves in place so that children may not easily climb inside.	MISE EN GARDE : Risque d'enfermer les enfants. Avant de jeter votre vieux réfrigérateur ou congélateur: * Retirer les portes. * Laisser les tablettes en placei pour que les enfants ne puissent pas facilement grimper à l'intérieur.
WARNING: Connect to potable water supply only	AVERTISSEMENT : Raccorder uniquement à un réseau d'alimentation en eau potable.
WARNING: Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.	MISE EN GARDE: Maintenir dégagées les ouvertures de ventilation dans l'enceinte de l'appareil ou dans la structure d'encastrement.
WARNING: Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.	MISE EN GARDE: Ne pas utiliser de dispositifs mécaniques ou autres moyens pour accélérer le processus de dégivrage autres que ceux recommandés par le fabricant.
WARNING: Do not damage the refrigerant circuit.	MISE EN GARDE: Ne pas endommager le circuit de réfrigération.
WARNING: Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.	MISE EN GARDE: Ne pas utiliser d'appareils électriques à l'intérieur du compartiment de stockage des denrées, à moins qu'ils ne soient du type recommandé par le fabricant.
a) DANGER – Risk Of fire or explosion. Flammable refrigerant used. Do not use mechanical devices to defrost refrigerator. Do not puncture refrigerant tubing. b) DANGER – Risk of fire or explosion. Flammable refrigerant used. To be repaired only by trained service personnel. Use only manufacturer-authorized service parts. Any repair equipment used must be designed for flammable refrigerants. Follow all	a) DANGER Risque d'incendie ou d'explosion.Frigorigène inflammable utilisé. Ne pas utiliser d'appareils mécaniques pour dégivrer le réfrigérateur. Ne pas perforer la conduite de frigorigène. b) DANGER Risque d'incendie ou d'explosion. Frigorigène inflammable utilisé. La réparation isera faite seulement par un personnel qualifié. Utiliser seulement des pièces de rechange

© 2018 CSA Group. All rights reserved.

manufacturer repair instructions. Do not puncture refrigerant tubing. c) CAUTION – Risk of fire or explosion. Dispose of refrigerator properly in accordance with the applicable federal or local regulations. Flammable refrigerant used. d) CAUTION – Risk of fire or explosion due to puncture of refrigerant tubing; follow handling instructions carefully. Flammable refrigerant used.	autorisées par le fabricant. Tout équipement de réparation utilisé doit être conçu pour les frigorigènes inflammables. Suivre toutes les instructions de réparation du fabricant. Ne pas perforer la conduite de frigorigène. c) ATTENTION Risque d'incendie ou d'explosion.Éliminer convenablement conformément à la réglementation fédérale ou locale. Frigorigène inflammable utilisé. d) ATTENTION Risque d'incendie ou d'explosion dû à la perforation de la conduite de frigorigène. Suivre avec soin les instructions de manipulation. Frigorigène inflammable utilisé.
WARNING: To avoid a hazard due to instability of the appliance, it must be fixed in accordance with the instructions.	AVERTISSEMENT : Pour éviter tout danger dû à l'instabilité de l'appareil, celui-ci doit être fixé conformément aux instructions.
WARNING: When positioning the appliance, ensure the supply cord is not trapped or damaged.	AVERTISSEMENT : Lors du positionnement de l'appareil, s'assurer que le câble d'alimentation n'est pas coincé ni endommagé.
WARNING: Do not locate multiple portable socket-outlets or portable power supplies at the rear of the appliance.	AVERTISSEMENT : Ne pas placer de socles mobiles de prises multiples ni de blocs d'alimentation portables à l'arrière de l'appareil.

© 2018 CSA Group. All rights reserved.

Supplement to Certificate of Compliance

Certificate: 80305581 **Master Contract:** 607493

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description

80305581 2026-07-03 Multiple Listing of commercial dry aged fridge

Original Report No.	Submittor's Model No.	Listee's Model No.
80263323	VI15ICE	CLF-BVI15I
80263323	VI15ICE	CLF-PRDVI15I
80263323	VI15ICE	CLF-SVI15I
80263323	VI15ICE	CLF-SPRDVI15I

© 2018 CSA Group. All rights reserved.