



POLARIS SOLAR LAMP **With GS Solar LED Light Bulb**

US Patent # 7172307

US Patent # 9458970

Instruction Manual **Models: GS-178S / GS-178L**



Introduction

Thank you for your purchase. **GAMA SONIC®** solar charged lighting eliminates the problems associated with most solar lighting available today. **GAMA SONIC®** solar charged lights are brighter and last all night with a typical solar charge. Unique design, superior light output and numerous installation options confirm the outstanding value of our product.

GAMA SONIC® has been recognized as a worldwide leader in the lighting industry for over 20 years. The company also offers unique products from multi-purpose solar lamps to emergency lighting products.

For technical assistance and more information call our Toll Free number: 800-835-4113 (only within the US) or visit our website at: www.gamasonic.com. Please read the instruction manual carefully to obtain the best results from your purchase. Tools that are needed but not supplied with the solar post lamps are: a screw driver and a power drill.

Visit our website or download the latest version of your instruction manual:

www.gamasonic.com or www.gamasonic.com/user-guides

WARNING: GAMA SONIC® Light bulbs are built and designed for Gama Sonic products only. They are not designed to be used in other electrical sockets.

For the same reason, regular AC and/or Low Voltage bulbs cannot be used in Gama Sonic products.

1. Solar Lamp Location:

For optimum light duration throughout the night, it is very important to place your solar lamp in a spot where it will receive the maximum amount of direct sunlight throughout the day.

NOTE: For best results, the solar lamp post must be charged for two sunny days in the “ON” position.

2. Assembly instructions





Fig.1

NOTE: The following steps are for reference only. Consult your local hardware store for the best installation method for your surface.

Assembly Instructions:

1. Slide the finial Part (A) on top of Part (B), secure it with the set screw using the provided Allen wrench.
2. Install GS Solar LED Light Bulb into Part (B)
3. Attach Part (B) to Part (C) and secure it with the provided screws and nuts
4. Screw the pole Part (D) into the base Part (F)
5. **For GS-178S model only:** Screw the additional two poles Part (D) to each other
6. Screw the fitter adapter Part (E) into the pole Part (D)
7. Slide Part (C) on top of Part (E), secure it with the set screw using the provided Allen wrench.

NOTE: When installing the GS Solar LED Bulb, hold it from its silver base not by the glass



Solar LED Light Bulb Assembly

The GS Solar LED Bulb is designed to last up to 10 years, however if it doesn't work, or if you want to use different color temperature bulb, it can be easily replaced.

1. Detach the top of the lamp unit **(B)** by releasing the 3 screws. Make sure the Low/OFF/High switch is in the OFF (O) position.
2. Remove (if needed) the existing bulb by turning it counterclockwise.
3. Install the new GS Solar LED Bulb by turning into the bulb socket clockwise **(Fig.2)**.
4. Reassemble the unit by reversing the above procedure




Fig.2

3. Operation Instructions (Fig. 3)

1. Remove the final Part **(A)** from Part **(B)**. Turn the operation switch to the Low or High position **(Fig.3)** according your preferences:
 - a. (Low) For softer light and longer duration.
 - b. (High) For brighter light output.
2. The solar lamp will automatically operate at dusk.
3. Re-Install the final Part **(A)** on top of Part **(B)**.



Fig.3

4. Replacing the Battery

(After several years of use, the battery may need replacing.)

1. Unscrew the three screw caps and detach the top **(B)**.
2. Make sure the ON/OFF switch is in the OFF **(O)** position.
3. Unscrew the battery compartment **(Fig.4)** located on the silver reflector and remove the compartment door.
4. Unclip the connector and remove the old battery.
5. Make sure the new battery is a Gama Sonic – 3.2V/1,500mAh, Li-ion Rechargeable Battery with a connector.
6. Clip on the new battery and install it into the battery compartment. Re-Install the battery compartment cover.
7. Reattach the top and secure it with the three screw caps.




Fig.4

**** Gama Sonic batteries are available at www.gamasonic.com**

You can purchase it directly at: <https://gamasonic.com/product-category/parts-and-accessories/> . Make sure the new battery is a [Gama Sonic - 3.2V/1,500mAh](#), Li-ion Rechargeable Battery with a connector.

**** Gama Sonic Bulbs are available at www.gamasonic.com**

You can purchase it directly at: <https://gamasonic.com/product-category/parts-and-accessories/> Make sure the new bulb you purchase is compatible with this model (A50 bulb)

WARNING: Do not dispose of Li-On battery in the regular trash, municipal waste stream or by fire as batteries may leak or explode. Do not open, short circuit, or mutilate batteries as injury may occur. Preserve our environment by recycling Li-Ion batteries or disposing of them in accordance with local, State and federal regulations. Do not mix old and new batteries.

Maintenance

Clean the solar module regularly with a damp towel to guarantee optimum performance of the solar panel. Do not use any type of solvent for cleaning and be careful not to put too much pressure on the module while cleaning.

Trouble Shooting

If your solar charged light does not come on at dusk despite observance of all the instructions, please try the following steps:

1. Make sure that the solar light is not being affected by any other light source.
2. Ensure the solar light is not positioned in the shade during the day.
3. Make sure the switch in the lamp head is in NOT on the " OFF" position.
4. Check that the batteries are installed correctly.
5. Check that the GS Solar LED Light Bulb is installed correctly.

NOTE: The performance of the solar light will vary with the time of year. It will deliver more light when it has had a full day in the sun rather than a day in overcast weather.

WINTERTIME TIPS: Keep snow and debris cleaned off the solar panels so the batteries can recharge. If the lights are covered with snow for an extended period of time, after the snow melts, allow all the batteries to charge in full, direct sunlight for at least 6 hours to their maximum capacity.

WARNING: Please keep out of reach of children.

