



CLEAN TECHNOLOGY FOR CLEANER LAUNDRY

4.5 Cu. Ft. Top Load Washer

MLV45N1BWW

The Midea Top Load Washer features a large, 4.5 Cu. Ft. capacity and 10 pre-set cycles including extra rinse and soak options, a stainless-steel tub and a look-through lid.

Two-Stage Dispenser

Normal detergent amount is released in 2 stages to boost cleaning power and reduce odor.

Soft Close Glass Lid

Lets you view your wash without interrupting the cycle. Slam-proof hinge delivers smooth, soft lid closing.

Electronic Controls

Sleek, modern electronic controls provide cycle status at a glance.

Stainless Steel Tub

Durable stainless steel tub is built to last.

Water Plus

Maximizes the water level used during the wash cycle to ensure all items are thoroughly soaked.

10 Pre-set Cycles

A variety of pre-sets lets you match the cycle to the garments you're washing: Normal, Delicate, Heavy Duty, Active Wear, Whites, Rinse and Spin, Bulky Items, Tub Clean, Quick Wash, and Spin Only.

4.5 Cu. Ft Top Load Washer

Model MLV45N1BWW

SPECIFICATIONS

Models		MLV45N1BWW
UPC		8-10004818897
PERFORMANCE		
DOE		Yes
ENERGY STAR®		-
IMEF (cu. ft./kWh/cycle)		1.57
IWF (gallons/cycle/cu. ft.)		6.5
Max Spin Speed (RPM)		700
Vibration Reduction		Friction suspension
UL Certification		Yes
FEATURES		
Capacity (cu. ft.)		4.5
No. of Cycles		10 (Normal, Delicate, Heavy Duty, Active Wear, Whites, Rinse & Spin, Bulky Items, Tub Clean, Quick Wash, Spin Only)
No. of Options		8 (Delay, Control Lock, Soak, Extra Rinse, Fabric Softener, Water Plus, My Cycle, Signal)
Automatic Temperature Control		Yes
Automatic Load Sensing		Yes
No. of Soil Levels		5 (Extra Heavy, Heavy, Medium, Light, Extra Light)
No. of Temperature Selections		5 (Hot, Warm, Eco Warm, Cold, Tap, Cold)
No. of Spin Speeds		5 (Extra High, High, Medium, Low, No Spin)
Detergent Dispenser		Yes (Detergent, Bleach, Softener)
Dual Stage Dispenser		Yes
Delay Start		Yes
Child Lock		Yes
Water Plus		Yes
Extra Rinse		Yes
Soak		Yes
Safe Shut Lid		Yes
Time-Remaining Display		Yes
End-Of-Cycle Signal		Yes
ELECTRICAL		
Power Supply		120V/60hz
Amperage (A)		10
Voltage (V)		120
UL Listed		Yes
Power Cord Included		Yes
PHYSICAL ATTRIBUTES		
Tub/Drum Material		Stainless Steel
Included Accessories		Drain Hose, Hose Holder, Hose Clamp, Filter & Screw
Control Panel		Touch / White
Lid / Trim		Glass / White
Color		White
Dimensions (W*D*H)	in	27 x 28.2 x 46.3
	cm	68.6 x 71.6 x 117.5
Warranty		Parts & Labor, 1 Year


4.5 Cu. Ft Top Load Washer & 7.5 Cu. Ft. Dryer

Models MLV45N1BWW, MLE45N1BWW, MLG45N1BWW

Alcove or Closet or Wall Insert/Recessed Installations

Minimum clearances between the unit and adjacent walls or other surfaces:

Sides (in / cm)	1 / 2.5	Rear (in / cm)	6 / 15.2
Top (in / cm)	24 / 61	Closet Front (in / cm)	2 / 5.1
Gap between the end of water valve and the wall (in / cm)		Case 1: If you connect the supply hose after you install your washer: Over 3.9 in. (10 cm) Case 2: If you connect the supply hose before you install your washer: Over 2.8 in. (7 cm)	



WARNING

- The dryer must be exhausted to the outside to reduce risk of fire when installed any place inside the house.
- No other fuel-burning appliance should be installed in the same closet as the dryer.