
### **3-Seat Patio Sofa**

#### **Assembly Instructions**

A116-002-001



#### Important - Please read these instructions fully before starting assembly

#### HASSLE-FREE WARRANTY

Serwall stands behind the quality of our products. For full warranty policy, email: poly@homeselecting.com



CAPACITY



1 PERSON

ASSEMBLY



AROUND 45 MIN. ASSEMBLY

### Components

If you need help or have damaged or missing parts, please email: **poly@homeselecting.com** 


#### Please check you have all the components listed below.

Note: The illustration of the product shows the exact position of each part. Check when assembling.

#		Description	Qty.	]	#		Description	Qty.
В		Right Front Long Leg	1		К	(ē-	Right Front Short Leg	2
с		Left Front Long Leg	1		L		Left Front Short Leg	2
D		Right Armrest	1		М		Right Rear Leg of Armless Chair	2
E		Left Armrest	1		Ν		Left Rear Leg of Armless Chair	2
F	).	Rightmost Rear Leg	1		0		Seat Frame of Right Arm Chair	1
G		Leftmost Rear Leg	1		Ρ		Seat Frame of Armless Chair	1
н		Backrest	3		Q		Seat Frame of Left Arm Chair	1
I		Rear Leg Upper Rail	3		S		Long Seat Front Panel	2
J	1	Rear Leg Bottom Rail	3		Т		Short Seat Front Panel	1

### Hardware & Tools

Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than required.




### Components


If you need help or have damaged or missing parts, please email: **poly@homeselecting.com** 

#### Please check you have all the components listed below.

Note: The illustration of the product shows the exact position of each part. Check when assembling.




#### A Caution: Please do not over-tighten bolts and screws during assembly.




#### **3** x4

#### **STEP 1.1**

● Attach "Rightmost Rear Leg (F)" and "Left Rear Leg of Armless Chair (N)" to "Seat Frame of Right Arm Chair (O)" -Using "③M6 x 120MM Screws" ,tighten with hex key.



5 x2 6 x1 7 x3 8 x3



#### **STEP 1.2**

● Attach "Seat Frame of Right Arm Chair (O)" to "Right Front Long Leg (B)" - Using "⑤M6 x 60MM Bolts" ,tighten with hex key.

● Attach "Seat Frame of Right Arm Chair (O)" to "Left Front Short Leg (L)" - Using "④M6 x 40MM Bolts" ,tighten with hex key.

● Attach "Front Leg (B/L)" to "Long Seat Front Panel (S)" - Using "②M6 x 60MM Screws" ,tighten with hex key.


#### **STEP 1.3**

● Attach "Right Armrest (D)" to "Right Front Long Leg (B)" - Using "⑤M6 x 60MM Bolts" with "⑦ Washer" and "⑧Nut", tighten with hex key and wrench.

● Attach "Rear Leg Upper Rail (I)" to "Rightmost Rear Leg (F)" and "Right Armrest (D)" - Using "⑥ M6 x 110MM Bolts" with "⑦Washer" and "⑧Nut", tighten with hex key and wrench.

● Attach "Rear Leg Upper Rail (I)" to "Left Rear Leg of Armless Chair (N)" - Using "⑤M6 x 60MM Bolts" with "⑦Washer" and "⑧Nut", tighten with hex key and wrench.


▲ Caution: Please do not over-tighten bolts and screws during assembly.



#### **1**x2

#### **STEP 1.4**

● Attach "Backrest (H)" to "Rear Leg Upper Rail (I)" - Using "①M5 x 50MM Screws" ,tighten with hex key.



#### **STEP 1.5**


● Attach "Rear Leg Bottom Rail (J)" to "Rear Leg (F/N)" - Using "④M6 x 40MM Bolts" ,tighten with hex key.



#### **STEP 1.6**


• Right Arm Chair is ready for use.

#### **A** Caution: Please do not over-tighten bolts and screws during assembly.



#### **STEP 2.1**


● Attach "Right Rear Leg of Armless Chair (M)" and "Left Rear Leg of Armless Chair (N)" to "Seat Frame of Armless Chair (P)" -Using "③M6 x 120MM Screws" ,tighten with hex key.



#### **STEP 2.2**

● Attach "Seat Frame of Armless Chair (P)" to "Right Front Short Leg (K)" and "Left Front Short Leg (L)" - Using "④M6 x 40MM Bolts" ,tighten with hex key.

● Attach "Front Shorter Leg (K/L)" to "Short Seat Front Panel (T)" - Using "②M6 x 60MM Screws" ,tighten with hex key.




#### (7)x2

**8**x2

#### **STEP 2.3**


● Attach "Rear Leg Upper Rail (I)" to "Rear Leg of Armless Chair (M/N)" - Using "⑤M6 x 60MM Bolts" with "⑦Washer" and "⑧Nut", tighten with hex key and wrench.

**A** Caution: Please do not over-tighten bolts and screws during assembly.



#### 1x2 STEP 2.4

● Attach "Backrest (H)" to "Rear Leg Upper Rail (I)" - Using "①M5 x 50MM Screws" ,tighten with hex key.



#### **STEP 2.5**


● Attach "Rear Leg Bottom Rail (J)" to "Rear Leg of Armless Chair (M/N)" - Using "④M6 x 40MM Bolts" ,tighten with hex key.



#### **STEP 2.6**


• Armless Chair is ready for use.


#### **A** Caution: Please do not over-tighten bolts and screws during assembly.



#### (3)x4 STEP 3.1

● Attach "Right Rear Leg of Armless Chair (M)" and "Leftmost Rear Leg (G)" to "Seat Frame of Left Arm Chair (Q)" - Using "③ M6 x 120MM Screws" ,tighten with hex key.





● Attach "Seat Frame of Left Arm Chair (Q)" to "Right Front Short Leg (K)" - Using "④M6 x 40MM Bolts" ,tighten with hex key.

● Attach "Seat Frame of Left Arm Chair (Q)" to "Left Front Long Leg (C)" - Using "⑤M6 x 60MM Bolts" ,tighten with hex key.


● Attach "Front Leg (K/C)" to "Long Seat Front Panel (S)" - Using "②M6 x 60MM Screws" ,tighten with hex key.

#### **STEP 3.3**

Attach "Left Armrest (E)" to "Left Front Long Leg
(C)" - Using "⑤M6 x 60MM Bolts" with "⑦Washer" and "⑧Nut", tighten with hex key and wrench.
Attach "Rear Leg Upper Rail (I)" to "Leftmost Rear Leg (G)" and "Left Armrest (E)" - Using "⑥M6 x 110MM Bolts" with "⑦Washer" and "⑧Nut", tighten with hex key and wrench.


● Attach "Rear Leg Upper Rail (I)" to "Right Rear Leg of Armless Chair (M)" - Using "⑤M6 x 60MM Bolts" with "⑦Washer" and "⑧Nut" , tighten with hex key and wrench.

**A** Caution: Please do not over-tighten bolts and screws during assembly.



#### 1x2 STEP 3.4

● Attach "Backrest (H)" to "Rear Leg Upper Rail (I)" - Using "①M5 x 50MM Screws" ,tighten with hex key.



### **STEP 3.5**

● Attach "Rear Leg Bottom Rail (J)" to "Rear Leg (M/G)" - Using "④M6 x 40MM Bolts" ,tighten with hex key.




#### **STEP 3.6**

• Left Arm Chair is ready for use.

### **Assembly Instructions**


If you need help or have damaged or missing parts, please email: **poly@homeselecting.com** 

A Caution: Please do not over-tighten bolts and screws during assembly.



#### **STEP 4.1**

● Attach "Front Short Leg (K/L)" and "Rear Leg of Armless Chair (M/N)" - Using "⑤M6 x 60MM Bolts" with "⑦Washer" and "⑧Nut", to keep the sofas connected, tighten with hex key and wrench.



#### **STEP 4.2**

• 3-Seat Patio Sofa is ready for use.

### Warnings

If you need help or have damaged or missing parts, please email: **poly@homeselecting.com** 

#### Important - Please read these instructions fully before starting assembly

Check you have all the components and tools listed on the page 2.

Remove all fittings from the plastic bags and separate them into their groups.

Keep children and animals away from the work area, small parts may cause choking if swallowed.

Make sure you have enough space to layout the parts before starting.

Assemble on a soft level surface to avoid damaging the unit or your floor.

Do not stand or put weight on the product, this could cause damage.

Assemble the item as close to its final position (in the same area) as possible.

Do not place furniture directly in front of radiators, fires, or any other source of heat.



The assembly will be easier with 2 people while 1 person could also do the job.



Refer to the LISTING page for specific installation videos.

#### **Cleaning & Maintenance**


•Clean the product with a solution of mild soap and water. Dip a soft cloth or sponge into the solution and wipe down the entire surface.

•After cleaning, thoroughly rinse the furniture with water to remove any remaining soap residue.

•When not in use, cover the product with a protective cover to keep it clean and prolong its lifespan.

# Set of 3 Chair Cushions

## Assembly Instructions



## Important - Please read these instructions fully before starting assembly

## HASSLE-FREE WARRANTY

We stand behind the quality of our products. For full warranty policy, email: poly@homeselecting.com

## A082-002-001









AROUND 3 MIN. ASSEMBLY

# **Assembly Instructions**





# Care Advice

Recommend to use waterproof furniture cover for entire patio sofa set when out

of using to keep them in longer performance.

Sofa cushion cover can be removable and cleaned up by cleaner when have

stains.

•To spot clean, use mild soap with lukewarm water, rinse, and air dry.


### If you need help or have damaged or missing parts, please email: poly@homeselecting.com

7

# Patio Coffee Table


## Assembly Instructions

A031-020-001



Important - Please read these instructions fully before starting assembly

HASSLE-FREE WARRANTY We stand behind the quality of our products. For full warranty policy, email: poly@homeselecting.com





1 PERSON

ASSEMBLY




AROUND 12 MIN. ASSEMBLY

# Components

If you need help or have damaged or missing parts, please email: poly@homeselecting.com


## Please check you have all the components listed below.

Note: The illustration of the product shows the exact position of each part. Check when assembling.



# Hardware & Tools


Note: The quantities below are the correct amount to complete the assembly. In some cases more fittings may be supplied than required.



# **Assembly Instructions**

If you need help or have damaged or missing parts, please email: poly@homeselecting.com


## Caution: Please do not over-tighten bolts and screws during assembly.



## (1)**x4**


## STEP 1

 Attach "Side Rail (C)" to "Legs (B)" - Using "①M6 x 60MM Screws" ,tighten with hex kev.




### STEP 2

 Attach "Legs (B)" to the long side of "Table Top (A)" - Using "②M6 x 100MM Screws" ,tighten with hex key.



### STEP 3

 Attach "Legs (B)" to the short side of "Table Top (A)" - Using "①M6 x 60MM Screws" ,tighten with hex key.



### STEP 4

 Attach "Middle Rail (D)" to "Side Rail (C)" - Using "①M6 x 60MM Screws" ,tighten with hex key.

# Warnings

If you need help or have damaged or missing parts, please email: poly@homeselecting.com

## Important - Please read these instructions fully before starting assembly

on the page 2.

Remove all fittings from the plastic bags and separate them into their groups.

Keep children and animals away from the work area, small parts may cause choking if swallowed. fires, or any other source of heat.

Make sure you have enough space to layout the parts before starting.

Assemble on a soft level surface to avoid damaging the unit or your floor.

Check you have all the components and tools listed Do not stand or put weight on the product, this could cause damage.

> Assemble the item as close to its final position (in the same area) as possible.

Do not place furniture directly in front of radiators,



The assembly will be easier with 2 people while 1 person could also do the job.



Refer to the LISTING page for specific installation videos.

## Cleaning & Maintenance

 Clean the product with a solution of mild soap and water. Dip a soft cloth or sponge into the solution and wipe down the entire surface.

After cleaning, thoroughly rinse the furniture with water to remove any remaining soap residue.

 When not in use, cover the product with a protective cover to keep it clean and prolong its lifespan.