



**DECK PLUS**<sup>®</sup>  
LIFETIME GUARANTEE

**Screws built for results, guaranteed for life**<sup>™</sup>

**EXTERIOR | DECKING | FENCING**



**HILLMAN**<sup>™</sup>

Deck Plus® exterior deck screws build a comprehensive custom finishing fastener program including exterior wood, composite and trims screws. Deck Plus® requires no pre-drilling and is perfect for all of your decking, fencing and exterior wood project needs. The exterior coating offers four layers of corrosion protection from weather and the chemicals found in treated lumber and exceeds 1,000 hours in salt spray testing.

## STAR DRIVE DECK PLUS® SCREWS

<b>WOOD</b>	 <p><b>Exterior Screws</b> For decking, fencing &amp; exterior wood projects</p> <ul style="list-style-type: none"> <li>• Epoxy Coated</li> <li>• Green, Red, Tan, Brown, Black, White, 305 Stainless</li> <li>• No pre-drilling</li> <li>• Recommended for treated lumber, redwood &amp; cedar</li> <li>• 8x1-1/4" - 10x4"</li> </ul>	
<b>COMPOSITE</b>	 <p><b>Exterior Screws</b> For composite lumber applications</p> <ul style="list-style-type: none"> <li>• Epoxy Coated</li> <li>• Gray, Tan, Brown, Red</li> <li>• Unique screw design reduces composite fiber mushrooming</li> <li>• No pre-drilling</li> <li>• Recommended for treated lumber</li> <li>• 8x1-5/8" - 10x3"</li> </ul>	
<b>TRIM</b>	 <p><b>Trim Screws</b> For decking, trim &amp; composite wood projects</p> <ul style="list-style-type: none"> <li>• 305 Stainless Steel</li> <li>• No pre-drilling</li> <li>• Trim head is less noticeable on wood surface</li> <li>• Recommended for treated lumber</li> <li>• 7x1-5/8" - 7x2-1/4"</li> </ul>	
<b>PVC</b>	 <p><b>PVC Trim Screws</b> For white PVC trim, fence &amp; deck projects</p> <ul style="list-style-type: none"> <li>• Epoxy Coated</li> <li>• No pre-drilling</li> <li>• Recommended for treated lumber</li> <li>• 8x2-1/2"</li> </ul>	

## THE DECK PLUS® DIFFERENCE

<b>Reduces Board Splitting</b>	 <p><i>Fast start cut point requires no pre-drilling.</i></p>
<b>Faster &amp; Easier</b>	 <p><i>Serrated threads allow for less drive torque and longer battery life.</i></p>
<b>Leaves a Clean Finish</b>	 <p><i>Advanced nib design cuts a perfect countersink.</i> <i>Reinforced neck for strength.</i></p>
<b>Frustration Free</b>	 <p><i>Star drive eliminates slipping and stripping.</i></p>

# 4 LAYERS OF PROTECTION

FROM SUN, TEMPERATURE, RAIN, SNOW, SAP AND CHEMICALS FOUND IN TREATED LUMBER

Zinc

Chemical Adhesion Layer

Epoxy Coating

Durable Protective Finish



# Exterior



Item #	Size	Pack Type	Pack Qty.	Master Qty.	UPC
<b>Green Deck Plus® Screws</b>					
42584	8 X 1-1/4	XL	75	5	038902075734
42585	8 X 1-5/8	XL	75	5	038902075741
42586	8 X 2	XL	50	5	038902075758
42587	10 X 2-1/2	XL	40	5	038902075765
42588	10 X 3	XL	40	5	038902075772
42589	10 X 3-1/2	XL	25	5	038902075789
48396	8 X 1-1/4	1LB	186	12	038902064370
48397	8 X 1-5/8	1LB	147	12	038902064394
48399	8 X 2	1LB	98	12	038902064592
48401	10 X 2-1/2	1LB	79	12	038902064639
48404	10 X 3	1LB	66	12	038902064905
48407	10 X 3-1/2	1LB	55	12	038902065155
48409	10 X 4	1LB	43	12	038902065209
48398	8 X 1-5/8	5LB	735	4	038902064578
48400	8 X 2	5LB	490	4	038902064615
48402	10 X 2-1/2	5LB	395	4	038902064868
48405	10 X 3	5LB	330	4	038902064929
48408	10 X 3-1/2	5LB	275	4	038902065179
49318	8 X 1-5/8	1/8 Keg	1700	1	038902054654
49319	8 X 2	1/8 Keg	1500	1	038902054678
49320	10 X 2-1/2	1/8 Keg	1000	1	038902054692
49321	10 X 3	1/8 Keg	800	1	038902054715
49322	10 X 3-1/2	1/8 Keg	700	1	038902054739
48707	8 X 2	1/4 Keg	3000	1	038902104274
48403	10 X 2-1/2	1/4 Keg	1975	1	038902064882
48406	10 X 3	1/4 Keg	1650	1	038902065124
48708	10 X 3-1/2	1/4 Keg	1000	1	038902104298
48709	8 X 2	Corg 1/4	3000	1	038902104311
48710	10 X 2-1/2	Corg 1/4	1500	1	038902104335
48711	10 X 3	Corg 1/4	1200	1	038902104359
48712	10 X 3-1/2	Corg 1/4	1000	1	038902104373
<b>Tan Deck Plus® Screws</b>					
42590	8 X 1-1/4	XL	75	5	038902075796
42591	8 X 1-5/8	XL	75	5	038902075802
42592	8 X 2	XL	50	5	038902075819
42593	10 X 2-1/2	XL	40	5	038902075826
42594	10 X 3	XL	40	5	038902075833
42595	10 X 3-1/2	XL	25	5	038902075840
48410	8 X 1-1/4	1LB	186	12	038902065407
48411	8 X 1-5/8	1LB	147	12	038902065421
48413	8 X 2	1LB	98	12	038902065469
48415	10 X 2-1/2	1LB	79	12	038902065681
48418	10 X 3	1LB	66	12	038902065933
48421	10 X 3-1/2	1LB	55	12	038902065995
48423	10 X 4	1LB	43	12	038902066152
48412	8 X 1-5/8	5LB	735	4	038902065445
48414	8 X 2	5LB	490	4	038902065650
48416	10 X 2-1/2	5LB	395	4	038902065711
48419	10 X 3	5LB	330	4	038902065957
48422	10 X 3-1/2	5LB	275	4	038902066138
49323	8 X 1-5/8	1/8 Keg	1700	1	038902054838
49324	8 X 2	1/8 Keg	1500	1	038902054852
49325	10 X 2-1/2	1/8 Keg	1000	1	038902054876
49326	10 X 3	1/8 Keg	800	1	038902054890
49327	10 X 3-1/2	1/8 Keg	700	1	038902054913
48713	8 X 2	1/4 Keg	3000	1	038902104397
48417	10 X 2-1/2	1/4 Keg	1975	1	038902065735
48420	10 X 3	1/4 Keg	1650	1	038902065971
48714	10 X 3-1/2	1/4 Keg	1000	1	038902104410
48715	8 X 2	Corg 1/4	3000	1	038902104434
48716	10 X 2-1/2	Corg 1/4	1500	1	038902104458
48717	10 X 3	Corg 1/4	1200	1	038902104472
48718	10 X 3-1/2	Corg 1/4	1000	1	038902104496
<b>Red Deck Plus® Screws</b>					
42596	8 X 1-1/4	XL	75	5	038902075857
42597	8 X 1-5/8	XL	75	5	038902075864
42598	8 X 2	XL	50	5	038902075871
42599	10 X 2-1/2	XL	40	5	038902075888
42600	10 X 3	XL	40	5	038902075895
42601	10 X 3-1/2	XL	25	5	038902075901
48424	8 X 1-1/4	1LB	186	12	038902066176
48425	8 X 1-5/8	1LB	147	12	038902066190
48427	8 X 2	1LB	98	12	038902066312



Item #	Size	Pack Type	Pack Qty.	Master Qty.	UPC
<b>Red Deck Plus® Screws (CONT.)</b>					
48429	10 X 2-1/2	1LB	79	12	038902066350
48432	10 X 3	1LB	66	12	038902066497
48435	10 X 3-1/2	1LB	55	12	038902066718
48437	10 x 4	1LB	43	12	038902066670
48426	8 X 1-5/8	5LB	735	4	038902066299
48428	8 X 2	5LB	490	4	038902066336
48430	10 X 2-1/2	5LB	395	4	038902066459
48433	10 X 3	5LB	330	4	038902066510
48436	10 X 3-1/2	5LB	275	4	038902066756
48431	10 X 2-1/2	1/4 Keg	1975	1	038902066473
48434	10 X 3	1/4 Keg	1650	1	038902066695
48719	10 X 2-1/2	1/8 Keg	1000	1	038902104519
48720	10 X 3	1/8 Keg	800	1	038902104533
48721	8 X 2	Corg 1/4	3000	1	038902104557
48722	10 X 2-1/2	Corg 1/4	1500	1	038902104571
48723	10 X 3	Corg 1/4	1200	1	038902104595
48724	10 X 3-1/2	Corg 1/4	1000	1	038902104618
<b>Brown Deck Plus® Screws</b>					
42665	8 x 1-5/8	XL	75	5	038902283443
42656	10 x 2-1/2	XL	40	5	038902234001
42657	10 x 3	XL	40	5	038902234018
48820	8 x 1-5/8	1LB	147	12	038902168184
48824	10 x 2-1/2	1LB	79	12	038902168207
48827	10 x 3	1LB	66	12	038902168221
<b>Black Deck Plus® Screws</b>					
42666	8 x 1-5/8	XL	75	5	038902283450
42658	10 x 2-1/2	XL	40	5	038902234025
42659	10 x 3	XL	40	5	038902234032
48830	8 x 1-5/8	1LB	147	12	038902168245
48834	10 x 2-1/2	1LB	79	12	038902168269
48837	10 x 3	1LB	66	12	038902168283
<b>White Deck Plus® Screws</b>					
42667	8 x 1-5/8	XL	75	5	038902283467
42660	10 x 2-1/2	XL	40	5	038902234049
42661	10 x 3	XL	40	5	038902234056
48840	8 x 1-5/8	1LB	147	12	038902168306
48844	10 x 2-1/2	1LB	79	12	038902168320
48847	10 x 3	1LB	66	12	038902168344

# Stainless Steel, Trim & PVC Trim

Item #	Size	Pack Type	Pack Qty.	Master Qty.	UPC
<b>Stainless Steel Deck Plus® Screws</b>					
48462	8 X 1-5/8	1LB	147	12	038902064943
48463	8 X 2	1LB	98	12	038902064967
48464	10 X 2-1/2	1LB	79	12	038902064981
48466	10 X 3	1LB	66	12	038902065223
48465	10 X 2-1/2	5LB	395	4	038902065001
48467	10 X 3	5LB	330	4	038902065247
<b>Stainless Steel Deck Plus® Trim Screws</b>					
48468	7 x 1-5/8	1LB	195	12	038902065261
48469	7 x 2-1/4	1LB	138	12	038902065285
<b>PVC Deck Plus® Trim Screws</b>					
48472	8 x 2-1/2	1LB	123	12	038902065520
48725	8 X 2-1/4	1LB	120	12	038902104632

# Composite



Item #	Size	Pack Type	Pack Qty.	Master Qty.	UPC
<b>Deck Plus® Composite Screws – Gray</b>					
48438	8 X 1-5/8	1LB	147	12	038902063618
48439	10 X 2-1/2	1LB	75	12	038902063632
48442	10 X 3	1LB	54	12	038902063779
48440	10 X 2-1/2	5LB	375	4	038902063656
48443	10 X 3	5LB	270	4	038902063793
48441	10 X 2-1/2	1/4 Keg	1875	1	038902063670
<b>Deck Plus® Composite Screws – Brown</b>					
48444	8 X 1-5/8	1LB	147	12	038902063816
48445	10 X 2-1/2	1LB	75	12	038902063830
48448	10 X 3	1LB	54	12	038902063977
48446	10 X 2-1/2	5LB	375	4	038902063939
48449	10 X 3	5LB	270	4	038902063991
48447	10 X 2-1/2	1/4 Keg	1875	1	038902063953
<b>Deck Plus® Composite Screws – Tan</b>					
48450	8 X 1-5/8	1LB	147	12	038902064172
48451	10 X 2-1/2	1LB	75	12	038902064196
48454	10 X 3	1LB	54	12	038902064417
48452	10 X 2-1/2	5LB	375	4	038902064219
48455	10 X 3	5LB	270	4	038902064431
48453	10 X 2-1/2	1/4 Keg	1875	1	038902064233
<b>Deck Plus® Composite Screws – Red</b>					
48456	8 X 1-5/8	1LB	147	12	038902064455
48457	10 X 2-1/2	1LB	75	12	038902064479
48460	10 X 3	1LB	54	12	038902064691
48458	10 X 2-1/2	5LB	375	4	038902064653
48461	10 X 3	5LB	270	4	038902064745
48459	10 X 2-1/2	1/4 Keg	1875	1	038902064677
<b>Deck Plus® Composite Screws – Stainless Steel</b>					
48726	10 X 2-1/2	1LB	75	12	038902104649
48727	10 X 3	1LB	54	12	038902104656
48728	10 X 2-1/2	5LB	375	4	038902104663
48729	10 X 3	5LB	270	4	038902104670
48730	10 X 2-1/2	1/8 Keg	1000	1	038902104687



## THE DECK PLUS® PROMISE

Deck Plus® Exterior Screws feature a limited lifetime guarantee against rust and corrosion. The fastener coating is guaranteed against corrosion in cedar, redwood, and treated wood for the life of the project.

Learn more about Deck Plus® at: [www.hillmangroup.com](http://www.hillmangroup.com)

# PREMIUM PERFORMANCE PACKAGING

- Screw Identifier**  
Quick information for Pros & DIYers
- Typical Usage Statement**  
Clarifies application and screw attributes
- Full Color Product Imagery**  
Reassures product type and typical application
- Quantity Data**  
Package size & piece count improves estimating project needs
- Size Description**  
Large, easy to read & recognize
- Driver Bit Included**  
No searching for the right size bit & it's included for free!



## Hillman's Complete Line of Decking Fasteners:

GOOD  
**Fas·n·Tite®**  
High Versatility & Functional Performance

BETTER  
**DECK PLUS®**  
LIFETIME GUARANTEE  
Durable, High Performing and Project Focused

BEST  
**POWERPRO®**  
Premium Design, Ultimate Performance, Unrivaled Results

### HEAVY DUTY WOOD CONSTRUCTION FASTENERS:

