



Ladena®
21" rectangular undermount bathroom sink with glazed underside, no overflow
K-2214-G

Features

- Glazed underside works beautifully for countertop installations
- Spacious basin
- No faucet holes; requires wall- or counter-mount faucet

Material

- Vitreous china

Installation

- Undermount

Recommended Products/Accessories

K-8998 P-Trap
K-23726 Drain treatment
K-23725 Cast iron cleaner

Included Components

1193643 Basin clamps



ADA

Codes/Standards





ASME A112.19.2/CSA B45.1
ADA
ICC/ANSI A117.1

KOHLER® Vitreous China Bathroom Sink Lifetime Limited Warranty

See website for detailed warranty information.

Available Colors/Finishes

Color tiles intended for reference only.

Color	Code	Description
	0	White
	96	Biscuit
	NY	Dune
	7	Black Black™

1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.




For the most current Specification Sheet, go to www.kohler.com USA or www.kohler.ca Canada

9-29-2025 21:49 - US/CA

THE BOLD LOOK
OF **KOHLER®**



Ladena®
21" rectangular undermount bathroom sink with glazed
underside, no overflow
K-2214-G



Technical Information

All product dimensions are nominal.

Basin configuration: Single Bowl

Bowl area: Length: 18-3/8" (467 mm)
Width: 11-5/8" (295 mm)
Water depth: 4-5/8" (117 mm)

With overflow: No

Drain hole: 1-3/4" (44 mm)

Template: 1053195-7, required, not included

Notes

Install this product according to the installation instructions.

The product diagram is based on the K-8998 adjustable P-trap with 1" (25 mm) of tailpiece exposed.

NOTICE: Countertop manufacturer or cutter must use the current product template available at www.kohler.com, or by calling 1-800-4KOHLER. Kohler Co. is not responsible for cutout errors when the incorrect cutout template is used.

Product dimensions are nominal and may vary per ASME A112.19.2 tolerances.

ADA compliant when installed to the specific requirements of these regulations.