



中国认可  
国际互认  
检验  
INSPECTION  
CNAS IB0551



# MATERIAL SAFETY DATA SHEET

## 材料安全数据表

Report No.

报告编号

GZPHC20210106MSDS03

Product Name

产品名

Rechargeable Li-ion Battery

可充锂离子电池

Type/Model

型号

LIR18650 3.7V 2000mAh 7.4Wh

Revision Date

修订日期

January 12, 2021

Compiler

编写

ziyang zhang

Reviewer

审核

chen Huang

Approver

批准

Hongbin Xu

广州邦禾检测技术有限公司

Guangzhou MCM Certification & Testing Co., Ltd.



# Material Safety Data Sheet

## 材料安全数据表

SECTION 1 - CHEMICAL AND COMPANY IDENTIFICATION	
第1节—化学品和公司标识	
Product Name 产品名	Rechargeable Li-ion Battery 可充锂离子电池
Type/Model: 型号	LIR18650 3.7V 2000mAh 7.4Wh
Company 公司	Guangzhou Great Power Energy & Technology Co., Ltd. 广州鹏辉能源科技股份有限公司
Address 地址	No.912, West Village Segment, Shiliang Road, Shawan Town, Panyu District, Guangzhou City, Guangdong Province 511483, P.R. China 广州市番禺区沙湾镇市良路（西村段）912号
Zip code 邮编	/
E-mail 电子邮箱	matt@greatpower.net
Emergency Telephone 紧急联系电话 020-39196888	

SECTION 2 - HAZARDS IDENTIFICATION	
第2节—危害识别	
<b>Hazards Identification 危害识别:</b> Lithium batteries itself are classified to Class 9 Dangerous Goods, Miscellaneous dangerous substances and articles. 锂电池本身被归类在第九类危险品——杂项危险物质和物品。 The sealed intact battery is not hazardous in normal use. 密封完好的电池在正常使用下不存在危险性。	
<b>Emergency Overview 应急概况:</b> Caution: Avoid contact and inhalation the electrolyte contained inside the battery. 注意：避免接触和吸入蓄电池内的电解液。	

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENT			
第3节—成分信息			
Ingredient 成分	Molecular formula 分子式	CAS No. CAS 号	Weigh 含量
Lithium nickel oxide /镍酸锂	LiNiO <sub>2</sub>	12031-65-1	45.08%
Lithium Cobalt Dioxide /钴酸锂	LiCoO <sub>2</sub>	12190-79-3	
Lithium manganate /锰酸锂	LiMn <sub>2</sub> O <sub>4</sub>	12057-17-9	
Graphite /石墨	C <sub>24</sub> X <sub>12</sub>	7782-42-5	23.06%
Ethylene carbonate /碳酸乙烯酯	C <sub>3</sub> H <sub>4</sub> O <sub>3</sub>	96-49-1	14.86%
Ethyl methyl carbonate/ 碳酸甲乙酯	C <sub>4</sub> H <sub>8</sub> O <sub>3</sub>	623-53-0	
Diethyl carbonate/ 碳酸二乙酯	C <sub>5</sub> H <sub>10</sub> O <sub>3</sub>	105-58-8	
Propylene Carbonate /碳酸丙烯酯	C <sub>4</sub> H <sub>6</sub> O <sub>3</sub>	108-32-7	
Lithium hexafluorophosphate / 六氟磷酸锂	LiPF <sub>6</sub>	21324-40-3	2.42%
Polypropylene /聚丙烯	(C <sub>3</sub> H <sub>6</sub> ) <sub>n</sub>	9003-07-0	
Copper /铜	Cu	7440-50-8	8.77%



Aluminium /铝	Al	7429-90-5	5.31%
Nickel /镍	Ni	7440-02-0	0.5%

## SECTION 4 - FIRST AID MEASURES

### 第4节—急救措施

#### Eye Exposure 眼睛接触:

In case of contact with eyes, flush with copious of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

如果与眼睛接触, 用大量的水冲洗至少15分钟。用手指分开眼睑, 确保充分的冲洗。寻求医生。

#### Skin Exposure 皮肤接触:

If the internal battery materials of an opened battery cell come into contact with skin, immediately flush with plenty of water or soap.

如果打开的电池的內部電池材料接触到皮肤, 立即用大量的水或肥皂冲洗。

#### Inhalation Exposure 吸入:

If inhaled the internals of battery vomiting. Seeking Immediate medical attention.

如果吸入電池內部嘔吐。立即就医。

#### Ingestion Exposure 吞咽:

If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

如果吞咽, 请就医。除非医务人员指示, 否则不要催吐。

## SECTION 5 - FIRE FIGHTING MEASURES

### 第5节—消防措施

#### Danger characteristic 危险特性:

Exposure to excessive heat can cause venting of the liquid electrolyte.

暴露在过热的环境中会导致液体电解质的释放。

Battery may burst and release hazardous decomposition products when exposed to a fire situation.

当暴露在火灾环境中时, 电池可能会爆裂并释放出危险的分解产物。

#### Hazardous combustion products 有害危险产物:

Corrosive and toxic gas may be emitted during fire.

着火期间可能会排放腐蚀性和有毒气体。

#### Fire-Fighting method 灭火措施:

The staff must equip with filtermask (full mask) or isolated breathing apparatus.

员工必须配备过滤器面罩或隔离式呼吸器。

The staff must wear the clothes which can defense the fire in the upwind direction.

工作人员必须穿能在逆风方向防火的衣服。

Remove the container to the open space as soon as possible.

尽快将容器移到空地上。

Spray water on the containers in the fireplace to keep them cool until finish extinguishment.

把水喷在壁炉里的容器上, 使其降温, 直到熄灭。

#### Fire-Fighting media 灭火介质:

Plenty of water, dry chemical powder or carbon dioxide.

大量的水, 干粉或二氧化碳。

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 第6节—意外泄漏措施

#### Emergency treatment 紧急处理:

If the battery material is released, remove personnel from area until the batteries cool down and fumes dissipate.



如果电池材料被释放, 请将人员从该区域撤离, 直到电池冷却和烟雾消散。

Provide maximum ventilation to clear out hazardous gases and avoid skin and eye contact or inhalation of vapors.

提供最大的通风以清除有害气体和避免皮肤和眼睛接触或吸入蒸汽。

Remove spilled liquid with absorbent and incinerate waste.

用吸收剂除去溢出的液体并焚烧废物。

## SECTION 7 - HANDLING AND STORAGE

### 第7节—处理和储存

#### Handling 处理:

1. Do not allow battery terminals to contact each other, or contact with other metals.  
不要让电池端子相互接触或与其他金属接触。
2. Do not put the cell or battery into a fire or heat it. Do not solder the cell directly. Do not use or leave the cell or battery in a place near fire or heaters.  
不要将电池或电池放入火中或加热。不要直接焊接电池。不要将电芯或电池放在靠近火源或加热器等地方。
3. Do not expose the battery to excessive physical shock or vibration.  
不要让电池受到过度的物理冲击或振动。
4. Do not immerse, throw, and wet a battery in water.  
不要将电池浸入水中、投掷或弄湿。
5. Short-circuiting should be avoided. Short circuit will reduce the life of the battery and can lead to ignition of surrounding materials. Physical contact with to short-circuited battery can cause skin burn.  
应避免短路。短路会降低蓄电池的寿命, 并可能导致周围材料着火。与短路电池的物理接触会导致皮肤灼伤。
6. The batteries should not be opened, destroyed or incinerate, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container.  
不应打开、销毁或焚烧电池, 因为电池可能泄漏或破裂, 并将密封容器中的成分释放到环境中。
7. Place the cell beyond the child packing and container.  
将电池放置在儿童触及不到的地方。
8. Do not connect the battery directly to an electric outlet or cigarette socket in a car.  
不要将电池直接连接到汽车的电源插座或香烟插座上。
9. Be sure to use the specified charger for battery, and follow the charging instructions correctly.  
请务必使用指定的蓄电池充电器, 并正确遵循充电说明。
10. Do not mix old and new batteries together, neither with Ni-Cd, dry batteries or another manufacturer batteries or product.  
不要将新旧电池混合在一起使用, 也不要与镍镉电池、干电池或其他制造商的电池或产品混合使用。

#### Storage 储存:

1. Batteries should be separated from other materials and stored in a noncombustible, well ventilated, sprinkler-protected structure with sufficient clearance between walls and battery stacks.  
电池应与其他材料分开, 并存放在不燃、通风良好、有洒水装置保护的结构中, 墙壁和电池堆之间应有足够的间隙。
2. Keep the sample in the cool, dry and well-ventilated place (temperature: -20~30 °C, humidity: 45~85%). Do not exposure to direct sunlight for long periods. Keep away from fire and heating sources. Don't keep the samples with oxidizer and acid.  
将样品置于阴凉、干燥、通风良好的地方(温度-20~30℃, 湿度: 45~85%)。不要长时间暴露在阳光直射下。远离火源和热源。不要用氧化剂和酸保存样品。
3. Equip with relevant types and quantities of the extinguishment instruments. The storage place should be equipped with suitable shelter materials for divulgence handling.  
配备相应种类和数量的灭火器材。储存场所应配备适当的掩蔽材料, 以便进行泄漏处理。
4. For rechargeable battery, charge the battery every 6 months to the amount specified by the manufacture, even if the battery is not used.  
对于可充电电池, 即使不使用电池, 也应每6个月将电池充电至制造商规定的电量。



**SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION****第8节—暴露控制与个人防护措施****Engineering Control 工程控制:**

Keep away from heat and open flame. Supply with sufficient partial air exhaust. Store in a cool, dry place.  
远离热源和明火。提供足够的局部排气。存放在阴凉干燥的地方。

**Respiratory Protection 呼吸保护:**

Not necessary under conditions of normal use. Wear self-contained breathing filtermask if the density exceed in the air. Wear breathing apparatus under the condition of emergency rescue or evacuation.

在正常使用条件下不需要。如果环境内气体密度超过空气中的密度, 请佩戴自给式呼吸过滤器。在紧急救援或疏散的情况下, 佩戴呼吸器。

**Eyes Protection 眼睛保护:**

Not necessary under conditions of normal use. Wear protective glasses if handling a leaking or ruptured battery.  
在正常使用条件下不需要。如果处理泄漏或破裂的电池, 请戴上防护眼镜。

**Skin and Body Protection 皮肤和身体保护:**

Not necessary under conditions of normal use. Wear fireproofing, gas defense clothes in case of handling a leaking or ruptured battery.

在正常使用条件下不需要。在处理泄漏或破裂的电池时, 穿上防火防毒服。

**Hands Protection 手部保护:**

Not necessary under conditions of normal use. Wear chemical resistant rubber glove.

在正常使用条件下不需要。耐磨耐化学腐蚀橡胶手套。

**Other Protections 其他保护:**

No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.

工作场所禁止吸烟、就餐和饮水。保持良好的卫生习惯。

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES****第9节—理化性质**

<b>Appearance 外观:</b>	Blue 蓝色
<b>Physical state 状态:</b>	Solid 固体
<b>Form 形状:</b>	Cylindrical 圆柱形
<b>Odor 气味:</b>	Odorless 无味
<b>Solubility 溶解度:</b>	Insoluble in water 不溶于水

**SECTION 10 - STABILITY AND REACTIVITY****第10节—稳定性与反应性****Stability 稳定性:**

Stable under normal temperature and pressure.  
常温常压下稳定。

**Distribution of Ban 禁配物:**

Explosives, inflammables, strong oxidants and corrosives.  
爆炸品、易燃物、强氧化剂和腐蚀剂。

**Conditions to Avoid 应避免的条件:**

Fire source, heating source, disassemble, external short circuit, crushes, deformation, high temperature above 100°C, direct sunlight and high humidity, immerse in water or overcharge.

火源、热源、拆卸、外部短路、压碎、变形、100°C 以上高温、阳光直射、高湿度、浸水或过充。

<b>Hazardous Polymerization 危险聚合:</b> Will not occur. 不会发生。
<b>Hazardous Decomposition Products 有害分解产物:</b> Metal oxides, carboxyl compound such as CO, CO <sub>2</sub> , etc. 金属氧化物, 碳化合物例如一氧化碳、二氧化碳, 等等。

<b>SECTION 11 - TOXICOLOGICAL INFORMATION</b> <b>第11节—毒理学信息</b>
<b>Acute Toxicity 急性毒性:</b> No information is available. 没有可用的信息。
<b>Sub-acute and Chronic Toxicity 亚急性和慢性毒性:</b> No information is available. 没有可用的信息。
<b>Irritation Data 刺激性数据:</b> The internal battery materials may cause irritation to eyes and skin. 电池内部材料可能会对眼睛和皮肤造成刺激。
<b>Sensitization 致敏作用:</b> The liquid in the battery may cause sensitization to some person. 电池中的液体可能会对某些人造成敏化。
<b>Mutagenicity 致突变性:</b> No information is available. 没有可用的信息。
<b>Carcinogenicity 致癌性:</b> Cobalt and Cobalt compounds are considered to be possible human carcinogen(s). 钴及其钴的化合物有致癌的风险。
<b>Others 其他:</b> Since the materials in this battery are sealed in the can, the potential for exposure to the components of the battery is negligible, when the battery is used as directed. However technical or electrical abuse of the battery may result in the release of battery contents.  由于该电池中的材料密封在罐体中, 当按照指示使用电池时, 接触电池组件的可能性可以忽略不计。但是, 电池的技术或电气滥用可能会导致蓄电池内容物的释放。

<b>SECTION 12 - ECOLOGICAL INFORMATION</b> <b>第12节—生态信息</b>
<b>Eco-toxicity 生态毒性:</b> No information is available. 没有可用的信息。
<b>Biodegradable 生物降解性:</b> No information is available. 没有可用的信息。
<b>Mobility in soil 土壤流动性:</b> No information is available. 没有可用的信息。



**Bioconcentration or biological accumulation 生物浓缩或生物积累:**

No information is available.

没有可用的信息。

**Other harmful effects 其他有害影响:**

Don't abandon the battery into environment, may cause water or soil pollution.

不要将电池扔进环境中, 可能造成水或土壤污染。

**SECTION 13 - DISPOSAL CONSIDERATIONS****第13节—处置注意事项****Appropriate Method of Substance 物质处理方法:**

The battery should be completely discharged prior to disposal in order to prevent short circuit.

为了防止短路, 在处理前应将蓄电池完全放电。

The battery contains recyclable materials, and it is suggested recycle.

电池含有可回收材料, 建议回收利用。

Refer to National or Local regulations before handling.

操作前请参阅国家或地方法规。

Disposal of the battery should be performed by permitted, professional disposal firms knowledgeable in National or Local regulations of hazardous waste treatment and hazardous waste transportation.

电池的处理应由获得国家或地方法规的许可的具有危险废物处理和危险废物运输的专业处理公司进行。

**SECTION 14 - TRANSPORT INFORMATION****第14节—运输信息****Remark: PSN= Proper Shipping Name****Air transportation, according to IATA-DGR 62<sup>nd</sup> Edition (Effective 1 January-31December 2021)**

空运, 依据IATA-DGR第62版 (2021年1月1日至12月31日生效)

**UN Number + PSN****UN编号+运输专用名**

UN 3480 LITHIUM ION BATTERIES

UN 3480 锂离子电池

**Hazard Class****危险等级**

Class 9

第九类危险品

**Packaging requirement****包装要求**

PACKING INSTRUCTION 965 of section IB

包装说明965 IB部分

**UN Number + PSN****UN编号+运输专用名**

UN 3481 LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, or

UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT

UN 3481 锂离子电池与设备一起包装, 或 UN 3481 锂离子电池安装在设备中

**Hazard Class****危险等级**

Not restricted

不受限制

**Packaging requirement****包装要求**

PACKING INSTRUCTION 966-967 of section II

包装说明966-967 II部分

**Sea transportation, according to IMO IMDG Code (Amend 39-2018)**

海运, 依据IMO IMDG Code (Amend 39-2018)

**UN Number + PSN****UN编号+运输专用名**

UN 3480 LITHIUM ION BATTERIES, or

UN 3481 LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, or

UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT

UN 3480 锂离子电池 或

UN 3481 锂离子电池与设备一起包装 或 UN 3481 锂离子电池安装在设备中

**Hazard Class****危险等级**

Not restricted

不受限制



<b>Special provision</b> 特殊条款	sp188 特殊条款188
<b>Package instruction</b> 包装说明	Not-restricted goods 非限制性货物
<b>EmS No. 应急措施编号</b>	F-A, S-I

**SECTION 15 - REGULATORY INFORMATION****第15节—监管信息***Dangerous Goods Regulation (DGR)**Recommendations on the Transport of Dangerous Goods Model Regulations**International Maritime Dangerous Goods (IMDG)**Occupational Safety and Health Act (OSHA)**Toxic Substances Control Act (TSCA)**Code of Federal Regulations (CFR)**Technical Instructions for the Safe Transport of Dangerous Goods**California Proposition 65**Superfund Amendments and Reauthorization Act Title III (302/311/312/313) (SARA)*

In accordance with all Federal, State and local laws. 符合所有联邦、州和地方法律。

**SECTION 16 - ADDITIONAL INFORMATION****第16节—附加信息****According standard 标准依据:***GB/T 16483-2008 Safety data sheet for chemical products Content and order of sections**ISO 11014:2009(E) Safety data sheet for chemical products – Content and order of sections***Editing date 编辑日期:**

January 8, 2021

**Department 编写机构:**

Guangzhou MCM Certification and Testing Co., Ltd.

1 F No.13, Zhong San Section, ShiGuang Road, Panyu District, Guangzhou City, Guangdong Province, China.

Tel.:0086-20-34777662, 0086-20-34777663

WEB: [Http://www.mcmtek.com](http://www.mcmtek.com)Email: [mark.miao@mcmtek.com](mailto:mark.miao@mcmtek.com)**Other Information 其他信息:**



The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damage of any third party or for lost profits or any special, indirect, consequential or exemplary damages arising from using the above information.

上述资料被认为是正确的, 但并非囊括全部, 只作指引之用。我们不对此类信息的适销性或任何其他明示或暗示的保证作出保证, 并且我们不承担因使用此类信息而产生的任何责任。用户应自行调查, 以确定信息是否适合其特定用途。对于任何第三方的任何索赔、损失或损害, 或因使用上述信息而产生的最后利润或任何特殊、间接、后果性或惩戒性损害, 我们概不负责。



Sample Reference Photo  
样品照片

Model: LIR18650 3.7V 2000mAh 7.4Wh



2021/1/1