



# TRAMPOLINE

## USER MANUAL

we make it fun,  
we make it easy!

# DISCLAIMER

Please read the instructions before starting the installation process. Incorrect installation might damage the trampoline and cause serious injuries!

## ADULT SUPERVISION & GUIDANCE ARE REQUIRED AT ALL TIMES.

- Max user weight limit: check the size chart
- Not suitable for children under 36 months — small parts, choking hazard.
- The trampoline must be set up by an adult following the instructions.
- The trampoline is intended for outdoor use only.
- Always zip up the net before jumping.
- Take shoes off while jumping.
- Empty pockets and hands before jumping.
- Always jump in the middle of the mat.
- Do not eat while jumping. It is advisable not to bounce immediately after a meal.
- Only use the step ladder to climb in or get out of the trampoline.
- Do not use in strong wind conditions.

# ADVISORY

Recommended age 6+ years.











- DO NOT bury the trampoline in the ground.
- Place the trampoline on a leveled surface, at least 2m from any structure or obstructions (fence, garage, house, overhanging branches, electrical wires).
- Do not install the trampoline over concrete, asphalt, or any other hard surface.
- Do not install in the proximity of pools, swings, slides, or climbing frames.
- Any modifications made by the consumer to the original trampoline shall be carried out according to the instructions of the manufacturer.
- Inspect the trampoline net before every use.
- Make sure there are no children/ animals/ obstructions underneath the trampoline.
- Make sure the net is securely zipped before bouncing.
- Don't intentionally jump against the protection net as this will weaken it.
- Always jump in the middle of the mat and practice bounce techniques safely with adult supervision and guidance.

# OUR BELIEVES

The steps we follow when it comes to our products and clients!





Proud owner of a great Trampoline? Here is what you need to know:



-  Make sure to properly run a complete check-up of the trampoline (main parts, frame, suspension system, mat, padding, net) at the beginning of each season and every 2 weeks!
-  Always supervise children while jumping. Make sure the safety net is securely closed.
-  Check all nuts and bolts for tightness and tighten when required. Make sure all sharp edges are properly covered. Replace covers when needed.
-  Trampoline and net should be packed away in winter. Make sure all parts are dry and packed securely.
-  Make sure the trampoline is securely lodged to the ground, especially during strong wind conditions (e.g. steel bars in the ground or loads like sandbags or water bags). **DO NOT INSTALL** on uneven terrain.
-  Do not jump from high ledges into the trampoline. Do not attempt dangerous tricks.
-  Sunlight, rain, snow, and high temperatures reduce the strength of some parts over time. Cover the trampoline if not used for long periods of time.
-  Do not use the trampoline if there are obstructions underneath the jumping mat.
-  Do not jump with sharp object in your hands or pockets. Always take shoes off. Do not drink eat or smoke while using the trampoline.
-  Do not exceed the weight limit!

# MOVING INSTRUCTIONS



You will need two people to move the trampoline.



1. Make sure the trampoline is placed on level ground. Uneven ground surfaces may cause the trampoline frame to warp.



2. Make sure that all bolts holding the frame joints are tightened completely before installing the springs. Do NOT push against the trampoline leg or frame.



3. If the trampoline and enclosure need to be moved, they should be moved by two people at least, kept horizontal, and lifted slightly. For extra safety, all connector points should be wrapped and secured with weather resistant tape, such as duct tape. This will keep the frame intact during the move and prevent the connector points from dislocating and separating.

! To take the trampoline apart, follow the assembly steps in reverse



Moving the trampoline requires 2 adults. Wear proper shoes and maintain balance to prevent falling. Not following instructions and warnings may result in serious injury.

## Thank you for choosing us!

If you have any questions or just want to say hello,  
please don't hesitate to contact us!

## TRAMPOLINES


















Attention to detail and 100% dedication when it comes to creating Premium Products.


Intensive testing made by engineers and team.

The final product is ready to go on the market and do what it promises. Combine with safety & fun in one great looking trampoline!











## PART LIST

Here is what you will get in your package:

					
		8FT	10FT	12FT	14FT
MAXWEIGHT		265LBS	330LBS	400LBS	450LBS
<b>A</b>	 Frame Cover	2pc	2pc	2pc	4pcs
<b>B</b>	 Jumping Mat	1pc	1pc	1pc	1pc
<b>C</b>	 Frame	6pc	8pc	8pc	8pc
<b>D</b>	 Steel T-Connector	6pc	8pc	8pc	8pc
<b>E</b>	 Spring	48pc	64pc	72pc	80pc
<b>F</b>	 Leg Extension	6pc	8pc	8pc	8pc
<b>G</b>	 W Shaped Leg	3pc	4pc	4pc	4pc
<b>H</b>	 Spring Tool T-Hook	2pc	2pc	2pc	2pc
<b>I</b>	 Bottom Pole	6pc	8pc	8pc	8pc
<b>J</b>	 Upper Pole	6pc	8pc	8pc	8pc
<b>K</b>	 Long Screw	12pc	16pc	16pc	16pc
<b>L</b>	 Nut	12pc	16pc	16pc	16pc
<b>M</b>	 Plastic Pad	12pc	16pc	16pc	16pc



**8FT    10FT    12FT    14FT**

		<b>MAXWEIGHT</b>	<b>265LBS</b>	<b>330LBS</b>	<b>400LBS</b>	<b>450LBS</b>
<b>N</b>		Enclosure Net	1pc	1pc	1pc	1pcs
<b>O</b>		Fiberglass Stick	6pc	8pc	8pc	8pc
<b>P</b>		Plastic T-Connector	6pc	8pc	8pc	8pc
<b>Q</b>		Pole Foam	12pc	16pc	16pc	16pc
<b>R</b>		Wrench	1pc	1pc	1pc	1pc
<b>S</b>		Screw Nut	12pc	16pc	16pc	16pc
<b>T</b>		Ladder Pipe	2pc	2pc	2pc	2pc
<b>U</b>		Ladder Steps	2pc	2pc	2pc	2pc
<b>V</b>		Ladder Screw	4pc	4pc	4pc	4pc
<b>W</b>		Ladder Nut	4pc	4pc	4pc	4pc


## HIGH ATTENTION



If you notice any pieces missing, please don't hesitate to contact us. We will solve any issues and make sure you and your loved ones will be able to use the trampoline as soon as possible!


### STEP 11

Slide up the Steps one by one (U) to ensure the two Ladder Pipes (T) holes align. Secure with the screws (V) and Ladder Nuts (W): Please hammer Ladder Nuts (W) first, after finishing embedding, please insert the screws (V) into the hole on the other side, then tighten it by rotation.




### STEP 12

Hook the step ladder to the Metal Frame (C) of the trampoline under the Frame Cover (A). Installation is complete and now you can enjoy your new Trampoline. HAVE FUN!




## STEP 9

Start from the side of the zipper (point 1): Pass every strip of the safety net through the metal triangles of the springs and secure it with the snap hook around the next triangle on the left. Continue in the same way, in a clockwise direction (point 1 to 2). When you secure the clip make sure to pass it through the loops of the net.



## STEP 10

Cover the spring frame with the soft padding Frame Cover (A). Secure the padding parts together using the Velcro on each side, and tie the straps located underneath. Lay down the Frame Cover (A), so all the springs are covered. It should be fitted like a shower cap. Make sure it covers all metal parts.



# CONGRATULATIONS!


You made a great choice with US!  
Now, let's get started and put this trampoline together.

Our engineers did their best to make the installation process as simple and as fun as possible. However, certain parts require some force to be put together correctly and should be handled by adults.

## Frame and Legs


### STEP 1

Insert the Leg Extension (F) into the W-Shaped Legs (G). Make sure the bumps are aligned with the holes in the bars and stick out through them completely. Bumps should face back and front.




### STEP 2

Attach The Frame (C) to T-Connectors (D): Please connect the larger end of Frame (Point 1) to the T-Connectors first. Then connect the other end of Frame (Point 2) to another T-Connectors. Continue until you form the circle. Tip: Have a second person or use a wall to apply some resistance against the frame to help it shift into place.



### STEP 3


Two people will be necessary at this point to install the trampoline. One person lifts up the circle frame, while the other lifts the W-shaped leg tubes to a standing (vertical) position and inserts the Steel T-Connectors (D) into a W-Shaped Leg tube (G). Ensure the locking holes are aligned.



# JUMPING MAT


## STEP 4

Layout the jumping mat(B) inside the circle frame. Insert one end (Point 1) of the spring(E) in the triangle ring of the jumping mat(B) and pull the other end (Point 2) with the spring tool(H) and insert it into the frame hole.



## STEP 5


The springs must be installed in an X-shape (180-degree symmetry). The tension needs to be distributed evenly for the net to be installed correctly. Gently tap down against the spring if the hook is not completely in the hole. Springs will create high levels of tension when assembled. Please take care not to pinch your fingers.



# JUMPING MAT


## STEP 6

Firmly fix the bottom pole(I) to the plastic pad(M), then insert a long screw(K) through the pole, plastic pad, and leg extension then secure it at the end with a screw nut(S) and nut(L). Then insert the Upper Pole(J) into the Bottom Pole(I).




## STEP 7

Insert the fiberglass stick(O) through the designed area in the safety net and connect it to the T-Connector(P).



## STEP 8

Lift the safety net, insert the Plastic T-Connector(P) into the top of the upper pole (bumps should face left and right). Press down with your fingers on the bumps on each side of the T-Connector. Make sure the cylinders are securely installed (the T-Connector bumps should stick out through the pole holes).



Tip: The installation sequence is X shape (180-degree symmetry).