Smart Home Outlet


Front   Back

Note: Smart Home Outlet is not waterproof and should only be used indoors after setup.

SmartPower Gateway Set Up

1. Plug the Smart Home Outlet into an outlet close to the 50 Watt Smart Power Supply.
2. Using a smartphone or tablet, connect to WiFi "SmartPower Gateway" and enter password: *fiberon1*
3. A new web browser will open with three easy steps to complete the process. (If this does not open, using a browser enter the following IP address: 192.168.4.1)

   a. WiFi Connect
   b. Bluetooth Connect (make sure 50 Watt Smart Power Supply is in pairing mode "bt" by pushing the pair button)
   c. Link Account

192.168.4.1
SmartPower Gateway

< >   Log In   Cancel

SMARTPOWER GATEWAY

STEP 1 - WIFI CONNECT

STEP 2 - BLUETOOTH CONNECT

STEP 3 - LINK ACCOUNT

INFORMATION

EXIT PORTAL

No network currently configured.

Connect to Smart Home Outlet.

- Search for "SmartPower Gateway."

Supported devices

- Alexa
- Google Home

Test the connection with the following default commands:

- "Turn on / off deck lights."
- "Dim deck lights to __ %."

### Look for your connected device in Alexa or Google Home apps

- Alexa: Add as a new Skill
  ◦ Tap "More" then "Skills & Games"

- Google Home: Add new device
  ◦ Tap the + and set up device.

Troubleshooting

Outlet Location

For initial setup, the Smart Home Outlet should be plugged within five feet of the 50 Watt Smart Power Supply.

Once setup is complete, the outlet should be moved indoors within 25 feet of the 50 Watt Smart Power Supply (closer is better).

Smart Home Outlet

During Setup (Approximately 5 ft.)

50 Watt Smart Power Supply

After Setup (indoors only) (Approximately 25 ft. or closer)

Resetting the Outlet

The LED on the Smart Home Outlet should be blinking RED when it is first plugged in. Once set up is complete, LED will show solid BLUE. If you need to reset the outlet, push and hold down the button on the side for 10-15 seconds until LED is flashing RED again.

Reset Button

LED location

Smart Home Outlet

Pairing Bluetooth

Before Bluetooth connection can be completed, push the PAIR button on the 50 Watt Smart Power Supply until "bt" appears on the LCD display screen.

Once it is in pairing mode, you will be able to complete the connection between the outlet and transformer.

LCD Screen

Pairing Button

50 Watt Smart Power Supply

Connect to Smart Home Outlet

1. To link your account to Alexa or Google Home, you need to click the "Copy text" button to copy the linking URL to the clipboard.
2. Once the URL is copied, click the OK button. This will restart the gateway. The Captive Portal window will close if it opened automatically.
3. Connect your phone to your normal WiFi network or cellular network with internet access.
4. Open a browser window and paste the copied text into the address bar to open the Authorization page. You will be taken to Authorization Login page. If this is your first time signing up, please click on "Sign Up" at the bottom. If you already have an account, you can enter in your information on the first page.
5. If you do not already have an account, you need to sign up. Enter your email address and create a password.
6. After you sign up, you will receive a verification email. Click the link in the email to verify your account. If you do not verify your account, Alexa or Google Home will not work. Check your spam folder if you did not get the verification email from Smart Power Gateway.