## PFH18HSPVMC

### **GE Profile<sup>™</sup> Steam Closet with Fabric Refresh**

#### **DIMENSIONS AND INSTALLATION INFORMATION (IN INCHES)**

ELECTRIC RATING	
120V	11.0A, 60Hz

**INSTALLATION INFORMATION:** For complete information, see installation instructions packed with your Steam Closet.







For answers to your Monogram, Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.

Specification Revised 4/24

# PFH18HSPVMC

### GE Profile<sup>™</sup> Steam Closet with Fabric Refresh

#### **INSTALLATION LOCATION:**

- A grounded electrical outlet should be located within 2' (61cm) of either side of the appliance.
- Install the appliance on a level floor (Allowable slope under the appliance 1").
- The floor must be level, with a maximum slope of 1" (2.5cm) under the appliance. If the slope is greater than 1" (2.5 cm), the appliance cannot be levelled properly.
- The appliance should be easily accesible if it needs to be serviced.
- Do not install the appliance in an area where it will be exposed to water and/or weather. Failure to follow this warning could result in risk of electric shock, injury, or product damage or malfunction.
- Do not install the appliance on a hollow or flexible platform. Doing so may cause excessive noise and vibration and result in damage or injury if the appliance tips over.

#### RECCOMENDED INSTALLATION SPACING FOR RECESSED AREA OR CLOSET:

- Minimum clearances 1 3/16" (3cm) on all sides and rear.
- Allow at least 18" (46cm) to open the front door.
- Allow at least 2" (5cm) on both sides and between the back of the appliance and the wall.
- Allow at least 7 3/4" (20cm) between the top of the appliance and any overhanging shelves or cabinets.







For answers to your Monogram, Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.

# PFH18HSPVMC

### **GE Profile<sup>™</sup> Steam Closet with Fabric Refresh**

#### FEATURES AND BENEFITS

**Refresh and Dewrinkle** – The GE Profile<sup>™</sup> Steam Closet uses the gentle power of steam to penetrate deep into clothing fibers to refresh garments and help remove wrinkles.

**Remove Tough Odors** – Steam technology reduces odors that cling to shirts, jackets, shoes and common household fabrics, saving a trip to the dry cleaners.

**Steam Sanitize** – Sanitize and reduce at least 99% of bacteria and fungi in textiles and garments with innovative laundry technology that works to deeply refresh fibers.

**Gentle Drying System** – The heat pump system dries at lower temperatures and without harsh tumbling, delivering a gentle dry cycle to your most cherished garments.

**Quiet by Design** – This laundry steam closet is quiet by design and can be placed anywhere in your home.

Pants Creaser – A dedicated door panel is designed to maintain pants creases.

**Fewer Trips To The Dry Cleaners** – Reduce the need for dry cleaning by refreshing seasonal clothing or adding a gentle scent to your favorite fabrics at home in just a few minutes.

**Gliding Hanger System** – Hangers glide from side to side, improving air circulation and ensuring steam penetrates fabrics evenly for wrinkle reduction.

**Easy Installation & No Plumbing** – Removable water reservoirs are engineered to easily fill and drain. Plus only a standard 120v is needed for installation, making the steam closet compatible to be used in any room of your home.

**Mirrored Carbon Finish** – Reflective glass door finish is as beautiful as it is functional. The sleek design is complementary to any room it's added.

**Smart Features Powered by SmartHQ™** – Mobile monitoring with SmartHQ makes it easy to check time remaining and the status of your Steam Closet from anywhere.

**Coat or Towel Warmer** – The steam closet is engineered to double as a convenient place to warm coats and towels.





For answers to your Monogram, Café™, GE Profile™ or GE Appliances product questions, visit our website at geappliances.com or call GE Answer Center® Service, 800.626.2000.