

## **United States**

## ENVIRONMENTAL PROTECTION AGENCY

Washington, DC 20460

INDOOR

## ENERGY STAR® QUALIFIED PRODUCT INFORMATION FORM FOR INDOOR RESIDENTIAL LIGHT FIXTURES AND GU-24 BASED INTEGRATED LAMPS

ENERGY STAR product information form for use by ENERGY STAR qualified residential light fixture partners (Companies who have joined ENERGY STAR for residential light fixtures by signing a Partnership Agreement)

You may use this form to report those products that are sold under your company's brand name. If your firm sells models (fixtures or GU-24 based integrated lamps) under a brand name different from your company name, you must list the brand name and the associated retailer/organization. Please copy this form and return one for each lamp/ballast combination to the address below.

MANUFACTURER (ENERGY STAR Partner): \_\_\_\_Sea Gull Lighting Products, LLC\_

SECTION I LAMP & BALLAST INFORMATION:								
Number of Lamps/ Fixture	Number of Ballasts/ Fixture	Individual Listed Lamp Wattage	Lamp Type <sup>1</sup>	GU-24 Lamp Type <sup>2</sup>	Lamp Size <sup>3</sup>	Lamp (e.g., lightbulb)  Manufacturer & Model Number  (if integrated lamp, copy this into cell at the right)	Ballast Manufacturer & Model Number	
2	2	13	CFL	В	Т3	TCP #33113SP	TCP #33113SP	
ENERGY STAR should review this submittal as a (circle one): Lamp &/or Ballast Platform <sup>4</sup> Complete Fixture GU-24 Based Integrated Lamp <sup>5</sup>								

- 1. Lamp Type (choose one of the following): CFL = Compact Fluorescent, CR = Circular, L = Linear
- 2. GU-24 Lamp Type (for GU-24 based integrated lamps, only): B = Bare, C = Covered, R = Reflector, D = Dimmable
- 3. Lamp Size: For example, T4, T5, or T8.
- 4. With the exception of GU-24 Based Integrated Lamps, a lamp and ballast platform does not receive the ENERGY STAR mark and cannot be promoted as an ENERGY STAR qualified product. Rather, you may promote the "approved" lamp, ballast, or lamp/ballast platform as a component that meets applicable ENERGY STAR Program Requirements when used in ENERGY STAR qualified residential light fixtures.
- 5. GU-24 Based Integrated Lamp submittals may receive the ENERGY STAR mark and be promoted as an ENERGY STAR qualified product provided they meet all applicable requirements set forth in the Residential Light Fixtures Eligibility Criteria.

**SECTION II -- TEST RESULTS:** Enter results from test report (complete using average of tested samples) or manufacturer data as specified in the ENERGY STAR Program Requirements for Residential Light Fixtures Version 4.0/4.1 and attach required documentation in an associated Supplemental Information Reporting (SIR) form.

Performance Characteristic	Test Resu	Required Documentation (please attach to this form)						
Combined Lamp & Ballast Requirements								
System Efficacy	1836_(918) Total Lumen Output		Test report from a lab accredited by NVLAP					
	12.89	Input Power (watts)	or one of its MRA signatories, an EPA approved Platform Letter of Qualification, or EPA-approved documentation from an industry association.					
	142.4_(71.2)	Lumens Per Watt						
Lamp Requirements								
Lamp Life	_10,000	Average Rated Hours	Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test report from an ISO 9000 registered facility.					
Lumen Maintenance	84.5	% of initial lumens at 40% rated lamp life (4,000 hour minimum)						
Lamp Color Rendering Index	81	CRI	Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, or EPA-approved documentation from an industry association.					
	Target CCT (circle one)	2700K         3000K         3500K           4100K         5000K         6500K	Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA					
Lamp Correlated Color Temperature (CCT)	Samples falling within 7-step Mac Adam ellipse	_100_ %	approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test from an ISO 9000 registered facility.					

	tinued): Enter results from test report (comp Residential Light Fixtures Version 4.0 and atta			
	List ANSI-IEC Designated  Lamp Base Type	_GU24-1_	No documentation required at time of submittal.	
Lamp/Lampholder Compatibility	ANSI-IEC Standardized <b>Lamp</b> ?  If "Yes", list ANSI-IEC <b>Lamp</b> Standard Data Sheet Number	Yes OR <u><b>No</b></u> OR <u><b>N/A</b></u>	For fixtures that do not use an ANSI-IEC standardized lamp from ANSI C78.901 & C78.81 or IEC 60901 & 60081, supply a lamp manufacturer specification sheet.	
Lamp Labeling Requirement	Check box if lamp labeling requirement has been met:		A copy of the actual language that will be included on the lamp base or glass.	
Ballast Requirements				
Lamp Start Time	24	Milliseconds	Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test report from an OSHA NRTL laboratory.	
Power Factor	582		Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test report from the ballast or fixture manufacturer.	
Lamp Current Crest Factor	1.34		Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test report from an OSHA NRTL laboratory.	
Ballast Case Hot Spot Location	Check box if hotspot diagram has been included with this submittal:	$\boxtimes$	Ballast manufacturer documentation.	
Maximum Recommended Ballast Case Temperature During Normal Operation Inside A Fixture	85	degrees Celsius	Ballast manufacturer documentation.	
Maximum Measured Ballast Case Temperature During Normal Operation Inside Fixture(s)	71.5	degrees Celsius	Test report from a lab accredited by NVLAP or one of its MRA signatories, an OSHA NRTL laboratory, or the fixture or ballast manufacturer.	
Electromagnetic and Radio Frequency Interference	Check box if the ballast meets FCC requirements for consumer use:		No documentation required at time of submittal.	
Ballast Frequency	59.53	kHz	Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test report from the ballast or fixture manufacturer.	
Transient Protection	Check box if ballast meets transient protection requirements:			
End of Life Protection (Only required for	Testing requirements met?	<u>Yes</u> OR N/A	For T4 and T5 lamps, test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved	
ballasts with lamps sized T5 & smaller)	Maximum number of lamps shut down when lamp end of life event occurs:	1 OR N/A	documentation from an industry association, or a test report from the ballast or fixture manufacturer. For T3 lamps and smaller, a circuit diagram and engineering description.	
	Dimming-Capable Ballast?	Yes OR <u>No</u>	No documentation required at time of submittal, except when torchiere fixtures are submitted.	
Dimming	Check one box if ballast is dimming-capable:	☐ 3-Way Switching ☐ Continuous Dimming		
Safety – Ballasts and "Non Edison base Fluorescent Adapters"	Listed for Safety?	Yes OR N/A	Cover page of a safety test report or a general coverage statement.	
GU-24 Base	Do the submitted products use the GU-24 Base?	Yes OR No	No documentation required at time of submittal.	

	<b>tinued):</b> Enter results from test report (comple Residential Light Fixtures Version 4.0 and attac					
GU-24 Base with Self-Ballasted Pin- Based Lamp  Do any of the submitted product self-ballasted GU-24 based lamp GU-24 based lamp self-ballasted		Yes	OR	No	No documentation required at time of submittal.	
Fixture Requirements (Only required f	or fixture submittals. Leave blank for lan	np/ballast plat	form	submitt	als.)	
Fixture Warranty	Check box if fixture warranty is included with fixture packaging:	$\boxtimes$			Provide two-year fixture manufacturer written warranty language that is included with product packaging.	
Noise	I Uass A OBA				No documentation required at time of submittal.	
Replaceable Ballast	Check box if the submitted fixtures meet the replaceable ballast requirement:				A copy of the language that includes guidance on ballast replacement and states that the ballast is replaceable with the use of a "qualified electrician" without the cutting of wires.	
Safety – Portable Fixtures	Listed for Safety? Yes		OR <u>N/A</u>		Cover page of a safety test report or a general coverage statement.	
Safety – Hardwired Fixtures	Listed for Safety?		OR	N/A	Cover page of a safety test report or a general coverage statement.	
Decorative LEDs	Do any of the submitted fixtures use decorative LEDs?	Yes	OR <u>No</u>		Manufacturer documentation including total wattage consumed by all LEDs, manufacturer warranty, and spec. sheet showing wattage, efficacy, LED life, color, and lumen depreciation.	
Permanent Conversions	Do any of the submitted fixtures use a factory-installed device to permanently convert an Edison lamp base to a pin-base for fluorescents?	Yes	OR	<u>No</u>	No documentation required at time of submittal.	
	For fixtures that are not shipped with lamps Does the packaging include a NEMA or ANSI generic lamp description, including a color designation?  Does the packaging suggest that the consumer select a lamp with a rated lamp life of 10,000 hours or more?					
	For fixtures that are shipped with lamps:  Does the packaging clearly describe the target CCT designation in Kelvin?	Yes	N/	/A		
Product Packaging for Consumer	For recessed downlight fixtures that are IC-Rated:				Written copy or PDF graphic of the language that will be displayed on product packaging	
Awareness Requirements	Does the packaging clearly state this rating?  For recessed downlight fixtures that are Air	Yes N/A			and within the packaging, as required.	
	Does the packaging include an "air-tight" or similar designation to clearly show that the fixture produces less air leakage than 2.0 CFM at 75 Pascals when tested in accordance with ASTM E283?	Yes	N/	/A		
	Is the fixture itself labeled "air tight," or similar designation?	Yes	N	/A		
	Are installation instructions included?	Yes	N/	/A		
					GU-24 BASED INTEGRATED LAMPS, wing documentation must be provided in addition	
Testing Orientation	ing Orientation Select one of the following:		Base Up □ Base Down □ 50% Up/50% Down □ Horizontal Operation □		No documentation required at time of submittal.	
1,000-hour Lumen Maintenance	94.9	% of initial lumens at 40% rated lamp life (4,000 hour minimum)		life	Test report from a lab accredited by NVLAP or one of its MRA signatories, an EPA approved Platform Letter of Qualification, EPA-approved documentation from an industry association, or a test report from an ISO 9000 registered facility.	

Accelerated Cycling, Thermal, and	Select number of samples:	5 Samples		Manufacturer or laboratory documentation including number of samples tested, number	
Voltage (ACTV) stress test	10			of cycles, and operating temperature.	
Maximum Mercury Content	Is the GU-24 based integrated lamp listed under NEMA's Voluntary Industry Commitment to Limit Mercury Content in Self-Ballasted CFLs Sold in the U.S.?	Yes OR	No	Reference to lamp manufacturer's commitment form on file with NEMA.	
Run-up Time	Select one of the following:	Amalgam:		Test report from a lab accredited by NVLAP or one of its MRA signatories, or EPA-approved documentation from an industry	
	27			association.	
Lamp Warranty	Check box if fixture warranty is included with fixture packaging:			Provide a copy of the actual two-year manufacturer written warranty that is included with product packaging.	
	For all GU-24 Based Integrated lamps:	T			
	Lamp meets lamp labeling language for mercury content requirement? Yes N/A				
	For all fixtures using GU-24 Based Integral fixture product packaging:	ted lamps and asso	ociated		
	Fixture and fixture product packaging meet language for mercury content requirement?				
Product Dealerging and Lamp Labeling	For lamps not shipped with a light fixture:  Lamp meets product packaging language	T		Provide a written copy or a PDF graphic of	
Product Packaging and Lamp Labeling for Consumer Awareness Requirements	for mercury content requirement?	<u>Yes</u> 1	N/A	the language that will be displayed on lamps and product packaging.	
	Lamp meets product packaging language for FTC labeling requirement?	Yes 1	N/A		
	Lamp meets product packaging language for starting temperature requirement?	<u>Yes</u> 1	N/A		
	Lamp meets product packaging language for control compatibility requirement?	Yes 1	<u>N/A</u>		
	Lamp meets packaging language requirement?	<u>Yes</u> 1	N/A		
				Y: When qualifying a recessed downlight retrofit	
Reflector Type				No supplemental documentation required	
Aperture Size		Inches		No supplemental documentation required	
Air Tight For Restricted Air Movement	Check box if submitted fixtures meet air tight requirement:			Manufacturer or laboratory data	
Electrical Connections	Check box if submitted fixtures have an Edison lamp socket with wire "pigtail" to the ballast:			Manufacturer engineering description and/or diagram describing electrical connection	
Safety – Fixture Conversions, Retrofits	Check box if submitted fixtures meet safety requirements for conversions & retrofits:	ty 🗆		Cover page of a safety test report or a general coverage statement included	
Product Packaging for Consumer	Fixture Compatibility List?	Yes 1	N/A	Written copy or PDF graphic of the language	
Awareness Requirements	ASTM E283 Compliance Language?		N/A	that will be displayed on product packaging as well as installation instructions	
SECTION III FIXTURE MODEL	Installation Instructions?  S WITH SAME LAMP/BALLAST CO		N/A	wen as instanation instructions	
Please complete "Section 8 Fixture Mode section of the SIR form contains fields to "Date Available on the Market," "Typed SECTION IV MARKETING REC	el Info" in the Supplemental Information Repo enter "Manufacturer Model Number/Retail S Fixture Description(s)," and "Intended Use."	orting (SIR) form a KU," "Brand Nam	ie," "Fixtī	with this QPI form. The "Fixture Model Info" are Type," "Does the lamp ship with fixture?," eck all that apply):	
_x On product pack	caging (required) _x In product lite	erature (requir	red)x	On Internet site (required)	
Note: Manufacturers are strictly prohibite qualification.	ed from labeling, promoting, or marketing pro	ducts as ENERGY	STAR Q	qualified before receiving EPA notice of	
				RGY STAR reserves the right to remove a non- re listed labeling requirements within the timeline	

OMB No. 2060-0528 Approval Expires 03/31/2011

_Sea Gull Lighting is committed to the ENERGY STAR program & acknowledges the value in labeling and co-branding. All Sea Gull Lighting packaging will reflect the ENERGY STAR rating when appropriate. The company strongly co-brands its collateral materials, as evidenced throughout its 89 page energy efficient lighting catalog, as well as by dedicating a section of our website in support of ENERGY STAR products (www.seagulllighting.com/ENERGY-STAR-								
Light	ting.htm)							
SECTION	V SUBMITTAL PROCEDURE:							
] ]	Complete all required data fields in one RLF Supplementa Reporting (SIR) form to be associated with one Qualified Reporting Form (QPI - this document). Refer to SIR "Instfurther guidance	Product Information	(note: multi					
	Fill out entire RLF QPI form based on requirements for su &/or Ballast Platform," "Complete Fixture," or "Both")	31 \ 1		one (1) RLF SII ESRLF_Submi				
SECTION VI VERIFICATION: (To be signed by senior representative of the fixture manufacturer)								
I declare that the above information is accurate and true to the best of my knowledge. I understand that if any of the above information is found to be inaccurate by ENERGY STAR or any of ENERGY STAR's contractors that the products listed above will be removed from the ENERGY STAR qualified product list. EPA may also choose to terminate the fixture manufacturer' Partnership Agreement.								
Contact Name	e:Becky Slusarski	Contact Email Address (r	required):	_bslusarsk	i@ seagulllighting.com			
Date:	10-29-08	Contact Telephor	ne Number	(optional): _	_856-764-0500 x.7443			

The public reporting and recordkeeping burden for this collection of information is estimated to average 4.85 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.