




Three-tab shingles offer a solid value with curb appeal and lasting durability. Constructed of durable weathering-grade asphalt and a tough Fiberglas™ mat core, **Supreme® Shingles** come with a 25-Year Limited Warranty*, a 60-MPH Wind Resistance Limited Warranty* and an Algae Resistance Limited Warranty* available on a regional basis.

Supreme® National Colors

Desert Tan^{†/††}Autumn Brown[†]Brownwood[†]Driftwood^{†/††}Onyx Black[†]Estate Gray^{†/††}Aspen Gray[†]Shasta White[†]

Supreme® Regional Colors (See Map)



Amber†

Not available in Service Areas
1, 2, 3, 4, 5, 6, 7, 8, 9, 13.



Beachwood Sand†

Not available in Service Areas
1, 2, 4, 5, 7, 8, 9, 10, 11, 12,
13, 14.



Weathered Wood†

Not available in Service Areas
1, 4, 9, 12, 13, 14.



Bark Brown†

Not available in Service Areas
1, 2, 3, 6, 8, 10, 11, 12, 13, 14.



Teak†

Not available in Service Areas
1, 2, 3, 9, 12, 13, 14.



Antique Silver†

Not available in Service Areas
1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13.



Chapel Gray†

Not available in Service Areas
1, 2, 3, 6, 8, 10, 11, 12, 13, 14.



Williamsburg Gray†

Not available in Service Areas
1, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14.



Oxford Gray†

Not available in Service Areas
1, 2, 3, 4, 5, 6, 7, 9, 12, 13, 14.



Spanish Red†

Not available in Service Areas
1, 2, 3, 4, 5, 6, 7, 8, 9, 12,
13, 14.



Forest Green†

Not available in Service Areas
1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14.



Chateau Green†

Not available in Service Areas
10, 11, 12, 13, 14.

Product Attributes

Warranty Length*

25-Year Limited

Wind Resistance Limited Warranty*

60 MPH

Algae Resistance Limited Warranty*

10 Years

TruPROtection® Non-Prorated Limited Warranty* Period

5 Years



Algae Resistance available in
areas shown in white.

Supreme® Shingles Product Specifications

	IMPERIAL	METRIC††
Nominal Size	12" x 36"	13 1/4" x 39 3/8"
Exposure	5"	5 5/8"
Shingles per Square	80	65
Bundles per Square	3	3
Coverage per Square	100 sq. ft.	99.98 sq. ft.

Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3462

ASTM D3161 (Class F Wind Resistance)

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

Florida Product Approval§


ICC-ES AC438*

Miami-Dade County Product Approval†

UL ER2453-01**

Shasta White color meets ENERGY STAR® requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council (CRRC).

Color availability varies by Service Area.



‡‡ Available in Algae Resistance in Service Area 13 (see map).

†† Available only in Service Areas 13 and 14 (see map).

§ Applicable only in Service Area 3 (see map).

* Applies for all areas that recognize Miami-Dade Product Control Section.
International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

** Underwriters Laboratories Evaluation Service Evaluation Report.

For more information on Owens Corning® roofing products, or any of our wide range of building products and systems, it's easy to reach us:

1-800-GET-PINK® | owenscorning.com/roofing



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659

1-800-GET-PINK®
www.owenscorning.com/roofing

THE PINK PANTHER™ & © 1964–2016 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2016 Owens Corning. All Rights Reserved.



† Owens Corning Roofing strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

* See actual warranty for complete details, limitations and requirements.

** 40-Year Limited Warranty on commercial projects.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners and wood decking.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

SureNail Technology U.S. Patent 7,836,654 and other patents pending.