


Specifications

Supported Systems	Single phase, 2-wire systems; Single-split phase, 3-wire systems; 3-phase, 4-wire Wye systems with earthed (TN or TT) neutral (no-Delta)
CT Current Sensors	Up to 3 x 200A mains and up to 16 x 50A branch circuits
Max Voltage Sensing	264VAC L-N per channel
Wi-Fi	2.4 GHz, IEEE 802.11b/g/n
Ethernet	10/100Base-T, IEEE 802.3
Operating Conditions	-40° - 122° F (-40° - 50° C) 0-80% RH 3,000 meters above sea level Indoor Dry location Pollution Degree 2



FCC ID:
2AS6P-EMV3A
Model: EMV3-A



Legal Manufacturer

Siemens Industry, Inc.
3617 Parkway Ln
Peachtree Corners, GA 30092
United States of America
Telephone: +1 (800) 333-7421
www.usa.siemens.com/InhabEM
Order No. PDSS-INHABEM-0124
© 01.2024, Siemens Industry, Inc.

This document contains a general description of available technical options only, and its effectiveness will be subject to specific variables including field conditions and project parameters. Siemens does not make representations, warranties, or assurances as to the accuracy or completeness of the content contained herein. Siemens reserves the right to modify the technology and product specifications in its sole discretion without advance notice.

Product Support:

Web: usa.siemens.com/InhabEM
Telephone: 1- 800-241-4453

