




Bonaire™ Shower Stall

INSTALLATION INSTRUCTIONS

From the ground up, Jacuzzi Whirlpool Bath showers are the foundation of a well-designed bathroom. They are fashioned of high gloss acrylic in dramatic colors. From the luxurious height, to the decorative slip-resistant surface, our showers combine European styling and state-of-the-art quality.

Showers are reinforced for stability and are available in all designer colors. Refer to product color guide.



SPECIFICATIONS

DIMENSIONS

60" (1524 mm) L
32" (813 mm) W
84" (2134 mm) H

PRODUCT WEIGHT

83 lb
(38 kg)

TOTAL WEIGHT

223 lb
(106 kg)

SHIPPING WEIGHT

156 lb
(71 kg)

Optional Features

- Optica Wall Mount Shower Set
- Optica Shower Mixer Valve
- Bright Brass Strainer
- SteamPro® Generator
- Shower Doors


Use liquid detergent to maintain bright, smooth surface.
Do not use abrasive household cleaners.

Important: Read complete instructions before beginning installation.

Remove the shower from the carton. Retain the shipping carton until satisfactory inspection of the product has been made. Immediately upon receipt, inspect the shell before installing. Should inspection reveal any damage or defect in the finish, do not install the shower. Damage or defect to the finish claimed after the shower is installed is excluded from the warranty. Jacuzzi Whirlpool Bath's responsibility for shipping damage ceases upon delivery of the products in good order to the carrier. Refer any claims for damage to the carrier. For definitions of warranty coverage and limitations, refer to the published warranty information packed with the product.

All shower units are factory tested for watertight connections prior to shipping. Jacuzzi Whirlpool Bath is not responsible for any defect that could have been discovered, repaired, or avoided by following this inspection.

Install the optional trim parts when all installation has been completed.



Framing and Support

The optional drain/overflow of the shower extends below the bottom of the shower. Note that this requires a cutout in the floor.

The floor structure beneath the shower must be able to support a total weight of approximately 233 pounds (shower, water and bather) or 17.5 pounds per square foot. If the subfloor is level, no other preparation is necessary. You can proceed to install the bath. If the subfloor is not level, you **MUST** level the entire surface prior to installing the bath. (Use a floor leveling compound.) **Do not level bath with mortar.** Both sides of a joint or splice of subfloor should be level to each other.

The shower unit should be installed after construction of the studwall and after rough plumbing is in place. The shower may be installed as a single unit or, if necessary, disassembled and installed in three sections.

It is important that the framed pocket be plumb and square and that the framing members be located as detailed in the framing illustration. If the shower unit is to be installed in an existing bathroom studwall, additional studs must be added to the dimensions shown.

Installation


Slide the shower into the framed opening and secure the front flanged sides to the 1x2 strips and the top flange to the header. The shower should be level and supported along the base.

It may be necessary to disassemble the shower to install it. Install the shower portion making sure it is level and properly secured to the floor and studwall blocking. Apply a bead of adhesive caulking to the top of the flange surface (see illustration) and place the middle section over the studs of the shower flange. Push down firmly to assure that the middle section is seated and level. Secure the top flange of the middle section to the studwall blocking and the sides to the 1x2 verticals. Repeat the same caulking procedure for the top section and secure it to the header and 1x2 verticals.

Water Supply

Consult local authorities for plumbing code requirements in your area.


IMPORTANT: Jacuzzi Whirlpool Bath does not warrant connections of water supply fittings and piping or drain/overflow systems. Nor is it responsible for damage to the shower which occurs during any installation procedure.



Drain Information.


NOTE: Watertight installation of the drain is the installer's responsibility. Any occurrence of drain leakage is excluded from the Jacuzzi Whirlpool Bath warranty coverage of this product.

CAUTION: A nonflammable protective barrier must be placed between soldering work and shower unit to avoid possible damage to the bath.



Remove the stainless steel strainer from the drain assembly. Disassemble the locknut and two gaskets from the back of the drain assembly. Apply a 1/4" bead of caulking (silicone) to the drain hole and insert the drain assembly. Replace the rubber washer, fiber washer, and lock nut in that order. Hand tighten the locknut. Remove excess sealant from finished side. (See illustration).

Apply a lubricant (common household liquid soap works well) to the inside of the rubber seal of the drain assembly.



With a large screwdriver and the tool included with the drain, tighten the inside compression nut to seal the drain pipe connection. Replace the strainer and tape over the drain hole to prevent finishing material from entering drain.

Clean-Up After Installation

To avoid dulling and scratching the surface of the shower, never use abrasive cleaners. A mild liquid detergent and warm water will clean soiled surfaces.

Remove spilled plaster with a wood or plastic edge. Metal tools will scratch the surface. Spots left by plaster or grout can be removed if lightly rubbed with detergent on a damp cloth or sponge.

Paint, tar, or other difficult stains can be removed with paint thinner, turpentine, or isopropyl alcohol (rubbing alcohol).

Minor scratches which do not penetrate the color finish can be removed by lightly sanding with 600-grit wet/dry sandpaper. You can restore the glossy finish to the acrylic surface of the bath with a special compound, Meguiar's #10 Mirror Glaze. If that is not available, use automotive rubbing compound followed by an application of automotive paste wax.

Major scratches and gouges which penetrate the acrylic surface will require refinishing. Ask your Jacuzzi Whirlpool Bath dealer for special instructions.

**PRODUCT SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
USE INSTALLATION INSTRUCTIONS SUPPLIED WITH PRODUCT.**

Jacuzzi Whirlpool Bath has obtained applicable code (standards) listings generally available on a national basis for products of this type. It is the responsibility of the installer/owner to determine specific local code compliance prior to installation of the product. Jacuzzi Whirlpool Bath makes no representation or warranty regarding, and will not be responsible for any code compliance.

JACUZZI WHIRLPOOL BATH

Jacuzzi Whirlpool Bath National Headquarters
P.O. Drawer J, Walnut Creek, CA 94596 (925) 938-7070
Service Support: Call (800) 288-4002



Printed on Recycled Paper

©1997 Jacuzzi Whirlpool Bath M545000 A 6/98

Printed in the U.S.A.

Jacuzzi Whirlpool Bath Limited Warranty

Shower System Product

WARRANTY COVERAGE

Jacuzzi Whirlpool Bath (the "Company") offers the following express limited warranty to the original purchaser of any Jacuzzi Whirlpool Bath Shower System product ("unit") who purchases the product for personal or single family use ("user"). The Company will repair or replace, at its option, the unit or its equipment in accordance with the following terms and conditions.

ONE YEAR LIMITED WARRANTY ON SHOWER SYSTEM

Our warranty on Shower System products is for one (1) year. Our warranty covers the unit and factory-installed components against defects in material or workmanship. Warranty coverage begins on the date the unit was originally purchased by the user.

NINETY DAY (PARTS ONLY) LIMITED WARRANTY ON OPTIONS AND ACCESSORIES

Our warranty on options and accessories manufactured by the Company is for ninety (90) days for parts only. Our warranty covers options and accessories manufactured by the Company (e.g., fill spout kits, trim kits, skirts) against defects of material or workmanship. Warranty coverage begins on the date the option or accessory was originally purchased by the user.

WARRANTY LIMITATIONS

Our warranty does not cover defects, damage, or failure caused by the common carrier, installer, user, or other person, or resulting from, without limitation, any of the following: careless handling (lifting unit by plumbing, abrading finish, etc.); modification of any type for any reason (including modification to meet local codes); improper installation (including installation not in accordance with instructions and specifications provided with the unit); connections supplied by the installer of the equipment; improper voltage supply or unauthorized electrical modification; misuse; incorrect operation, or lack of proper routine maintenance; operation of the unit at inappropriate water temperature; use of abrasive or improper cleaners; or acts of God, such as lightning, floods, earthquakes, etc.

In addition, THE COMPANY WILL NOT BE RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES or losses arising from any cause (e.g., water damage to carpet, ceiling, loss of use, etc.) including its own negligence; damages to, respecting, or resulting from: plated parts when chemicals are used in the unit; optional equipment not manufactured by the Company, supplied by Dealer, installer or the Company; the unit's prior usage as an operational display; or defects that should have been discovered before installation. This limited warranty does not include: labor, transportation, or other costs incurred in the removal and/or reinstallation of the original unit and/or installation of a replacement unit; any costs relating to obtaining access for repair; or loss of use damage, including loss of sales, profit or business advantage of any kind under any circumstances. Units in commercial use are excluded from any warranty coverage whatsoever.

Warranty coverage is provided in the United States of America only.

IMPLIED WARRANTIES

All implied warranties of merchantability and fitness for a particular purpose are equal in duration with the express warranties set forth herein.

NOTICE: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state. There are no warranties applicable to Jacuzzi Whirlpool Bath products except as expressly stated herein or as implied by applicable state and federal laws. The Company will not be responsible for any statements or representations made in any form that go beyond, are broader than or are inconsistent with any authorized literature or specifications furnished by the Company.

Some states do not allow limitations on how long an implied warranty lasts, or the exclusion or limitation of incidental or consequential damages, so the above limitations and exclusions may not apply to you.

RETURN OF WARRANTY CARD

The attached pre-addressed Warranty Registration Card MUST be filled out by the purchaser within thirty (30) days from purchase and mailed to Jacuzzi Whirlpool Bath in order for this warranty to become effective.



Jacuzzi Whirlpool Bath
P.O. Drawer J
Walnut Creek, CA 94596-9885

RESPONSIBILITIES OF OTHERS

Inspecting the unit prior to installation is the responsibility of the installer or building contractor who acts on behalf of the user. They are responsible for ensuring the unit is free of defect or damage. Notices are placed on and in the unit and on the shipping carton advising the installer of this responsibility. In the event of a problem, the unit must not be installed. The Company is not responsible for failures or damage that could have been discovered, repaired, or avoided by proper inspection and testing prior to installation.

Damage occurring in transit is the responsibility of the carrier. The user or installer MUST open the crates and inspect the unit for damage when it is delivered. If damage is discovered, it must be reported immediately to the seller and the carrier in writing, and an inspection requested. Failure of the carrier to respond should be reported to the seller and the carrier. Your freight claims should be filed promptly thereafter.

It is the responsibility of the installer, building contractor, or user to provide access for service. The Company is not responsible for any costs relating to obtaining access for repair. The user shall bear such costs and, if appropriate, must seek recovery from the installer.

Damage occurring to the unit during installation is the responsibility of the installer and/or building contractor and damage occurring thereafter is the responsibility of the user.

Failure of any optional equipment is the sole responsibility of the equipment manufacturer. (Options and accessories manufactured by the Company are warranted for ninety (90) days from the original date of purchase for parts only.)

The Distributor or Dealer is responsible for knowing local code requirements and notifying the installing contractor and/or user of these requirements at the time of purchase. The Company is not responsible for costs to modify any product to obtain any code approval, such as city, county, or state building codes.

WARRANTY SERVICE

For the customer's benefit, the Company maintains a list of independent service personnel to perform required warranty service repairs. Such firms are not agents or representatives of the Company and cannot bind the Company by words or conduct.

The Company will provide the warranty service described above when the following conditions have been met: the failure is of the nature or type covered by the warranty; the user has informed an Authorized Jacuzzi Whirlpool Bath Service Agent or Warranty Service Department Representative of the nature of the problem during the warranty period; conclusive evidence (e.g., proof of purchase or installation) is provided to the foregoing by the user proving that the failure occurred or was discovered within the warranty period; an authorized independent service person or Company representative has been permitted to inspect the unit during regular business hours within a reasonable time after the problem was reported by the user.

In order to obtain warranty service, consult your local telephone book for the location of the nearest Jacuzzi Whirlpool Bath Authorized Service Agent. Describe the problem and the Authorized Service Agent will inspect the unit and provide the required warranty service.

If you are unable to contact a Jacuzzi Whirlpool Bath Authorized Service Agent, call or write:

Jacuzzi Whirlpool Bath
Warranty Service Department
P.O. Drawer J
Walnut Creek, California 94596
Call: (800) 288-4002

To obtain warranty replacement for factory-installed components or Company supplied options and accessories manufactured and supplied by the Company, call or write the above. Provide a description of the problem and proof of purchase. You will be instructed how to obtain replacements and where to return, at your expense, the failed component(s), option(s), or accessory(ies).

All replacement parts, equipment, and repairs shall assume the remaining warranty period of the part(s) replaced.

The Company's warranty obligation shall be discharged upon tender of replacement or repair. The customer's refusal to accept the tender terminates the Company's warranty obligation.

JACUZZI WHIRLPOOL BATH

Jacuzzi® is a Federally registered trademark owned by Jacuzzi Inc. ©Copyright 1997 Jacuzzi Whirlpool Bath M545000A 6/98

Ninety-Day
Parts Only
Limited Warranty
On
Accessory(ies)



Warranty Registration Card

This card must be filled out and returned to the address printed on the other side within thirty (30) days from date of purchase in order for this warranty to be come effective.

Purchaser's Name _____
Purchaser's Address _____
City _____ State _____ Zip _____

Date of Purchase _____
Model Name _____
Serial Number _____
Dealer's Name _____
Dealer's Address _____

- How did you first hear about this Jacuzzi® product?
☐ Advertisement ☐ Article in Magazine/Newspaper
☐ Visited Dealer/Plumbing Supplier ☐ Yellow Pages
☐ Builder/Plumber/Remodeler ☐ Decorator/Architect
☐ Visited Retailer/Home Center Store
☐ Word of Mouth... Friend/Relative/Acquaintance
☐ Other... Please Describe _____
- Who first gave you specific information about this product (specifications, prices, etc.)?
☐ Dealer/Plumbing Supplier ☐ Builder ☐ Remodeler
☐ Plumbing Contractor ☐ Retailer/Home Center Store
☐ Decorator/Architect ☐ Already installed
☐ Styling ☐ Warranty Service ☐ Product Features
☐ Brand Name ☐ Price ☐ Hydrotherapy
☐ Home Resale ☐ Other _____
- Who finally decided which product you would buy?
☐ Self ☐ Spouse ☐ Self and Spouse Together
☐ Other Family Member ☐ Designer/Architect
☐ Builder/Plumber/Remodeler ☐ Already installed
☐ Who installed? ☐ Already installed/New Home
☐ Contractor/Plumber when remodeling
☐ Self/Spouse when remodeling
☐ Other _____
- What is the current market value of this property?
Please estimate \$ _____
- What is the age of the head of the household? _____ years
8. What other manufacturers did you consider?
☐ Eiler ☐ Lasco ☐ Price Pfister ☐ Aqua Glass
☐ Kohler ☐ American Standard ☐ Sterling
☐ Other (Specify) _____
- How long did you shop before purchasing unit?
☐ 1 day ☐ 2 months-6 months
☐ 2-7 days ☐ 6 months-1 year
☐ 1 week-2 weeks ☐ 1 year-2 years
☐ 2 weeks-4 weeks ☐ +2 years
☐ 1 month-2 months
- Approximately how long have you lived in this home?
Please indicate, approximately, the total annual income of your household.
☐ Up to \$24,999 ☐ \$50,000 to \$74,999
☐ \$25,000 to \$29,999 ☐ \$75,000 to \$99,999
☐ \$30,000 to \$39,999 ☐ \$100,000 to \$149,999
☐ \$40,000 to \$49,999 ☐ \$150,000 and Above
- Was your purchase process?
☐ Very easy ☐ Easy ☐ Difficult ☐ Very difficult
- How technically aware were you of the patented Jacuzzi® jet system prior to your purchase?
☐ Not aware ☐ Somewhat aware ☐ Very aware

Ninety-Day
Parts Only
Limited Warranty
On
Accessory(ies)

JACUZZI WHIRLPOOL BATH