

**SKU:** NBC096BS00

# 96-Can Black Stainless Steel Beverage Cooler



# OWNER'S MANUAL

Read and save these instructions.



# **READ AND SAVE THESE INSTRUCTIONS.**

## TABLE OF CONTENTS

Register Your Product Online	3
Safety Information & Warnings	
Parts List	
Installation	
Operating Instructions	
Cleaning & Maintenance	8
Troubleshooting	
Limited Manufacturer's Warranty	

# SPECIFICATIONS

MODEL NO.	NBC096BS00	
Voltage:	110-120V	
CURRENT:	1.2A	
FREQUENCY:	60Hz	
POWER CONSUMPTION:	90W	
STORAGE CAPACITY:	3.2 cubic feet	
TEMPERATURE RANGE:	36°F - 66°F	
PROTECTION CLASS:	1	
CLIMATE CLASS:	T/ST/N/SN	
PRODUCT WEIGHT:	76 lbs	
SHIPPING WEIGHT:	91 lbs	
Unit Dimensions (W X D X H):	14.8" x 22.4" x 33.9"	

## **REGISTER YOUR PRODUCT ONLINE**

#### Register Your NewAir Product Online Today!

Take advantage of all the benefits product registration has to offer:



## **Service and Support**

Diagnose troubleshooting and service issues faster and more accurately



## **Recall Notifications**

Stay up to date for safety, system updates and recall notifications



## **Special Promotions**

Opt-in for NewAir promotions and offers

Registering your product information online is safe & secure and takes less than 2 minutes to complete:

## newair.com/register

Alternatively, we recommend you attach a copy of your sales receipt below and
record the following information, located on the manufacturer's nameplate on
the rear of the unit. You will need this information if it becomes necessary to
contact the manufacturer for service inquiries.

Date of Purchase	:		
Serial Number:		 	
Model Number:			

#### SAFETY INFORMATION & WARNINGS



When using any electrical appliance, basic safety precautions must be followed in order to reduce the risk of fire, electrical shock and/or injury to persons or property. Be sure to read all instructions before using this appliance and observe the following safety tips:

Attention: To avoid the risk of child entrapment, do not allow children to operate, play with, or crawl inside the unit. If the unit will not be used for an extended period of time, remove the door and leave the shelves in place so that children cannot crawl inside. Also remove the door when disposing of the unit.



## **Shock Hazard – Electrical Grounding Required**


- Never attempt to repair or perform maintenance on the unit until the electricity has been disconnected.
- Never remove the round grounding prong from the plug and never use a two-prong grounding adaptor.
- Altering or cutting of power cord, removal of power cord, removal of power plug, or direct wiring can cause serious injury, fire, and loss of property and/or life, and will void the warranty.
- Never use an extension cord to connect power to the unit.
- Avoid operating this cooler in excessively moist or humid environments.



# **Important Precautions:**

- Do not lift unit by door handle.
- Never install or operate the unit behind closed doors.
- Be sure the kick-plate on the front bottom is free of obstruction. Obstructing airflow can caused the unit to malfunction and will void the warranty.
- Failure to clean the condenser every six months can cause the unit to malfunction.
- Allow unit temperature to stabilize for 24 hours before use.
- Do not block any internal fans.
- Keep the cooler away from hazardous materials or combustible/flammable substances.
- Use only genuine supplier's replacement parts. Imitation parts can damage the unit, affect its operation or performance, and may void the warranty.

## **PARTS LIST**



- 1 . Right upper Hinge
- 2 . Light switch
- 3 . Temperature setting
- 4 . Temperature display
- 5 . Temperature setting
- 6 . Temperature switch
- 7 Light

- 8 , Fan
- 9 . Carbon filter
- 10, NTC point
- 11. Exhaust window
- 12、Shelf
- 13, Exhaust window
- 14. Foot

- 15. Door seal
- 16. Glass
- 17. Handle
- 18. Lower Hinge
- 19. Lock

#### INSTALLATION



Before connecting the appliance to a power source, let it stand upright for approximately 2 hours. This will reduce the possibility of a malfunction in the cooling system from handling during transportation.

Before operating your cooler for the first time, follow these steps:

- Remove the exterior and interior packing.
- Clean the interior surface of the unit with lukewarm water and a soft cloth.
- Place the cooler on a level surface that will be strong enough to support the unit when it is fully loaded. To level your cooler, adjust the front feet located at the bottom of the unit.

#### OPERATING INSTRUCTIONS

## HOW TO USE THE BUTTONS ON THE DISPLAY PANEL



Raise the desired temperature. \*



Lower the desired temperature. \*

\* To set the temperature, press the UP or DOWN button on the control panel. The interior temperature can be adjusted in increments of 1 degree between 36°F and 66°F (2° - 18°C).

The interior light can be turned on or off by pressing the "Light" button.

#### **ADDITIONAL NOTES**

- The appliance should not be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience.
- Children should not play with the appliance. Cleaning and user maintenance should be performed under adult supervision.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent, or similarly qualified persons in order to avoid a safety hazard.
- Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.
- Do not use mechanical devices or means other than those recommended by the manufacturer to accelerate the defrosting process.
- Do not damage the refrigerant circuit.
- Do not use electrical appliances other than those recommended by the manufacturer inside the storage compartments of the appliance.
- Do not store explosive substances such as aerosol cans with a flammable propellant in the appliance.
- This appliance is intended for use only in the household, office and similar environments.

#### **CLEANING & MAINTENANCE**

## CLEANING YOUR COOLER

#### To clean your cooler:

- Unplug the cooler and remove anything inside.
- Wash the inside of the unit with a solution made of warm water and baking soda solution (2 tablespoons of baking soda to one quart of water).
- Unscrew the water reservoir at the bottom of the unit and rinse with water.
- To clean the outside of the unit, use a mild detergent and warm water.

#### MOVING YOUR COOLER

#### To move your cooler:

- Remove anything stored inside.
- Securely tape down all loose parts located inside the unit.
- Turn the leveling feet up to the base in order to avoid damage.
- Tape the door shut.
- Be sure the cooler stays in an upright position during transportation.

# TROUBLESHOOTING

Problem	Possible Causes	Solution
Cooler does not	The unit may be	Check if using the
operate.	plugged in using a	wrong voltage.
	different voltage.	
	The circuit breaker may	Reset the circuit
	be tripped or there is a	breaker or check for a
	blown fuse.	broken fuse
Cooler is not cold	The external	Lower the temperature
enough.	environment may	of the cooler.
	require a higher	
	setting.	
	The door may be	Open the door less
	opened too frequently.	frequently.
	The door is not closed	Make sure the door is
	completely.	closed securely.
	The door seal does not	Replace the seal on the
	seal properly.	door. Replacements
		can be acquired from
		the manufacturer.
	The front grille is	Make sure nothing is
	obstructed.	blocking the front grille.
The light does not	There may be a	Contact the
work.	problem with the	manufacturer.
	display board.	
The cooler vibrates	The unit is not sitting	Make sure the unit's
while operating.	on a level floor, or the	feet are in the proper
	unit's feet are not	position and tightened
	correctly installed.	securely.
The cooler produces a lot of noise.	The unit is not leveled.	See above.
	The fan may be	Check the fan to make
	obstructed	sure there is no debris
		or obstruction. If not,
		contact the
		manufacturer.
The door will not close properly.	The unit is not leveled.	See above.

Problem	Possible Causes	Solution
	The door is not	Check the door hinges
	properly installed.	to make sure they are
		properly installed.
	The seal is weak.	Replace the seal on the
		door. Replacements
		can be acquired from
		the manufacturer.
	The shelves are out of	Make sure the shelves
	position.	slide all the way into
		the unit.
The LED display does	There may be a	Contact the
not work.	problem with the main	manufacturer.
	control board.	
	There is a problem with	Contact the
	the plug.	manufacturer.
There is an LED display	The cooling kit is no	Contact the
error, or the LED	longer working	manufacturer.
displays "LO".	properly.	
	The PC Board is faulty.	Contact the
		manufacturer.
The buttons do not	The temperature	Contact the
function.	control panel may be	manufacturer.
	damaged.	

#### LIMITED MANUFACTURER'S WARRANTY

This appliance is covered by a limited manufacturer's warranty. For one year from the original date of purchase, the manufacturer will repair or replace any parts of this appliance that prove to be defective in materials and workmanship, provided the appliance has been used under normal operating conditions as intended by the manufacturer.

#### **Warranty Terms:**

During the first year, any components of this appliance found to be defective due to materials or workmanship will be repaired or replaced, at the manufacturer's discretion, at no charge to the original purchaser. The purchaser will be responsible for any removal or transportation costs, if needed.

#### **Warranty Exclusions:**

The warranty will not apply if damage is caused by any of the following:

- Power failure
- Damage in transit or when moving the appliance
- Improper power supply such as low voltage, defective household wiring or inadequate fuses
- Accident, alteration, misuse or abuse of the appliance such as using non-approved accessories, inadequate air circulation in the room or abnormal operating conditions (extreme temperatures)
- Use in commercial or industrial applications
- Fire, water damage, theft, war, riot, hostility or acts of God such as hurricanes, floods, etc.
- Use of force or damage caused by external influences
- Partially or completely dismantled appliances
- Excess wear and tear by the user

Replacement parts and/or units will be new, re-manufactured or refurbished and is subject to the manufacturer's discretion. For technical support and warranty service, please email support@newair.com