






Cabinet






IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product. follow the manual thoroughly and keep it for further reference.





AVOID SCRATCHES!

In order to avoid scratching this furniture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.



ANTI-TOPPLE WARNING !


Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !




It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.

For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.




Please prepare the following tools




When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

A x 6



B x 1




C x 30



Ø 3 x 12 mm

D x 43



Ø 6 x 35 mm

E x 32




Ø 8 x 30 mm

F x 43




Ø 15 x 9 mm

G x 6




Ø 4 x 35 mm

H x 2



I x 42



Ø 3.5 x 14 mm

J x 16



K x 2



L x 15



Ø 4 x 30 mm

M x 6




N x 3



P x 6



Q x 3




R x 12



Ø 3 x 9 mm


S x 6




T x 12




CL x 3




CR x 3




DL x 3



DR x 3






⚠ WARNING



Children have died from furniture tipover. To reduce the risk of furniture tipover:

- ALWAYS install tipover restraint provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.

*This is a permanent label.
Do not remove!*



1

C x 18




Ø3 x 12 mm

D x 8





Ø6 x 35 mm





CL x 3






CR x 3






Fix rail(CL) and (CR) to board 1 and 2 with screw(C) as shown.
Screw eccentric rod(D) into board 1 and 2 with a screwdriver as shown.






2








Screw eccentric rod(D) into board 3 and 21 as shown.



3




Attach board 4 to board 3 and 21 using wooden dowel(E), add cam lock(F) into board 4 and turn clockwise to tighten as shown.



4



E x 8




F x 8



Ø15 x 9 mm




Connect board 1 and 2 to board 3 and 4 using wooden dowel(E), add cam lock(F) into board 3,4 and turn clockwise to tighten as shown.



5

Insert back board 5 along available grooves as shown.





6


D x 8




Ø6 x 35 mm










Screw eccentric rod(D) into board 6 and 7 as shown.



7




B x 1	P x 6	Q x 1	S x 2	T x 4	
-------	-------	-------	-------	-------	---

Stick light strip(Q) to board 8 at first.
Fix part(B) to board 8 with screw(P) as shown.
Use buckle(S) to fix light strip using screw(T)
as shown.






Tear off the back glue
of the light strip!

8






Stick light strip(Q) to board 10 at first.
Use buckle(S) to fix light strip using
screw(T) as shown.




Tear off the back glue
of the light strip!

9




Connect board 6 and 7 to board 8 and 10 using wooden dowel(E), add cam lock(F) into board 8,10 and turn clockwise to tighten as shown.



10

E x 4






Ø8 x 30 mm


G x 4



Ø4 x 35 mm




Insert back board 11 along available grooves as shown.
Attach board 12 to board 6 and 7 using wooden dowel(E),
and fix with screw(G) as shown.




11

D x 4




Ø6 x 35 mm






Q x 1




S x 2




T x 4




Stick light strip(Q) to board 13 at first.
Use buckle(S) to fix light strip using
screw(T) as shown.



Screw eccentric rod(D) into
board 13 as shown.



Tear off the back glue
of the light strip!



12


E x 4







F x 4



Ø15 x 9 mm




Insert back board 11 along available grooves as shown. Cover board 13 to top using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.



13




D x 4



Ø6 x 35 mm




Screw eccentric rod(D) into board 12 as shown.



14

E x 4




Ø 8 x 30 mm




F x 4





Ø 15 x 9 mm




Connect the two components using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.




15



Insert buckle(J) into back slots and fix with screw(I) as shown.
Fix part(H) to board 13 with screw(I).



16






Assemble light strip Q.

17



G x 2




K x 2




Install anti-tipping device as shown.




1.




2.






3.





4.







18



Fix hinge(A) to board 14 with screw(R) as shown.



19




Assemble door 14 to board 6 and 7 by fixing hinge with screw(I) as shown.

20



L x 15



Ø4 x 30 mm




Fix board 15, 18 and 16 to board 17 with screw(L) as shown.





21


D x 15



Ø6 x 35 mm



Screw eccentric rod(D) into board 20 at first.




22

F x 15




Ø 15 x 9 mm

M x 6





N x 3



Insert bottom board 19 along available grooves as shown.

Attach board 20 to board 15, 18 and 16, add cam lock(F) into and turn clockwise to tighten as shown.

Fix handle(N) with screw(M).




23

C x 12








Ø 3 x 12 mm

DL x 3






DR x 3



Fix runner(DL) and (DR) to board 15 and 16 respectively with screw(C) as shown.

Align rails, insert drawers in.

















If doors are still not aligned if the hinges are properly correctly, please watch the video.

<https://youtu.be/n0Lb36SoODM>

If there is misalignment after you install, adjust the screw to the best condition



WARRANTY

WARRANTY CLAIMS

- There is a 30-day warranty for broken furniture or any other problems that do not work properly. The warranty will start from the date of purchase which must be verified by proof of purchase.
- Before making a claim, we may be able to answer your query, simply call us. Please leave your purchase order number, along with some details of the problem, if you want a replacement part. We will arrange within 48 hours. If there is out of stock, we will reply with a shipping date.
- The product must be used in accordance with the instructions provided. For health reasons.
- For other reasons, if the furniture needs to be returned, it must be cleaned and dried and operated within 30 days of receipt.

Type of Warranty Claim

- Failure to follow the furniture instructions will invalidate the warranty. Attention please.
- Does not include damage during installation, but includes damage during transportation.

Scope of responsibility

- Shall not bear any responsibility for misuse or user damage and / or loss of parts during the installation of furniture.
- After using, the damage and scratches of the furniture are not covered by the warranty.

The Warranty Relates to All Bought in The Us and Covers The Following Areas

- Sheet parts: 1 month from the date of purchase.
- Electrical parts: 1 month from the date of purchase.

RETURNS

CHANGED YOUR MIND AND NEED TO RETURN YOUR ITEM?

PLEASE FOLLOW THE BELOW INSTRUCTIONS:

- If you have purchased and have simply changed your mind, follow the retailer's instructions for returns.

DEFECTIVE ITEMS

- If your item is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please call us.

DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer, then we suggest the delivery is refused. If the delivery has been accepted and then shipping damage is found, please follow the specific instructions advised by the retailer.
In all circumstances please save all packaging material and paperwork for the order. Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you jeopardise your chances of making a claim, and you may not receive a credit for the return.

AFTER-SALES CONTACT





feedbackstation@163.com




(303)800-6387

Cabinet





ASSEMBLED BY 2 ADULTS




IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product. follow the manual thoroughly and keep it for further reference.





AVOID SCRATCHES!

In order to avoid scratching this furniture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.



ANTI-TOPPLE WARNING !


Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !




It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.

For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.




Please prepare the following tools




When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

A x 2



B x 1




C x 48




Ø 3 x 12 mm

D x 69



Ø 6 x 35 mm

E x 64




Ø 8 x 30 mm

F x 69




Ø 15 x 9 mm

G x 14




Ø 4 x 35 mm

H x 2



I x 106



Ø 3.5 x 14 mm


J x 32



K x 2



L x 15



Ø 4 x 30 mm


M x 10



N x 5




O x 9



P x 14



Q x 3



R x 4




S x 24




Ø 3 x 9 mm

T x 6




U x 6




V x 8




CL x 3





CR x 3



DL x 3



DR x 3




⚠ WARNING



Children have died from furniture tipover. To reduce the risk of furniture tipover:

- ALWAYS install tipover restraint provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.

*This is a permanent label.
Do not remove!*




1

C x 18








Ø3 x 12 mm


CL x 3






CR x 3





Fix rail(CL) and (CR) to board 1 and 2 with screw(C) as shown.











2



Screw eccentric rod(D) into board 3 with a screwdriver as shown.




3



Attach board 4 to board 3 using wooden dowel(E), add cam lock(F) into board 4 and turn clockwise to tighten as shown.

4

E x 4




Ø 8 x 30 mm





G x 4



Ø 4 x 35 mm




Attach board 3 to board 1 and 2 using wooden dowel(E) and fix with screw(G) as shown.








5

D x 8



Ø 6 x 35 mm





Screw eccentric rod(D) into board 5 and 6 with a screwdriver as shown.

6




Attach board 5 and 6 to board 3 and 4 using wooden dowel(E), add cam lock(F) into board 3,4 and turn clockwise to tighten as shown.





7


Insert back board 7 and 8 along available grooves as shown.



8




Fix part(B) to board 11 with screw(P) as shown.



9



A x 1




D x 8



P x 4



Screw eccentric rod(D) into at first.
Flip to back, screw eccentric rod(D)
into board 10 and fix part(A) with
screw(P).



10

E x 4




Ø8 x 30 mm



F x 4



Ø15 x 9 mm




Attach board 11 and 12 to board 10 using wooden dowel(E), add cam lock(F) into board 11,12 and turn clockwise to tighten as shown.



11



A x 1







D x 8



P x 4




Screw eccentric rod(D) into board 13 and fix part(A) with screw(P) at first.




Flip to back, screw eccentric rod(D) into as well.

12




Insert back board 14 along available grooves as shown.
Attach board 13 to board 11 and 12 using wooden dowel(E),
add cam lock(F) into board 11,12 and turn clockwise to tighten
as shown.



13

E x 8





Ø8 x 30 mm


F x 8








Ø15 x 9 mm





Attach board 15 and 31 to board 13 and 10 using wooden dowel(E), add cam lock(F) into board 15,31 and turn clockwise to tighten as shown.




14







Stick light strip(Q) to board 11, 15 and 31 at first.
Use buckle(O) to fix light strip using screw(C) as shown.




Tear off the back glue of the light strip!






15




Screw eccentric rod(D) into board 16 and 17 as shown.







16




Attach board 16 and 17 to board 15 and 31 using wooden dowel(E), add cam lock(F) into board 15,31 and turn clockwise to tighten as shown.




17




Insert back board 14 along available grooves as shown.
Attach board 18 to board 16, 13, 10 and 17 using wooden dowel(E), and fix with screw(G) as shown.





18






Insert back board 19, 14 and 20 along available grooves as shown.




19



Stick light strip(Q) to board 21 at first.
Use buckle(O) to fix light strip using screw(C) as shown.
Screw eccentric rod(D) into board 21 as shown.




Tear off the back glue of the light strip!







20

E x 8




F x 8




Cover board 21 to board 16, 13, 10 and 17 using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.

21



D x 8



Ø6 x 35 mm



Screw eccentric rod(D) into board 18 as shown.



22

E x 8




Ø8 x 30 mm





F x 8




Ø15 x 9 mm




Connect the two components using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.




23



Insert buckle(J) into back slots and fix with screw(I) as shown.
Fix part(H) to board 21 with screw(I).



24






Assemble light strip Q.

25



G x 2




K x 2




Install anti-tipping device as shown.




1.




2.





3.



4.




26

I x 24  Ø 3.5 x 14 mm	M x 4 	N x 2 	R x 4 	
--	--	--	---	---

Fix hinge(R) to board 22 with screw(I) as shown.

Fix handle(N) with screw(M).


Assemble door 22 to board 5 and 6 by fixing hinge(R) with screw(I) as shown.






Pay attention to the difference between the middle parts of the two types of door hinges.

- The door hinges(T) are used on the outmost panel of the cabinet.
- And door hinges(U) are used on the door panel in the middle of the cabinet.



U



T




28

S x 12






Ø 3 x 9 mm

T x 6




Fix hinge(T) to glass board 23 with screw(S) as shown.




29




I x 24



Ø 3.5 x 14 mm



Assemble door 23 to board 16 and 17 by fixing hinge(T) with screw(I) as shown.







30

S x 12





Ø 3 x 9 mm

U x 6




Fix hinge(U) to glass board 23 with screw(S) as shown.



31




I x 24





Ø 3.5 x 14 mm




Assemble door 23 to board 10 and 13 by fixing hinge(U) with screw(I) as shown.





32





Fix board 24, 27 and 25 to board 26 with screw(L) as shown.




33





Screw eccentric rod(D) into board 29 at first.





34



Insert bottom board 28 along available grooves as shown.
 Attach board 29 to board 24, 27 and 25,
 add cam lock(F) into and turn clockwise
 to tighten as shown.
 Fix handle(N) with screw(M).





35




Fix runner(DL) and (DR) to
 board 24 and 25 respectively
 with screw(C) as shown.


36

V x 8



Insert layer pin(V) into board 2 and 6 and place shelf board 30 in.

















If there is misalignment after you install,
adjust the screw to the best condition

If doors are still not aligned if the hinges
are properly correctly, please watch the video.

<https://youtu.be/n0Lb36SoODM>



WARRANTY

WARRANTY CLAIMS

- There is a 30-day warranty for broken furniture or any other problems that do not work properly. The warranty will start from the date of purchase which must be verified by proof of purchase.
- Before making a claim, we may be able to answer your query, simply call us. Please leave your purchase order number, along with some details of the problem, if you want a replacement part. We will arrange within 48 hours. If there is out of stock, we will reply with a shipping date.
- The product must be used in accordance with the instructions provided. For health reasons.
- For other reasons, if the furniture needs to be returned, it must be cleaned and dried and operated within 30 days of receipt.

Type of Warranty Claim

- Failure to follow the furniture instructions will invalidate the warranty. Attention please.
- Does not include damage during installation, but includes damage during transportation.

Scope of responsibility

- Shall not bear any responsibility for misuse or user damage and / or loss of parts during the installation of furniture.
- After using, the damage and scratches of the furniture are not covered by the warranty.

The Warranty Relates to All Bought in The Us and Covers The Following Areas

- Sheet parts: 1 month from the date of purchase.
- Electrical parts: 1 month from the date of purchase.

RETURNS

CHANGED YOUR MIND AND NEED TO RETURN YOUR ITEM?

PLEASE FOLLOW THE BELOW INSTRUCTIONS:

- If you have purchased and have simply changed your mind, follow the retailer's instructions for returns.

DEFECTIVE ITEMS

- If your item is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please call us.

DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer, then we suggest the delivery is refused. If the delivery has been accepted and then shipping damage is found, please follow the specific instructions advised by the retailer.
In all circumstances please save all packaging material and paperwork for the order. Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you jeopardise your chances of making a claim, and you may not receive a credit for the return.

AFTER-SALES CONTACT






feedbackstation@163.com



(303)800-6387



Cabinet






IMPORTANT INFORMATION!

please read the entire manual before starting to assemble and/or using this product. follow the manual thoroughly and keep it for further reference.





AVOID SCRATCHES!

In order to avoid scratching this furniture should be assembled on a soft layer-could be a rug.



IMPROVE EFFICIENCY !

Try to find a partner to install with you, which can speed up the installation efficiency and shorten the time.



ANTI-TOPPLE WARNING !


Overturned furniture can cause serious or fatal crush injuries. To prevent tipping over, be sure to use the wall attachment, if not included with this product. Please purchase the wall attachment that fit your wall. If unsure, seek professional advice. Please read and follow each step of the instructions carefully.

IMPORTANT !




It is important that any product which is assembled using any kind of screw is re-tightened 2 weeks after assembly, and once every 3 months - in order to assure stability through-out the lifespan of the product.

For regular maintenance and cleaning of the product, for the frame, please use a rag dipped in neutral detergent to fully wipe it, and then dry it with a clean rag. For glass materials, wipe with a rag dampened with water glass cleaner, and then dry with a dry rag.

Do not use an electric screwdriver, and do not use too much force when installing, because the board is easy to break.




Please prepare the following tools




When installing, please carefully confirm whether each screw corresponds to the manual, accessories with similar shapes can be distinguished by size

A x 1




B x 1



C x 8




D x 42



Ø 6 x 35 mm

E x 48




Ø 8 x 30 mm

F x 42




Ø 15 x 9 mm

G x 10




Ø 4 x 35 mm

H x 2



I x 98



Ø 3.5 x 14 mm

J x 24



K x 2



L x 2



M x 6



N x 3



O x 18




Ø 3 x 12 mm

P x 10



Q x 3



R x 4




S x 18




Ø 3 x 9 mm


T x 6




U x 3



V x 9





⚠ WARNING



Children have died from furniture tipover. To reduce the risk of furniture tipover:




- ALWAYS install tipover restraint provided.
- NEVER put a TV on this product.
- NEVER allow children to stand, climb or hang on drawers, doors, or shelves.
- NEVER open more than one drawer at a time.
- Place heaviest items in the lowest drawers.

*This is a permanent label.
Do not remove!*

1

D x 6

Ø 6 x 35 mm



Screw eccentric rod(D)
into board 1 as shown.

2






E x 4

Ø 8 x 30 mm




F x 6

Ø 15 x 9 mm



Attach board 2 to board 1 using wooden
dowel(E), add cam lock(F) into board 2
and turn clockwise to tighten as shown.






3




Attach board 3 to board 1 using wooden dowel(E), and fix with screw(G) as shown.






4




Screw eccentric rod(D) into board 4 and 5 as shown.



5




Connect board 4 and 5 to board 1 and 2 using wooden dowel(E), add cam lock(F) into board 1,2 and turn clockwise to tighten as shown.




6

Insert back board 6 and 7 along available grooves as shown.





7


B x 1






P x 6





Fix part(B) to board 10 with screw(P) as shown.




8

A x 1 	D x 8  Ø6 x 35 mm	P x 4 	
--	--	--	---




Screw eccentric rod(D)
into board 8 at first.



Flip to back, screw eccentric rod(D)
into and fix part(A) with screw(P)
as shown.

9

E x 8






Ø8 x 30 mm



F x 8



Ø15 x 9 mm




Attach board 12, 11 and 10 to board 8 using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.




10

Q x 2




V x 6








O x 12



Ø3 x 12 mm




Stick light strip(Q) to board 10, 11 and 12 at first.
Use buckle(V) to fix light strip using screw(O) as shown.




Tear off the back glue of the light strip!

11



D x 8




Ø6 x 35 mm




Screw eccentric rod(D) into board 13 and 14 as shown.






12






Insert back board 15 along available grooves as shown. Connect board 13 and 14 to board 12, 11 and 10 using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.



13





Insert back board 15 along available grooves as shown.
Attach board 16 to board 13, 8 and 14 using wooden dowel(E), and fix with screw(G) as shown.



14

Insert back board 15 and 17 along available grooves as shown.




15


D x 6




Q x 1



V x 3







O x 6



Ø6 x 35 mm

Ø3 x 12 mm






Stick light strip(Q) to board 18 at first.
Use buckle(V) to fix light strip using
screw(O) as shown.
Screw eccentric rod(D) into board 18
as shown.

Tear off the back glue
of the light strip!



16






Cover board 18 to top using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.






17







Screw eccentric rod(D) into board 16 as shown.



18




Connect the two components using wooden dowel(E), add cam lock(F) into and turn clockwise to tighten as shown.




19



H x 2



I x 26




J x 24




Insert buckle(J) into back slots and fix with screw(I) as shown.
Fix part(H) to board 18 with screw(I).

20






Assemble light strip Q.

21




Install anti-tipping device as shown.






Pay attention to the difference between the middle parts of the two types of door hinges.

- The door hinges(T) are used on the outermost door plates
- And the door hinges(U) are used on the door panel in the middle of the cabinet.



U



T



23

S x 12



Ø 3 x 9 mm


T x 6







Fix hinge(T) to board 19 with screw(S) as shown.



T




U



24

I x 24




Ø 3.5 x 14 mm






Assemble door 19 to board 13 and 14 by fixing hinge with screw(I) as shown.



T



U





25

S x 6



Ø 3 x 9 mm


U x 3







Fix hinge(U) to board 19 with screw(S) as shown.



T




U



26


I x 12






Ø 3.5 x 14 mm



T



U





Assemble door 19 to board 8 by fixing hinge with screw(I) as shown.



Pay attention to the difference between the middle parts of the two types of door hinges.

- The full coverage door hinges(R) are used on the outermost door plates
- And the curved door hinges(L) are used on the door panel in the middle of the cabinet.

**L****R**

28

I x 8



Ø 3.5 x 14 mm


M x 4






N x 2





R x 4



Fix hinge(R) to board 20 with screw(I) as shown.
Fix handle(N) with screw(M) as shown.



x2





29



I x 16









Ø 3.5 x 14 mm







Assemble door 20 to board 4 and 5 by fixing hinge with screw(I) as shown.




30






Fix hinge(L) to another board 20 with screw(I) as shown. Fix handle(N) with screw(M) as shown.



31



Assemble door 20 to board 3 by fixing hinge with screw(I) as shown.





32

C x 8



Insert layer pin(C) into board 3, 4
and 5 and place shelf board 22.

















If there is misalignment after you install, adjust the screw to the best condition

If doors are still not aligned if the hinges are properly correctly, please watch the video.

<https://youtu.be/n0Lb36SoODM>



WARRANTY

WARRANTY CLAIMS

- There is a 30-day warranty for broken furniture or any other problems that do not work properly. The warranty will start from the date of purchase which must be verified by proof of purchase.
- Before making a claim, we may be able to answer your query, simply call us. Please leave your purchase order number, along with some details of the problem, if you want a replacement part. We will arrange within 48 hours. If there is out of stock, we will reply with a shipping date.
- The product must be used in accordance with the instructions provided. For health reasons.
- For other reasons, if the furniture needs to be returned, it must be cleaned and dried and operated within 30 days of receipt.

Type of Warranty Claim

- Failure to follow the furniture instructions will invalidate the warranty. Attention please.
- Does not include damage during installation, but includes damage during transportation.

Scope of responsibility

- Shall not bear any responsibility for misuse or user damage and / or loss of parts during the installation of furniture.
- After using, the damage and scratches of the furniture are not covered by the warranty.

The Warranty Relates to All Bought in The Us and Covers The Following Areas

- Sheet parts: 1 month from the date of purchase.
- Electrical parts: 1 month from the date of purchase.

RETURNS

CHANGED YOUR MIND AND NEED TO RETURN YOUR ITEM?

PLEASE FOLLOW THE BELOW INSTRUCTIONS:

- If you have purchased and have simply changed your mind, follow the retailer's instructions for returns.

DEFECTIVE ITEMS

- If your item is defective in any way, i.e. it doesn't work but you can't identify why, in the first instance, please call us.

DAMAGED ITEMS

- If you receive an order with obvious shipping damage from the retailer, then we suggest the delivery is refused. If the delivery has been accepted and then shipping damage is found, please follow the specific instructions advised by the retailer.
In all circumstances please save all packaging material and paperwork for the order. Please be aware that if you dispose of packaging material or attempt to return the merchandise without contacting the fulfiller, you jeopardise your chances of making a claim, and you may not receive a credit for the return.

AFTER-SALES CONTACT



feedbackstation@163.com



(303)800-6387