

CARE AND USE INSTRUCTIONS

Tools Required


13mm/10mm Socket

Ratchet

Torque Wrench

TB240011

Passenger Right Side



Driver Left Side

Notes

Read this instruction carefully before starting installation.
Proper tools will improve the quality of installation and reduce the time required.
If missing parts or any damage found, please take a picture and contact us.

CARE AND USE INSTRUCTIONS

Step 1:


1. Remove factory rock rails if equipped. Three mounting positions each side.
2. Remove (6) M6 hex nuts on rocker panel and (3) M8 hex bolts on body frame.

Note: The step bar and factory rock rail cannot coexist.

Step 2:

1. With assistance, lift and attach the step bar to the rocker panel.
2. Align the square holes on step bar with mounting holes on rocker panel.



Note: Driver left side is shown.



CARE AND USE INSTRUCTIONS

Step 3:


1. Secure the step bar on body frame with (3) M8 hex bolts, (3) M8 flat washers, (3) M8 lock washers.
2. Secure the step bar on rocker panel with (6) M6 carriage bolts, (6) M6 flat washers, (6) M6 lock washers, (6) M6 hex nuts.




Step 4:

1. Tighten M8 hex bolts with 15 ft. lbs. torque.
2. Tighten M6 hex nuts with 7 ft. lbs. torque.
3. After the step bar installed, periodic check to ensure all mounting hardware remains secure

CARE AND USE INSTRUCTIONS



Part List:

			
M8×30 Hexagon Bolt	×6	M6 Carriage Bolt	×12
			
M8 Flat Washer	×6	M6 Flat Washer	×12
			
M8 Lock Washer	×6	M6 Lock Washer	×12
			
M6 Hexagon Nut	×12		